Certificate of Compliance

Certificate Number:

E5946

Report Reference:

E5946-2018-09-25

Issue Date:

2025-08-01

Issued to:

COOPER WHEELOCK INC
273 BRANCHPORT AVE
LONG BRANCH NJ, 07740-6830 United States

This certificate confirms that representative samples of:

AUDIBLE-SIGNAL APPLIANCES

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ANSI/UL 464, Audible Signaling Devices for Fire Alarm and Signaling Systems, Including Accessories, ANSI/UL 1638, VISIBLE SIGNALING DEVICES FOR FIRE ALARM AND SIGNALING SYSTEMS, INCLUDING ACCESSORIES, CAN/ULC 526:2023, Visible Signaling Devices for Fire Alarm and Signaling Systems, Including Accessories

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number	E5946
Report reference	E5946-2018-09-25
Date	2025-08-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Fire Alarm Equipment:

USL, CNL - Horn: Model HS-24, may be followed by a suffix representing color and lettering, mounted on a wall or ceiling, intended for indoor use only.

USL, CNL - Horn: Model MT-12/24, MT4-12/24, AH-24WP, may be followed by a suffix representing color and lettering, mounted on a wall or ceiling, intended for indoor or outdoor use.

USL, CNL - Horn: Model MT-115, MT4-115, may be followed by a suffix representing color and lettering, mounted on a wall or ceiling. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL1, CNL1 - Horn/Strobe Light: Model MT-121575W, MT-24MCW, HS4-24MCW, HS4-24MCWH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous. Mounted on a wall. Intended for indoor use only.

USL1, CNL1 - Horn/Strobe Light: Model HS4-24MCC, HS4-24MCCH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for indoor use only.

USL1, CNL1 - Horn/Strobe Light: Model MTWP-2475W, MTWP-24MCWH, HS4-24MCWH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous. Mounted on a wall. Intended for indoor or outdoor use.

USL1, CNL1 - Horn/Strobe Light: Model MTWP-2475C, MTWP-24MCCH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for indoor or outdoor use.

USL2, CNL2 - Horn/Strobe Light: Model MT(x)121575W, MT(x)-24MCW, where (x) indicates strobe lens color, which may be A for amber, B for blue, G for green or R for red. Model may be followed by a suffix representing product color and lettering. Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, indoor use only.

USL2, CNL2 - Horn/Strobe Light: Model MT4-115-WH, followed by a suffix representing color and lettering. Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL2, CNL2 - Horn/Strobe Light: Model MTWP(x)-2475W, where (x) indicates strobe lens color, which may be A for amber, B for blue, G for green or R for red. Model may be followed by a suffix representing product color and lettering. Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL2, CNL2 - Horn/Strobe Light: Model MTWP(x)-24MCCH, where (x) indicates strobe lens color, which may be A for amber, B for blue, G for green or R for red. Model may be followed by a suffix representing product color and lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL3, CNL3 – Horn/Strobe Light: Model MT4-115, followed by -WH, followed by V (vertical), followed by F (FIRE) or N (NONE), followed by additional suffix for product color. Synchronous or non-synchronous, mounted on a wall. Intended for Fire Alarm Public Mode listing, intended for indoor or outdoor use.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:

E5946

Report Reference:

E5946-2018-09-25

Issue Date:

2025-08-01

Issued to:

COOPER WHEELOCK INC
273 BRANCHPORT AVE
LONG BRANCH NJ, 07740-6830 United States

This certificate confirms that representative samples of:

AUDIBLE-SIGNAL APPLIANCES

See Addendum Page for Product Designation(s).

Has been evaluated by ULC Inc. in accordance with Standard(s) for Safety:

CAN/ULC 525 Audible Signaling Devices for Fire Alarm and Signaling Systems, Including Accessories

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the ULC Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the ULC Mark.

Only those products bearing the ULC Mark should be considered as being ULC Certified and covered under UL's Follow-Up Services.

Look for the ULC Certification Mark on the product.

Gunsimar Paintal
ULC Mark Certification Program Manager

UL Solutions

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized licensee of ULC. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

This is to certify that representative samples of the product as specified on this certificate were tested according to the current ULC requirements.

Fire Alarm Equipment:

USL, CNL - Horn: Model HS-24, may be followed by a suffix representing color and lettering, mounted on a wall or ceiling, intended for indoor use only.

USL, CNL - Horn: Model MT-12/24, MT4-12/24, AH-24WP, may be followed by a suffix representing color and lettering, mounted on a wall or ceiling, intended for indoor or outdoor use.

USL, CNL - Horn: Model MT-115, MT4-115, may be followed by a suffix representing color and lettering, mounted on a wall or ceiling. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL1, CNL1 - Horn/Strobe Light: Model MT-121575W, MT-24MCW, HS4-24MCW, HS4-24MCWH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous. Mounted on a wall. Intended for indoor use only.

USL1, CNL1 - Horn/Strobe Light: Model HS4-24MCC, HS4-24MCCH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for indoor use only.

USL1, CNL1 - Horn/Strobe Light: Model MTWP-2475W, MTWP-24MCWH, HS4-24MCWH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous. Mounted on a wall. Intended for indoor or outdoor use.

USL1, CNL1 - Horn/Strobe Light: Model MTWP-2475C, MTWP-24MCCH, may be followed by a suffix representing color and lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for indoor or outdoor use.

USL2, CNL2 - Horn/Strobe Light: Model MT(x)121575W, MT(x)-24MCW, where (x) indicates strobe lens color, which may be A for amber, B for blue, G for green or R for red. Model may be followed by a suffix representing product color and lettering. Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, indoor use only.

USL2, CNL2 - Horn/Strobe Light: Model MT4-115-WH, followed by a suffix representing color and lettering. Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL2, CNL2 - Horn/Strobe Light: Model MTWP(x)-2475W, where (x) indicates strobe lens color, which may be A for amber, B for blue, G for green or R for red. Model may be followed by a suffix representing product color and lettering. Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL2, CNL2 - Horn/Strobe Light: Model MTWP(x)-24MCCH, where (x) indicates strobe lens color, which may be A for amber, B for blue, G for green or R for red. Model may be followed by a suffix representing product color and lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for Private Mode Emergency Use, intended for indoor or outdoor use.

USL3, CNL3 – Horn/Strobe Light: Model MT4-115, followed by -WH, followed by V (vertical), followed by F (FIRE) or N (NONE), followed by additional suffix for product color. Synchronous or non-synchronous, mounted on a wall. Intended for Fire Alarm Public Mode listing, intended for indoor or outdoor use.



Gunsimar Paintal
ULC Mark Certification Program Manager

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized licensee of ULC. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.