PHP™
DISTRIBUTION







2025 WINTER

OCTOBER 1 – MARCH 31, 2026

SAME DAY SHIPPING

PAYMENT TERMS

FREIGHT ALLOWED

Phone Toll Free: 800.362.6951
Fax Toll Free: 800.255.7985
www.phpdistribution.com
Hours 7:30 am - 5:00 pm (CST)

MATRA ARA

Choose Your Terms

FREIGHT — **A**

$4,000 or greater
Net 30
Freight Allowed

or

PAYMENTS — **B**

Up to $3,999
1 Payment
Net 30

$4,000 - $5,999
3 Equal Payments
30/60/90

$6,000+
4 Equal Payments
30/60/90/120

Standard Shipping & Terms: Freight shipped prepaid and added to your invoice. FOB Valparaiso, IN. Net 30 terms for invoices up to $3,999.99.
Freight Option (A): Shall apply on orders of $4,000 or more. Freight will be invoiced, but may be deducted if paid within Net 30 terms. Freight is non-deductible if payment is late.
Payments Option (B): Payments must be made in 30/60/90/120-day terms, per the above matrix. No interest (if paid on time). Freight is due with the first payment.

Examples on a $4,000 Order

OPTION A FREIGHT

Purchase $4,000 of merchandise and pay using Option A.

The customer pays one lump sum Net 30 days and the freight is free.....

Total Invoice (Including Freight)	$4,200.00
Freight deductible if paid net 30	—$200.00
Total Paid	**$4,000.00**

Freight may be deducted if paid within Net 30 terms.
Freight is non-deductible if payment is late.


OPTION B EQUAL PAYMENTS

Single invoice shows $4,000 of merchandise and $200 in freight. The customer can pay in 3 equal payments and includes the freight in the first payment*.

Total Invoice: $4,000.00

Payment 1 (*Includes $200 freight)	$1,533.33
Payment 2	$1,333.33
Payment 3	$1,333.33
Total Paid	**$4,200.00**

Due to unprecedented times, we are facing manufacturer price updates more frequently than usual. Please check our website at phpdistribution.com for prevailing prices and availability, which are subject to change without notice.



Name Brand Product Selection
We carry thousands of products featuring the names you look for and trust for quality and dependability.

Same Day Shipping
Strategically located in the Midwest...with our ship same day standard means in most cases you will recieve your order within 24-48 hours depending on your location.

Superior Customer Service
Staffed with knowledgeable representatives to help in any way they can.

Special Terms for Qualifing Customers
Certain minimum orders receive special terms including payment options and shipping cost.

Top-of-the-Line Technical Service
Our team is always ready to answer any questions you have.

GROUND SHIPPING TIME FROM PHP



Follow Us!
facebook.com/PPHHPP46383
twitter.com/PHPDistribution
(search PHP Distribution)

Visit Us!
phpdistribution.com
to place orders
orders@phpdistribution.com

Call Us!
1.800.362.6951
Fax:1.800.255.7985

Make-Up Air Heaters



page 22

Submersible Pump



page 59

Post Pulling Tool



page 102

Carpet Blowers



page 121

Dehumidifiers



page 124

DEWALT



50,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls

Item No.	Retail	Wholesale
DXH50K		Please Login



75,000 BTU

- 4 gallon tank
- Durable barrel design
- Recessed controls
- Built-in thermostat

Item No.	Retail	Wholesale
DXH75KT		Please Login





135,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Item No.	Retail	Wholesale
DXH135HD		Please Login



190,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Item No.	Retail	Wholesale
DXH190HD		Please Login



215,000 BTU

- 14 gallon tank
- Heavy-duty roll cage
- Durable barrel design
- Front storage compartment
- Flat-free tires
- Recessed controls
- Built-in thermostat

Item No.	Retail	Wholesale
DXH215HD		Please Login



Model #	DXH50K	DXH75KT	DXH135HD	DXH190HD	DXH215HD
Stock#	F340670	F340675	F340690	F340695	F340700
BTU Output	50,000	75,000	135,000	190,000	215,000
*Heats Up To: (Approx. Sq. Ft.)	1,200	1,750	3,500	4,200	6,500
Run Time: (Approx.)	11 Hrs	11 Hrs.	9.5 Hrs	10 Hrs.	9.5 Hrs.
CFM Output	165	240	275	400	400
Tank Size (Gallon)	4	6	14	14	14
Thermostat	Sold Separately	Included	Included	Included	Included
Tires	N/A	N/A	Foam filled flat-free	Foam filled flat-free	Foam filled flat-free
Weight	33.75 lbs.	39 lbs.	60 lbs.	74 lbs.	106.5 lbs.
Shipping Ctn Size (In Inches)	32.5 x 14.25 x 14.75	32.25 x 14.25 x 17	39.75 x 18.25 x 20.75	39.75 x 18 x 21	42 x 18 x 22

LIMITED QUANTITIES

HEATSTAR by ENERCO



125,000 BTU

- Heats up to 3,000 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Easy-off fuel cap
- Lighted on/off switch
- Oversized traction wheels

Item No.	Retail	Wholesale
HS125KT		Please Login

NEW STACKABLE DESIGN
For wheeled units only





80,000 BTU

- Heats up to 2,000 sq. feet
- Built-in thermostat
- Fuel gauge
- Cord wrap
- Heavy gauge steel for durability
- Lighted on/off switch

Item No.	Retail	Wholesale
HS80KT		Please Login



140,000 BTU

- Heats up to 3,500 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Heavy gauge steel for durability
- Lighted on/off switch
- 10” solid foam filled tires

Item No.	Retail	Wholesale
HS140KT		Please Login



185,000 BTU

- Heats up to 4,650 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Heavy gauge steel for durability
- Lighted on/off switch
- 10” solid foam filled tires

Item No.	Retail	Wholesale
HS185KT		Please Login



210,000 BTU

- Heats up to 5,250 sq. feet
- Built-in thermostat
- Fuel cap with gauge
- Cord wrap
- Heavy gauge steel for durability
- Lighted on/off switch
- 10” solid foam filled tires

Item No.	Retail	Wholesale
HS210KT		Please Login

Model #	HS50K	HS80KT	HS140KT	HS185KT	HS210KT
Item #	F105500	F105501	F105502	F105503	F105504
BTU Rating	50,000	80,000	140,000	185,000	210,000
Heats Up To (Approx. Sq. Ft.)	1,250	2,000	3,500	4,625	5,250
Fuel Consumption	.40 gal/hr	.60 gal/hr	1.04 gal/hr	1.37 gal/hr	1.55 gal/hr
Fuel Tank Capacity (Gallon)	4	6	14	14	14
Tires/Wheels	N/A	N/A	Flat-Free	Flat-Free	Flat-Free
Run Time (Approx.)	11 Hrs.	10 Hrs.	14 Hrs.	10 Hrs.	9 Hrs.
Shipping Size (L X W X H)	32" X 14" X 14.5"	32" X 14.25" X 17"	42" X 18" X 22"	42" X 18" X 22"	42" X 18" X 22"
Weight	43 lbs.	43 lbs.	74 lbs.	81 lbs.	87 lbs.

L.B.WHITE





75,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge

Item No.	Retail	Wholesale
Tradesman K75		Please Login



125,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Item No.	Retail	Wholesale
Tradesman K125		Please Login



175,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Item No.	Retail	Wholesale
Tradesman K175		Please Login



210,000 BTU Direct Spark

- Comfort control T-stat
- Fuel gauge
- Spark ignition
- Cord wrap
- Safety flameout sensor
- High limit safety sensor
- Built-in air pressure gauge
- Pneumatic wheels
- Room temperature display

Item No.	Retail	Wholesale
Tradesman K210		Please Login

TRADESMAN	K75	K125	K175	K210
Btu/h Rating	75,000	125,000	175,000	210,000
Heated Air Output (CFM)	265	520	600	650
Pump Pressure (psi)	3.8	5.5	6.5	8.5
Fuel Consumption (max.) (gal./hr.)	0.6	0.95	1.3	1.6
Tank Capacity (gal.)	5	10	13	13
Operating Time/Tankful min. (hrs.)	8.3	10.5	10.0	8.0
Amps (continuous operation)	1.6	2.5	3.2	3.7
Motor Horsepower	1/8	1/5	1/4	1/3
Dimensions (in.)				
Length	32.0	36.1	41.8	41.8
Width	11.8	21.5	23.1	23.1
Height	16.8	24.9	26.1	26.1
Shipping Weight (lbs.)	30.0	63.7	71.6	73.2

No-Spill® CARB Fuel Can w/Auto Stop Nozzle

Meets CARB Environmental Standard



- 5 gallon
- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference
- 7/8" Funnel spout easily fills even the smallest equipment

Item No.	Retail	Wholesale
1456		Please Login



HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.
- Do not use with wick heaters

Item No.	Retail	Wholesale
00161		Please Login

Job Sizing - Heat Requirements

Cubic Feet	Rise in Temperature 10ºF	20ºF	30ºF	40ºF	50ºF	60ºF	70ºF	80ºF
4,000	5,320	10,640	15,960	21,280	26600	31,920	37,240	42,560
8,000	10,640	21,280	31,920	42560	53,200	63,840	74,480	85,120
12,000	15,960	31,920	47,880	63,840	79,800	95,760	111,720	127,680
16,000	21,280	42,560	63,840	85120	106,400	127,680	148,960	170,240
20,000	26,600	53,200	79,800	106,400	133,000	159,600	186,200	212,800
24,000	31,920	63,840	95,760	127,680	159,600	191,520	223,440	255,36
28,000	37,240	74,480	111,720	148,960	186,200	223,440	260,680	297,920
32,000	42,560	85,120	127,680	170,240	212,800	255,360	297,920	340,480
36,000	47,880	95,760	143,640	191,520	239,400	287,280	335,160	383,040
40,000	53,200	106,400	159,600	212,800	266,000	319,200	372,400	425,600
44,000	58,520	117,040	175,560	234,080	292,600	351,120	409,640	468,160
48,000	63,840	127,680	191,520	255,360	319,200	383,040	446,880	510,720
52,000	69,160	138,320	207,480	276,640	345,800	414,960	484,120	553,280
56,000	74,480	148,960	223,440	297,920	372,400	446,880	521,360	595,840
60,000	79,800	159,600	239,400	319,200	399,000	478,800	558,600	638,400
64,000	85,120	170,240	255,360	340,480	425,600	510,720	595,840	680,960
68,000	90,440	180,880	271,320	361,760	452,200	542,640	633,080	723,520
72,000	95,760	191,520	287,280	383,040	478,800	574,560	670,320	766,080
76,000	101,080	202,160	303,240	404,320	505,400	606,480	707,560	808,640
80,000	106,400	212,800	319,200	425,600	532,000	638,400	744,800	851,200
84,000	111,720	223,440	335,160	446,880	558,600	670,320	782,040	893,760
88,000	117,040	234,080	351,120	468,160	585,200	702,240	819,280	936,320
92,000	122,360	244,720	367,080	489,440	611,800	734,160	856,520	978,880
96,000	127,680	255,360	383,040	510,720	638,400	766,080	893,760	1,021,440
100,000	133,000	266,000	399,000	532,000	665,000	798,000	931,000	1,064,000
104,000	138,320	276,640	414,960	553,280	691,600	829,920	968,240	1,106,560
108,000	143,640	287,280	430,920	574,560	718,200	861,840	1,005,480	1,149,120,
112,000	148,960	297,920	446,880	595,840	744,800	893,760	1,042,720	1,191,680
116,000	154280	308,560	462,840	617,120	771,400	925,680	1,079,960	1,234,240
120,000	159,600	319,200	478,800	638,400	798,000	957,600	1,117,200	1,276,800
124,000	164,920	329,840	494,760	659,680	824,600	989,520	1,154,440	1,319,360
128,000	170,240	340,480	510,720	680,960	851,200	1,021,440	1,191,680	1,361,920
132,000	175,560	351,120	526,680	702,240	877,800	1,053,360	1,228,920	1,404,480
136,000	180,880	361,760	542,640	723,520	904,400	1,085,280	1,266,160	1,447,040
140,000	186,200	372,400	558,600	744,800	931,000	1,117,200	1,303,400	1,489,600
144,000	191,520	383,040	574,560	766,080	957,600	1,149,120	1,340,640	1,532,160
148,000	196,840	393680	590,520	787,360	984,200	1,181,040	1,377,880	1,574,720
152,000	202,160	404,320	606,480	808,640	1,010,800	1,212,960	1,415,120	1,617,280

Formula: Cubic Feet x .133 x Desired Temperature Rise = BTU/h Required

Note: .133 = Heat Loss Variable, a number standard to the industry based on insulation. A tightly insulated building indicates this number is slightly high. Yet a loosly insulated building indicates this number is slightly low. However, .133 is a factor that meets a respectful medium.

OIL-FIRED HEATERS

Radiant Heat!



146,900 BTU Radiant Fired 2-Stage Unit

- Low noise level
- Radiant heat with no air movement
- Lift bracket
- Odor FREE
- Kerosene, diesel, fuel oil
- 14 Gal. shock-proof fuel tank
- Dual stage burner - high /low settings
- Electric - 120V, 1.25 Amps
- Weight - 149 lbs.
- Dimensions - 41"Lx30"Wx47"H

Item No.	Description	Retail	Wholesale
HSP150R	Heater		Please Login
F105108	External thermostat		Please Login




Direct Fired Heaters

- Runs on #1, #2 diesel, kerosene, JP-8, or Jet A fuel
- Simple, easy to use control panel built with tough flameproof plastic
- Safety features include: overheat limit, pressure switch and flame out sensor
- Double layered combustion chamber provides quiet operation and low surface shell temperature

Standard Features

- Pre-heated fuel filter
- Fuel gauge
- Lifting brackets
- Power cord bracket
- Large fuel tank, over 35 gallon capacity!
- Runtime: (DF400-12.6 hrs.), (DF600-8.3 hrs.)
- External fuel tank available for even more run time!

Item No.	Description	CFM	Retail	Wholesale
DF400	400,000 BTU	2500		Please Login
DF600	600,000 BTU	2800		Please Login
THIDF	Thermostat			Please Login







Duct - Heaters & Blowers

Item No.	Description	Use With	Retail	Wholesale
544	LB White 8" x 12' White	L.B White Premier 40		Please Login
F109107	Nomad 12" x 30" White	Nomad HS115TC		Please Login
F109108	Nomad 12" x 10' White	Nomad HS115TC		Please Login
26347	LB White 12" x 12' White	L.B White Premier 80 and Premier 170		Please Login
WD1220G	Heat Wagon 12" x 20' Gray	Heat Wagon HVF110		Please Login
WD1225	Heat Wagon 12" x 25' White	Heat Wagon HVF110		Please Login
WD1425	Heat Wagon 14" x 25' White	Heat Wagon HVF210		Please Login
F109117	Nomad 16" x 30" White	Nomad HS190TC and HS250TC		Please Login
F109118	Nomad 16" x 10' White	Nomad HS190TC and HS250TC		Please Login
WD1625HT5	Heat Wagon 16" x 25' White	Heat Wagon DG250		Please Login
22835	LB White 18" x 12' White	L.B White Premier 350		Please Login
WD1825	Heat Wagon 18" x 25' White	Heat Wagon HVF310		Please Login
WD2010UHT	Heat Wagon 20" x 10' Wire reinforced	Heat Wagon 1800B		Please Login
WD2025	Heat Wagon 20" x 25' White	Heat Wagon HVF410HD		Please Login
WD2025HT5	Heat Wagon 20" x 25' White	Heat Wagon DG400		Please Login
WDD1825	Heat Wagon 20" x 25' White	Heat Wagon UB181 Blower		Please Login
WD2425	Heat Wagon 24" x 25' White	Heat Wagon V600A		Please Login
WD3025HT	Heat Wagon 30" x 25' White	Heat Wagon V750, V1100, 3050, 2730C		Please Login

Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160ºF
- Extra large fuel tanks for extended run times
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low-power consumption
- Runs on 15 amp circuit
- "One-Man" maneuverability
- Lifting handles
- Fuel gauge
- Extra large capacity tanks
- Thermostat sold separately

No Open Flame!

heat wagon

HVF110 - 110,000 BTU

- 17 gallon tank
- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160º F
- Ductable up to 25'
- 100 lbs.



Item No.	Description	Retail	Wholesale
HVF110	Heater		Please Login
WD1220G	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap/Flue stack		Please Login

HVF210 - 205,000 BTU

- 27.7 gallon tank
- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160º F
- Ductable up to 50'
- 180 lbs.



Item No.	Description	Retail	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login

HVF310 - 300,000 BTU

- 35.7 gallon tank
- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160º F
- Ductable up to 50'
- 270 lbs.



Item No.	Description	Retail	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adapter		Please Login
WD1220G	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login

HVF410 - 412,000 BTU

- 57 gallon tank
- 30 hour run time
- Preheated fuel filter
- 120v, 20amp
- 3250 cfm
- Temperature rise = 140º F
- Ductable up to 60'
- 507 lbs.
- 2 control settings
  Low-272K BTU
  High-412K BTU



Item No.	Description	Retail	Wholesale
HVF410	Heater		Please Login
WD2025	25' Duct		Please Login
AR401	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR402	Two-way adapter		Please Login
WD1825	25' Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login

Qualifies For FREIGHT ALLOWED

heat wagon



Ductable Dual-Fuel, Direct Fired Heater

- Heavy-duty frame with wheels and lifting hook
- Changes from vapor propane to natural gas with a turn of a valve
- Low amp draw
- Ductable up to 50'
- Remote thermostat with 50' cord **(sold separately)**
- 120V

Item No.	Description	Retail	Wholesale
DG250	250,000 BTU heater		Please Login
WD1625HT5	25 ft. duct (DG250)		Please Login
AR250	Duct adapter (DG250)		Please Login
DG400	400,000 BTU heater		Please Login
WD2025HT5	25 ft. duct (DG400)		Please Login
AR400	Duct adapter (DG400)		Please Login
DIGTHIDF-5	Thermostat		Please Login
INSTKIT	Hose & Reg. Inst. Kit		Please Login

LP Hose & Regulator Installation Kit #INSTKIT

- *3/4" x 25' hose*
- *Regulator (1st Stage)*
- *Tank connector*
- *Regulator (2nd Stage)*
- *Thread sealing tape*
- *All fittings to connect to tanks*

Propane Forced-Air

- HeatStar heaters include a 20 ft. hose and regulator
- Patented Quiet Burner Technology®
- Runs 50% quieter than all other forced air propane heaters

QUIET BURNER TECHNOLOGY®



85,000 BTU

- Heats up to 2,125 sq. feet
- Will not work with thermostat
- Continuous ignition

Item No.	Retail	Wholesale
HS85QFAV		Please Login





125,000 BTU

- Heats up to 3,125 sq. feet
- Will not work with thermostat
- Continuous ignition

Item No.	Retail	Wholesale
HS125QFAV		Please Login

C US



170,000 BTU

- Heats up to 4,250 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Item No.	Retail	Wholesale
HS170QFAV		Please Login



400,000 BTU

- Heats up to 10,000 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Item No.	Retail	Wholesale
HS400FAVT		Please Login

Model #	HS3SFA	HS85QFAV	HS125QFAV	HS170QFAVT	HS400FAVT
Item #	F105505	F105507	F105508	F105509	F105510
BTU Rating	35,000	50,000-85,000	75,000-125,000	125,000-170,000	250,000-400,000
Heats Up To (Approx. Sq. Ft.)	875	2,125	3,125	4,250	10,000
Min. Recommended Tank Size	20 lb. tank	20 lb. tank	40 lb. tank	100 lb. tank	(2) 100 lb. tanks
Run Time (Approx.)	12 Hrs.	8.6 Hrs.	11.5 Hrs.	17 Hrs.	8.6 Hrs.
Fuel Consumption (Lbs/Hr)	1.62	1.2 to 2.08	3.5 to 5.8	5.8 to 7.8	11.5 to 18.5
Adjustable Height Control	No	Yes	Yes	Yes	Yes
High Temperature Limit Switch	YES	Yes	Yes	No	No
Ignition	Pelzio	Continuous Spark	Continuous Spark	Automatic Solid State	Automatic Solid State
Thermostat	No	No	No	Yes	Yes
Power Required	120V	120V	120V	120V	120V
Shipping Size (L X W X H)	9.75" X 20.75" X 12.75"	11.62" X 18.37" X 14.12"	11.62" X 21.12" X 15.75"	11.5" X 26.5" X 16.5"	14.87" X 38.62" X 22.25"
Weight	17 lbs.	20 lbs.	25 lbs.	34 lbs.	51 lbs.



40,000 BTU

- 20 lb. minimum tank size
- 11 hour run time
- Rugged two-piece barrel
- Recessed controls
- 15’ hose & regulator

Item No.	Retail	Wholesale
DXH40FALP		Please Login



65,000 BTU

- 20 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- 15’ hose & regulator

Item No.	Retail	Wholesale
DXH65FALP		Please Login



125,000 BTU

- 40 lb. minimum tank size
- 7 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20’ hose & regulator

Item No.	Retail	Wholesale
DXH125FALP		Please Login



150,000 BTU

- 100 lb. minimum tank size
- 14 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- 20’ hose & regulator

Item No.	Retail	Wholesale
DXH150FALP		Please Login



170,000 BTU

- 100 lb. minimum tank size
- 13 hour run time (high setting)
- Rugged two-piece barrel
- Recessed controls
- Quiet Burner Technology™
- Built-in thermostat
- 20’ hose & regulator

Item No.	Retail	Wholesale
DXH170FAVT		Please Login



DeWalt Battery not included

Cordless Propane Unit 68,000 BTU

- 50% quieter than a standard LP heater
- Hose/Regulator included
- Heats up to 1500 sq ft
- Runs on DeWalt 20V Max & Flexvolt batteries (sold separately)

Item No.	Description	Retail	Wholesale
DXH70CFAV	Heater		Please Login
DCB204-2	Batteries (2pk.)		Please Login



Model#	DXH40FA	DXH65FAV	DXH90FAV	DXH125FAV	DXH150FAV	DXH170FAVT	DXH210FAVT
Stock#	F340705	F340710	F340715	F340720	F340725	F340730	F340735
BTU Output	40,000	35,000-65,000	58,000-90,000	75,000-125,000	100,000-150,000	125,000-170,000	160,000-210,000
Heats Up To: (Approx. Sq. Ft.)	800	1,250	2,000	3,200	3,500	4,000	6,000
CFM Output	100	300	300	350	400	450	450
Minimum Recommended Tank Size	20 lbs.	20 lbs.	20 lbs.	40 lbs.	100 lbs.	100 lbs.	(2x) 100 lbs.
Operating Pressure	10 PSI	20 PSI	20 PSI	20 PSI	20 PSI	28 PSI	20 PSI
Approx. Run Time On Minimum Tank Size	12 Hrs.	7 Hrs. High 14 Hrs. Low	4.5 Hrs. High 8 Hrs. Low	6.5 Hrs. High 11 Hrs. Low	12 Hrs. High 17 Hrs. Low	10.5 Hrs. High 17 Hrs. Low	10 Hrs. High 13 Hrs. Low
Thermostat	NO	NO	NO	NO	NO	YES	YES
Quiet Burner Technology®	YES	YES	YES	YES	YES	YES	YES
Weight	20 lbs.	20 lbs.	19 lbs.	22 lbs.	22 lbs.	30.35 lbs.	30.35 lbs.
Shipping Ctn Size (In Inches)	20.5 x 9.75 x 12.75	19.75 x 11.5 x 14.25	18.5 x 11.5 x 14.25	21.25 x 11.75 x 16	21.25 x 11.75 x 16	26.75 x 11.75 x 16.5	26.75 x 11.75 x 16.5

* Heating area based on average insulation, ceiling height and desired temperature rise.

PROPANE HEATERS

Big Buddy (MH18B)
- Heats up to 400 sq. feet

Hunting Buddy (MH12B)
- Heats up to 300 sq. feet
- Camo faceplate
- Silent electronic ignition

DeWalt Buddy (DXH12B)
- Heats up to 450 sq. feet
- USB charging ports
- LED worklight
- Works with any DeWalt 20-Volt Max or Flexvolt batteries

Buddy Heater (MH9BX)
- Heats up to 200 sq. feet

Little Buddy (MH4B)
- Heats up to 100 sq. ft.

Features
- Built-in low oxygen shut off sensor and tip-over switch
- Easy-carry handle
- CSA-certified for indoor use

Item No.	Description	Retail	Wholesale
MH18B	4,000 - 18,000 BTU		Please Login
MH12HB	6,000 - 12,000 BTU		Please Login
DXH12B	6,000 - 12,000 BTU		Please Login
MH9BX	4,000 - 9,000 BTU		Please Login
MH4B	3,800 BTU		Please Login
F273699	Fuel filter (change annually)		Please Login
F273702	12' Hose recommended to use w/fuel filter		Please Login
F276127	Power adapter for Big Buddy		Please Login
DCB204-2	DeWalt Battery (2pk)		Please Login



DXH12B


MH18B



MH12HB


MH9BX


MH4B



Golf Cart Heater
- One button push ignition/on function
- 4,000 BTU wind resistant burner
- Cup holder adapter
- Automatic low oxygen shut-off system
- Connects to a 1 lb. disposable cylinder
- 90º tip-over safety switch reduces nuisance shut-offs in golf carts

Item No.	Retail	Wholesale
MH4GC		Please Login


MH30T


MH15T


MH45T

Tanktop Heaters
- Reaches full output in seconds
- No electricity required
- Fully assembled and ready to use
- Made of rugged quality materials
- Tank not included
- CSA Approved

Item No.	Description	Retail	Wholesale
MH15T	10,000 - 15,000 BTU		Please Login
MH30T	10,000 - 30,000 BTU		Please Login
MH45T	10,000 - 45,000 BTU		Please Login

HEATSTAR

Mr. Heater

Burner head pivots to direct heat



540º Tank Top Heater
- 360° Burner Head
- 180° Multi-Directional Bracket
- 30,000 - 45,000 BTU per hour
- For use with Liquid Propane
- Push Button TE Valve
- Safety Shut-off Tip Over Switch
- Mounts to a 20 lb. cylinder

Item No.	Retail	Wholesale
MH540T		Please Login

Tradesman 125 Propane Heater



- 70,000-125,000 BTU
- 400 CFM
- Continous Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 25.6”L x 11.8”W x 16”H
- 20.37 lbs. net weight
- Gas pressure regulator and 10’ hose included
- CSA Certified

Item No.	Retail	Wholesale
Tradesman125		Please Login

Tradesman 170 Propane Heater



- 125,000-170,000 BTU
- 550 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 24”L x 9.5”W x 16”H
- 29.2 lbs. net weight
- Gas pressure regulator and 10’ hose included
- CSA Certified
- Mounted thermostat - standard

Item No.	Retail	Wholesale
Tradesman170P		Please Login



Garage Heaters

- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- Ships configured for natural gas
- Cabinet Size: - 12” x 18” x 25”
- Power Exhaust Allows For Vertical Or Horizontal Venting
- Spark Ignition – Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)

Item No.	Description	Retail	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login
F102848	*Vertical venting kit-80K BTU only		Please Login
F102860	*Horizontal venting kit-80K BTU		Please Login



Tradesman 400 Propane Heater

- 250,000-400,000 BTU
- 1,050 CFM
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 34.5”L x 12.5”W x 21.5”H
- 52.0 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard

Item No.	Retail	Wholesale
Tradesman400P		Please Login



Unique 3-trial ignition ensures heater will light



Industry’s heaviest gauge combustion chamber and burner plate for longest life

L.B. White Tradesman heaters feature a unique 3-trial ignition system, the industry’s heaviest gauge combustion chamber and burner plate.



Tradesman 400DF Heater - Dual Fuel

- 170,000-400,000 BTU
- 1,050 CFM
- Switch between LP & NG with the push of a lever
- Direct Spark Ignition
- Electrical Supply 115v @ 60Hz single phase
- 34.5”L x 12.5”W x 21.5”H
- 43.0 lbs. net weight
- Gas pressure regulator and 10' hose included
- CSA Certified
- Mounted thermostat - standard

Item No.	Retail	Wholesale
Tradesman400DF		Please Login

Forced-Air Natural Gas



- 150,000 BTU
- Heater shuts off with loss of flame or power supply
- Made of rugged, durable steel
- Heats up to 1,250 sq. feet
- Built-in thermostat
- Automatic solid state ignition

Item No.	Retail	Wholesale
HS170FANG		Please Login

Forced-Air Natural Gas Heater



- 125,000 - 155,000 BTU
- Heated air output 550 cfm
- Direct spark ignition
- Steel case with tri-shield coating
- Unit mount thermostat
- CSA-certified
- 1/2" hose not included

Item No.	Retail	Wholesale
Tradesman170N		Please Login

Natural Gas Radiant Heater



- 125,000 BTU
- Heats up to 3,000 sq. feet
- 16.14"L x 16.14"W x 35.04"H
- Piezo push button ignition
- Regulator included
- No electricity required

Item No.	Retail	Wholesale
HS125N		Please Login

Workman 100N Plus Convection Heater



- 100,000 BTU/h Maximum input
- 400 CFM heated air output
- Piezo pilot ignition
- Stainless burner
- 14"L x 12"W x 20"H
- 12 lbs. net weight

Item No.	Retail	Wholesale
Workman100NPlus		Please Login

Natural Gas Convection Heater



- 50,000 - 100,000 BTU
- Piezo push button ignition
- No electricity required
- Heats up to 2,500 sq. ft.
- "Insta-Lock" system for easy assembly - no tools

Item No.	Retail	Wholesale
HS100CVNG		Please Login

Garage Heaters



- Easily Heats 2 And 3 Car Garages
- Includes Gas Conversion Kit
- Ships configured for natural gas
- Cabinet Size: - 12" x 18" x 25"
- Spark Ignition – Features Self-Diagnostic Control Module
- 3-Year Warranty On Parts And Burner
- 10-Year Warranty On Heat Exchanger
- Needs thermostat to operate (sold separately)
- Venting kits sold seperately

Part#	Description	Retail	Wholesale
HSU50NG	45,000 BTU - Propane/NG		Please Login
HSU80NG	80,000 BTU - Propane/NG		Please Login
F10371	Thermostat		Please Login

See page 13 for venting kit information

Radiant Heater



- 212,000 BTU
- Cast iron multi-port burner for even heat distribution and long life
- No electrical supply required
- Stainless steel radiant emitter and combustion chamber for durability
- 18" diameter heavy gauge steel

Item No.	Retail	Wholesale
4114901		Please Login



Radiant Heaters

- Heats up to 3,000 sq. feet
- Runs up to 17 hours on a #100 tank
- 16.14”D x 16.14”W x 35.04”H
- Piezo push button ignition
- 12 ft. hose and regulator included (LP model only)
- Regulator included with NG model
- No electricity required

Item No.	Description	Retail	Wholesale
HS125LP	125,000 BTU - propane		Please Login
HS125N	125,000 BTU - natural gas		Please Login

Norseman 250 Cast Iron Propane Heater

- 18"L x 13"W x 24.0"H
- 10 ft. hose
- 75,000 - 250,000 BTU
- 25 PSIG regulator
- Adjustable heat output
- Cast iron burner for longer life
- Heavy-duty construction - 34 lbs
- Needs three, 100 lb. tanks



Item No.	Retail	Wholesale
Norseman250		Please Login



Oil Fired Radiant

- 146,900 BTU
- Lift bracket
- Odor FREE
- Kerosene, diesel, fuel oil
- 14 Gal. shock-proof fuel tank
- Dual stage burner - high /low
- 41”L x 30”W x 47”H

Item No.	Description	Retail	Wholesale
HSP150R	Heater		Please Login
F105108	Thermostat		Please Login

Workman 225 Plus Propane Convection Heater

- 16.5”L x 15”W x 26”H
- 10 ft. hose standard
- 45,000 - 250,000 BTU
- Piezo ignitor
- 3.5 to 10 lbs./hour propane consumption
- 10 PSI regulator
- Lightweight and portable
- Needs three, 100 lb. tanks



Item No.	Retail	Wholesale
Workman225P		Please Login



Convection Heaters

- Piezo push button ignition
- 10 ft. hose and regulator included (LP model only)
- No electricity required

HS80CVX & HS100CVN

- Heats up to 1,900 sq. ft.(HS80CV)
- Heats up to 1,400 sq. ft.(HS80CVN)
- Runs up to 14 hours on a #20 tank (LP)

HS200CVX

- Heats up to 4,700 sq. ft.
- Runs up to 29 hours on a #100 tank

Item No.	Description	Retail	Wholesale
HS80CVX	40-80,000 BTU - propane		Please Login
HS100CVN	40-100,000 BTU - natural gas		Please Login
HS200CVX	100-200,000 BTU - propane		Please Login

Radiant Heater

- 45,000 BTU/h Maximum input
- Heavy-duty frame
- Flat-free tires
- Collapsible handle
- Includes 20’ hose & reg. assembly

Item No.	Retail	Wholesale
DXH45LP		Please Login





Cord Now Included!

Electric Heaters

(These units are not ductable)

- Built-in thermostat (32º - 100º F)
- Overheat protection
- High quality sealed motor
- 10’ cord and grounded plug

heat wagon

	P900P	P600P
BTU/Hr	30700	20500
Volts	240V 1Ø	240V 1Ø
Amps	38	25
CFM	350	250
Temp. Rise	100˚F	100˚F
(LxWxH)	22” x 18” x 12”	19.5” x 11.8” x 17.3”

Item No.	BTU	Retail	Wholesale
P600P	20500		Please Login
P900P	30700		Please Login



Cord not included

Electric Heaters

- Built-in thermostat (32º - 100º F)
- Overheat protection
- High quality sealed motor

heat wagon

Model #	Watts	BTU/Hr	Volts	Amps	CFM	Temp. Rise	Weight	Ductable
P1800-1P	18000/12000	65000/41000	240V 1Ø	75/50	590	100ºF	62 lbs.	No
P1800-3P	18000/12000	65000/41000	240V 3Ø	50/34	590	100ºF	62 lbs.	No
P1800D	18000/12000	65000/41000	240V 3Ø	50/34	940	100ºF	62 lbs.	Yes

Item No.	Description	Retail	Wholesale
P1800-1P	Single Phase		Please Login
P1800-3P	Three Phase		Please Login
P1800D	Three Phase - Ductable		Please Login
WD1220G	20’ Duct		Please Login

Designed for extreme winter conditions!



Cord not included

heat wagon

Electric Heater P40000P

(This unit is ductable up to 50’)

Watts	40000/32000/16000
BTU/Hr	136500/109200/54600
Volts	480V 3Ø
Amps	40/32/16
CFM	1800
Temp. Rise	100˚F
Weight	130 lbs.
Dim.	45”L x 19”W x 25”H

Item No.	Description	Retail	Wholesale
P40000P	Heater		Please Login
WD1425	25’ Duct		Please Login



Cord not included

heat wagon

Electric Heater P60000P

(This unit is ductable up to 50’)

Watts	60000/48000/24000
BTU/Hr	204700/163800/81900
Volts	480V 3Ø
Amps	60/48/24
CFM	1800
Temp. Rise	100˚F
Weight	158 lbs.
Dim.	45”L x 19”W x 25”H

Item No.	Description	Retail	Wholesale
P60000P	Heater		Please Login
WD1425	25’ Duct		Please Login

WINMORE Cool Heat

Industrial Electric Heaters

- Long-life finned tubular heating elements
- Built-in thermostat and safety thermal cutout
- Auto reset overheat protection operation
- Tip-over switch for extra safety
- 10” wheels and handle for easy transport and portability
- Heavy-duty steel frame, safety guards on both intake and output ends
- Powder coating for all steel parts
- Our portable salamander heaters are perfect for heating up workshop, factory, garage, construction sites
- All models are CSA and UL listed
- Cord not included



Item No.	BTU	Watt	Volt	CFM	Amps	Temp Rise Fº	Cord Included	Weight	Retail	Wholesale
WMPSH10-241	34120	10kW	240/Single	1500	41.7	46	N	73 lbs.		Please Login
WMPSH15-203	51180	15kW	208/Three	1500	41.7	61	N	70 lbs.		Please Login
WMPSH15-241	51180	15kW	240/Single	1500	62.5	46	N	70 lbs.		Please Login

Electric Heaters

- No fumes or open flames
- Includes adjustable thermostat
- Durable heavy-duty construction
- Extra coil support
- Cord not included except DXH165

DEWALT





Part# Description List Price Wholesale UL

Item No.	BTU	Watt	Volt	Cord Included	Wheels	Retail	Wholesale
DXH165	5,630	1.65kW	115/Single	Y	N		Please Login
DXH330	11,260	3.3kW	240/Single	N	N		Please Login
DXH1000TS	34,121	10kW-Hi 7kW-Low	240/Single	N	N		Please Login
DXH2000TS	68,242	20kW-Hi 13kW-Low	240/Single	N	Y		Please Login
DXH2003TS	68,242	20kW	240/Three	N	Y		Please Login



heat wagon

Cord Now Included!

Electric Heater

(This unit is not ductable)

- Adjustable thermostat
- Overheat protection
- 10 ft. cord
- Powder coat finish

Watts	3000
BTU/Hr	10200
Volts	240V 1Ø
Amps	12.5
CFM	205
Temp. Rise	100˚F
Dim.	11.8”Lx10.2”Wx15.2”H

Item No.	Retail	Wholesale
P300		Please Login



TPI Milkhouse Heater

- 5120 BTU, 1300 & 1500 watt settings
- Temperature control thermostat
- 6’ long - 3 conductor cord
- Tip over switch
- Thermal cut-off device

Item No.	Description	Retail	Wholesale
188TASA	Heater		Please Login
58384002	On/Off switch		Please Login
58384009	Thermostat		Please Login
58384010	Limit switch		Please Login

400,000 BTU Dual-Fuel Indirect-Fired

heat wagon

CLEAN, DRY HEAT!



- 100% clean, dry heat
- Dual fuel - switch from propane to natural gas in minutes
- Approved for indoor/outdoor applications
- Ductable to 50'
- Remote thermostat with 50' cord
- Whisper quiet blower
- Flue stack included


Input	400,000 BTU/Hr
Gas Connection	3/4" FNPT, 14" W.C. max inlet
Electrical	120 Volts 20 amp circuit
Fan	2,100 CFM 1/2" SP
Thermostat	Standard On/Off
Temp Rise	200°F @ 0°F Ambient
Approx. Weight	400 lbs.

Qualifies For FREIGHT ALLOWED

Item No.	Description	Retail	Wholesale
VG400	Heater		Please Login
WD1225	Ducting 12" x 25' wire reinforced		Please Login
40SV06	Regulator-60 psi. max		Please Login
7525	3/4" x 25' gas hose		Please Login

750,000 BTU Non-Exposed Flame Heater

heat wagon



- NEF Arrester System allows for a Direct Fired Heater without a visible flame
- Dual-fuel quick change over from propane to natural gas
- Remote (50' long) thermostat with Hi/Lo/Off control
- Self-diagnostic troubleshooting lights

Component upgrades virtually eliminate electrical service calls

Input	750,000 - 450,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	1-1/4" FNPT
Electrical	120 Volts 15 amp circuit
Fan	5000 CFM 1-1/2 HP
Thermostat	2 Stage Hi/Lo/Off w/50'Remote
Weight	325 lbs.

SHIPS BY TRUCK

Qualifies For FREIGHT ALLOWED

Item No.	Description	Retail	Wholesale
750NEF	Heater		Please Login
WD2425HT	Ducting 24" x 25' wire reinforced		Please Login

750,000 BTU Dual-Fuel Direct Fired

heat wagon



- Ductable up to 50 ft.
- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- Diagnostic troubleshooting lights

Component upgrades virtually eliminate electrical service calls

Input	750,000 - 490,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	3/4" FNPT, 60 psi. max inlet
Electrical	120 Volts 15 amp circuit
Fan	4200 CFM 1 HP
Thermostat	2 Stage Hi/Lo/Off w/50'Remote
Temp Rise	385°F
Weight	200 lbs.

SHIPS BY TRUCK

Qualifies For FREIGHT ALLOWED

Item No.	Description	Retail	Wholesale
1800B	Heater		Please Login
WD2010UHT	Ducting 20" x 10' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login

950,000 BTU Dual-Fuel Direct Fired

heat wagon



- Ductable up to 100 ft.
- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (50' long) thermostat with Hi/Lo/Off control included
- 12" wheels make for easy handling
- Relays pull in and hold tight down to 95V
- Diagnostic troubleshooting lights
- No duct adapter needed

Component upgrades virtually eliminate electrical service calls

Input	950,000 - 400,000 BTU/Hr
Fuel	Vapor Propane/Natural Gas
Gas Connection	1-1/4" FNPT, 20 psi. max inlet
Electrical	120 Volts 15 amp circuit
Fan	7200 CFM 1-1/2 HP
Thermostat	2 Stage Hi/Lo/Off w/50'Remote
Temp Rise	250°F
Weight	325 lbs.

SHIPS BY TRUCK

Qualifies For FREIGHT ALLOWED

Item No.	Description	Retail	Wholesale
950H	Heater		Please Login
WD2425HT	Ducting 24" x 25' wire reinforced		Please Login
7525	3/4" x 25' gas hose		Please Login


SURE FLAME



400,000 BTU Dual-Fuel Direct Fired

- CSA-approved for unattended operation
- MEA approved for use in New York City
- Quick changeover from propane to natural gas
- Comes with 3/4" x 25' hose and 40SV06P regulator(60 psi max inlet)
- Thermostat to conserve fuel

Power Requirements	120 Volts, 12 amp
Fan Performance	2000 CFM - 1/4 HP
Inlet Connection	1" FNPT
Inlet Pressure	7" - 14" W.C.
Weight	95 lbs.
Dimensions	44"L, 16.5"W, 22"H
BTU/Hr	400,000
Thermostat	On/Off
Wheel Kit	Optional



Item No.	Description	Retail	Wholesale
S405P	Heater		Please Login
WK1P	Wheel Kit for S405P		Please Login
7510P	Hose		Please Login
40SV06P	Regulator		Please Login
INSTKIT	Hose & Reg. Inst. Kit		Please Login

SURE FLAME



1,500,000 BTU Dual-Fuel Direct Fired

- Efficient motor reduces amp draw and is rated to run on standard 15 amp circuit
- New remote (15' long) thermostat
- Relays pull in and hold tight down to 50V
- Upgraded heater control board

Component upgrades virtually eliminate electrical service calls

Power Requirements	120 Volts, 15 amp
Fan Performance	7000 CFM - 1 HP
Inlet Connection	1-1/4" FNPT
Inlet Pressure	9" - 14" W.C.
Weight	300 lbs.
Dimensions	69"L, 32"W, 41.5"H
BTU/Hr	1,500,000
Thermostat	Hi/Lo/Off

Qualifies For FREIGHT ALLOWED

Item No.	Description	Retail	Wholesale
S1505B	Heater		Please Login
11SV08P	1-1/4"x1-1/4" Reg. 20 psi max		Please Login

See page 31 for hose selection.

heat wagon



400,000 BTU Dual-Fuel Direct Fired

- Heavy-duty frame with wheels and lifting hook
- Changes from vapor propane to natural gas with a turn of a valve
- Low amp draw
- Ductable up to 50'
- Remote thermostat with 50' cord **(sold separately)**
- 120V

Item No.	Description	Retail	Wholesale
DG400	400,000 BTU heater		Please Login
WD2025HT5	25 ft. duct (DG400)		Please Login
AR400	Duct adapter (DG400)		Please Login
DIGTHIDF-5	Thermostat		Please Login
INSTKIT	Hose & Reg. Inst. Kit		Please Login





Dual Fuel or Propane Direct-Fired Heaters

L.B.WHITE

Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.

40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 2.6 starting amps, 1 amps continuous operation
- 24.8"L x 14.5"W x 16.2"H
- Includes 15' gas hose, regulator & thermostat



Item No.	Description	Retail	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
573812	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8"dia. x 12"L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login

Diffuser and duct sold seperately



80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 5 starting amps, 2 amps continuous operation
- 30"L x 14"W x 20"H
- Includes 15' gas hose, regulator & thermostat w/ 1.4' cord



Item No.	Description	Retail	Wholesale
TS080 2.0	80,000 BTU - Propane Only		Please Login
CS080DF 2.0	80,000 BTU - Dual Fuel		Please Login
Accessories for 2.0 Heaters (Current Model)			
132902	Unit diffuser -TS080 2.0		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1.0 Heaters (Past Model)			
26349	Unit diffuser w/quick connect		Please Login
09454	Thermostat w/inline plug, 20' cord		Please Login
Accessories for all Premier 80 Heaters			
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

No Open Flame!

170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
TS170 2.0	170,000 BTU - Propane Only		Please Login
CS170DF 2.0	170,000 BTU - Dual Fuel		Please Login
Accessories for 2.0 Heaters (Current Model)			
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1.0 Heaters (Past Model)			
09454	Thermostat w/inline plug, 20' cord		Please Login
Accessories for all Premier 170 Heaters			
26351	Unit diffuser w/quick connect		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

350,000 BTU

- 2400 CFM
- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H
- LINK™ subscription ready
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
TS350DF 2.0	350,000 BTU - Dual Fuel		Please Login
Accessories for 2.0 Heaters (Current Model)			
22835	Duct kit, white, 18" dia. x 12'L		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1.0 Heaters (Past Model)			
22920	Thermostat w/inline plug, 20' cord		Please Login
Accessories for all Premier 350 Heaters			
23189	Diffuser for end of duct includes ring		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login

Dual Fuel or Propane Direct-Fired Heaters

HEATSTAR by ENERCO

NOMAD

ETL

Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

- 6 Output rates on 3 separate units
- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- Easy reset high limit switch
- 4 tie down connections (HS190TC, HS250TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- Spark ignition
- ETL Certified

HS115 - 115,000 BTU

- 650 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 30"L x 15"W x 23-3/4"H



SHIPS BY TRUCK

No Open Flame!

Item No.	Description	Retail	Wholesale
HS115SF	115,000 BTU - Propane Only		Please Login
HS115TC	115,000 BTU - Dual Fuel		Please Login
F109105	Diffuser for HS115TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109107	30" Short duct for HS115TC		Please Login
F109108	10' duct for HS115TC		Please Login

Includes 15' Gas Hose, Regulator, and Thermostat

HS190 - 190,000 BTU

- 1600 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



SHIPS BY TRUCK

Item No.	Description	Retail	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login

HS250 - 250,000 BTU

- 2100 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H



SHIPS BY TRUCK

Item No.	Description	Retail	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login











NEW!

Make-Up Air Heaters

The Commander™ Series is a make-up air unit offered in four versions: 500,000, 1,000,000, 1,500,000, or 2,300,000 BTUs. Commander™ manages air conditions in construction sites where improved air quality, temperature control, and moisture reduction is a necessity. These areas demand tempered heat while maintaining positive pressure all done using the Commander's™ modulating control and powerful air flow that is proven.

- L.B. White LINK™ Telematics-enabled to put critical alerts, runtime, location, and more at your fingertips
- Dual Fuel (LP/NG)
- Maintains positive building pressure
- Modulating control reduces fuel costs
- Provides tempered fresh air: As fresh air is drawn through the unit it is temperature controlled through modulation
- Constant air exchange: By exchanging the air with fresh air, moisture and contaminants in the air will be replaced



Commander500
500,000 BTU

- 3000 CFM
- LP/NG
- 11.1 Amps
- 120V, 60 Hz, 1 Phase
- 62"L x 32"W x 52"H
- Certified to ANSI 283.7 / CSA 2.14-2017-US / CAN



Item No.	Description	Retail	Wholesale
Commander500DF	500,000 BTU		Please Login

Commander1000
1,000,000 BTU

- 6000 CFM
- LP/NG
- 8.5 Amps
- 240V, 60 Hz, 1 Phase
- 72.44"L x 35"W x 56"H
- Certified to ANSI 283.7 / CSA 2.14-2017-US Only



Item No.	Description	Retail	Wholesale
Commander1000DF	1,000,000 BTU		Please Login

Commander1500
1,500,000 BTU

- 9000 CFM
- LP/NG
- 240V 1 PH: 24 Amps
  208-240V 3 PH: 13.5 Amps
  480V 3 PH: 9 Amps
- 240V / 60Hz / 1PH
  208-240V /60Hz / 3PH
  480V / 60Hz / 3PH
- 84.25"L x 40.5"W x 62.5"H
- Certified to ANSI 283.7 / CSA 2.14-2017-US / CAN



Item No.	Description	Retail	Wholesale
Commander1500DF	1,500,000 BTU		Please Login

Commander2300
2,300,000 BTU

- 15000 CFM
- LP/NG
- 240V 1 PH: 41 Amps
  208-240V 3 PH: 23 Amps
  480V 3 PH: 129 Amps
- 240V / 60Hz / 1PH
  208-240V / 60Hz / 3PH
  480V / 60Hz / 3PH
- 100.5"L x 48"W x 74.25"H
- Certified to ANSI 283.7 / CSA 2.14-2017-US / CAN
- Must specify voltage



Item No.	Description	Retail	Wholesale
Commander2300DF	2,300,000 BTU		Please Login



Portable Propane Cabinet Heater

- 6,000, 12,000, or 18,000 BTU per hour
- Ideal for restaurant patio seating
- Lower cost than heating towers
- Heats up to 450 sq. ft.
- No electricity required
- Quiet and odorless
- Hose and regulator included
- D 14.25” x H 23.50” x W 19.75”

Item No.	Retail	Wholesale
HS18CH		Please Login



Zubri Portable Patio Heater

- 40,000 BTU’s
- 7’3” tall (Case-56.5” tall x 15” wide)
- Heats approximately 300 sq. ft.
- No tools are necessary
- Legs detach for storage and transport
- Hard-shell carrying case and carrying bag for reflector
- Tip switch
- One year warranty

Item No.	Retail	Wholesale
Z1-12CK		Please Login



Carrying Case Included





Rhino Collapsible Patio Heater

- 41,000 BTU’s
- Unique ***collapsible*** design for transport & storage
- Integrated table top
- Easy start electric ignition
- Commercial grade steel with gold hammered powder coat
- Heavy-duty wheels and handle
- 1 Year limited warranty
- CSA tested and approved
- One year warranty



Item No.	Color	Retail	Wholesale
4070	Bronze		Please Login
4075	Black		Please Login

Stainless Steel

Jet Silver

Antique Bronze



Radiant Patio Heaters

- 40,000 BTUs
- Covers 10’ - 15’ diameter
- Convenient "Piezo" match free ignition
- 100% safety control
- Portable wheel kit included
- Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder

Item No.	Color	Retail	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login

Scented Kerosene Additive



- Will help eliminate water and reduce odor!
- One bottle treats 80 gals
- For wick heaters only

Item No.	Description	Retail	Wholesale
AD50	Pine, 8 oz. bottle		Please Login
A09H	Honeysuckle, 8 oz. bottle		Please Login
PW-11M2	Vanilla, 8 oz. bottle		Please Login
AD80	Unscented, 8 oz. bottle		Please Login


P10A


P20A


P30A

Ignitors

- Most popular plug fits Aladdin, Corona, Kero Sun, etc.
- Ignitor #1: For heaters you must pull a knob to light. See wick chart for proper ignitor.


Part#	Description	Retail	Wholesale
P10A	Ignitor #1		Please Login
P20A	Ignitor #2		Please Login
P30A	Ignitor #3		Please Login
P15A	Ignitor #4		Please Login



Mica Windows

- Can be cut to fit all wick heaters - 4" x 3-3/4"

Item No.	Retail	Wholesale
58		Please Login





A60
Battery Siphon
(use with
Kerosene only)

SI60
Manual Siphon
(can be used with
any fuel type)

Siphon Pumps Battery Operated & Manual

Item No.	Description	Retail	Wholesale
A60	Battery Siphon		Please Login
SI60	Individual Manual Pump		Please Login





Suntec/Sunstrand Oil Pumps

J STYLE PUMPS ALSO AVAILABLE

Item No.	Model	RPM	Rotation	Nozzle Port Location	Strainer & Nozzle Ratin at 100 PSI	Features	Retail	Wholesale
154180	A1YA-7912	1725	R.H.	R.H.	7 gph	-		Please Login
7116	A2VA-7116	3450	R.H.	R.H.	3 gph	-		Please Login

ROCK BOTTOM PRICES

Purchase these DESA-branded portable heater parts at net pricing. Realize an average savings of 65% on all parts shown. While supplies last. PHP reserves the right to limit quantities.
(All part numbers reference DESA-branded heater parts.)


7094NR


M51105-01


M51104-01


M29608


M51345-06


FHPF3-3.5C


117766-01


098508-01


102601-01


M50104-01


120254-01


104056-01


103684-01


117766-02


104460-01


102366-01


103814-01

M15241


M51170-01


107643-01


097156-01


M16660


NTC-3BZ

Item No.	Description	Sale Price
103684-01	Fan blade	Please Login
102366-01	100K BTU LP heater motor	Please Login
M15241	Output Filter	Please Login
M51170-01	Burner Head Plug	Please Login
107643-01	Fuel Valve	Please Login
103814-01	Tie Wire	Please Login
104460-01	Themostat Knob - Round Shaft	Please Login
097156-01	Washer shim	Please Login
M16660	Photo Cell Bracket	Please Login
M51104-01	Handle	Please Login
7094NR	Handle Clip	Please Login
M51105-01	Fan Guard	Please Login
M29608	Aluminum Pump Cover	Please Login
M51345-06	6-1/2" Rubber Tubing	Please Login
M51151-01	5-1/2" Fuel Line Tube	Please Login
NTC-3BZ	Hex Nut	Please Login
FHPF3-3.5C	Fillister Head Screw	Please Login
117766-01	Microprocessor Board 100/150	Please Login
117766-02	Microprocessor Board 200	Please Login
098508-01	Retainer Valve Nut	Please Login
102601-01	Ignition Control	Please Login
M50104-01	Bushing Shorty	Please Login
M50104-06	Bushing Shorty	Please Login
120254-01	Nozzle Adapter	Please Login
104056-01	Nozzle Adapter	Please Login

Spark Plugs



M29835 Spark plug
Compatibility: 35, 50 - non HSI

Item No.	Retail	Wholesale
PP212		Please Login



Compatibility: Champion, Porta Heat, Lawn Boy, Toro, Red Line, Wheatbelt, Century

Item No.	Retail	Wholesale
147080		Please Login



Compatibility: Master, Reddy, Knipco, Remington, Sears, Dayton, others

Item No.	Retail	Wholesale
PP211		Please Login

Transformers



Compatibility: Old style Champion air scoop heaters, steam cleaners

Item No.	Retail	Wholesale
5LAY30		Please Login



Compatibility: Knipco, Reddy, Master, Remington, Koehring

Item No.	Retail	Wholesale
102482-01		Please Login



Universal 3 way transformers will replace nearly all types of 10,000 volt transformers. You have a choice of three different locations for the Electrode

Item No.	Retail	Wholesale
LA4V		Please Login


55211


55231


55221


55321

Ignitor/Electrode Wire Terminals

Item No.	Description	Pkg Qty	Retail	Wholesale
55211	90° Electrode Terminal, solderless, reusable	5		Please Login
55231	Straight Insulated Terminal, solderless, reusable	5		Please Login
55221	Straight Non-Insulated Terminal, solderless, reusable	5		Please Login
55321	90° Non-Insulated Terminal, solderless, reusable	5		Please Login





Pre-packaged Portable Heater Parts

Compatibility: Master, Dayton, Reddy, Knipco, Remington, Desa

The below part information includes: part numbers for individual blister packs, the part description and certain HeatStar heater compatibility.

Note: Not all parts come in blister packs. Some are packaged in clear bags.

Complete Tune-Up Kits Available On Page 30

PP200SC



Ignitor (block type)


Compatibility: Few HSI models

Heavy-duty version of the PP200

Item No.	Retail	Wholesale
PP200SC		Please Login

PP200 (HA1000)

Ignitor (L-shaped block type)



Item No.	Retail	Wholesale
PP200		Please Login

PP204 (HA3004)



M22456-1 Rotor (1/2")
(4) M8643 Blades
(1) M22009 Insert

Item No.	Retail	Wholesale
PP204		Please Login

PP205 (HA3005)



M22456-2 Rotor (5/8"),(4) M8643-2 Blades, M22009 Insert

Item No.	Retail	Wholesale
PP205		Please Login

PP206 (HA3006)



079744-01 Nozzle

Compatibility: 35,000 BTU

Item No.	Retail	Wholesale
PP206		Please Login

PP207 (HA3007)



M50597 Nozzle

Compatibility: 50,000 BTU

Item No.	Retail	Wholesale
PP207		Please Login

PP208 (HA3008)



M50880-01 Nozzle, M8882 Seal

Compatibility: 70,000 BTU

Item No.	Retail	Wholesale
PP208		Please Login

PP209 (HA3009)



M51120-01 Nozzle, M8882 Seal

Compatibility: 100-110,000 BTU

Item No.	Retail	Wholesale
PP209		Please Login

PP210 (HA3011)



M18022 Nozzle, M8882 Seal

Compatibility: 150,000 BTU before 1992

Item No.	Retail	Wholesale
PP210		Please Login

PP211 (HA3012)



M10962-2 Spark plug

Compatibility: 70, 100, 150 - non HSI

Item No.	Retail	Wholesale
PP211		Please Login

PP212 (HA3013)



M29835 Spark plug

Compatibility: 35, 50 - non HSI

Item No.	Retail	Wholesale
PP212		Please Login

PP213 (HA3014)



M29632 Filter, M29633 Filter, M29612-01 Filter

Compatibility: 35, 50, 70

Item No.	Retail	Wholesale
PP213		Please Login

PP214 (HA3017)



M12179 Filter, M12244-1 Filter, M11637 Filter, M51150-01 Fuel Filter after 1992

Compatibility: 100 & 150,000 BTU

Item No.	Retail	Wholesale
PP214		Please Login

PP215 (HA3018)



M12179 Filter, M12244-1 Filter, M11637 Filter, M19630 Fuel Filter

Compatibility: 150,000 BTU

Item No.	Retail	Wholesale
PP215		Please Login

PP216 (HA3019)



M16656-4 Photo Cell

Compatibility: Various

Item No.	Retail	Wholesale
PP216		Please Login

PP217 (HA3020)



M8940 Ball, M10993-1 Spring, M27694 Adj. Screw, M22997 Plug

Compatibility: All models

Item No.	Retail	Wholesale
PP217		Please Login

PP218 (HA3021)

PP219 (HA3024)



100070-01 Nozzle Kit

Compatibility: 55,000 BTU

Item No.	Retail	Wholesale
PP218		Please Login

PP220 (HA3026)



Nozzle

Compatibility: 70,000 BTU

Item No.	Retail	Wholesale
PP220		Please Login

PP221 (HA3027)



Nozzle

Compatibility: 110-115,000 BTU

Item No.	Retail	Wholesale
PP221		Please Login

PP222 (HA3028)



Nozzle

Compatibility: 150-155,000 BTU

Item No.	Retail	Wholesale
PP222		Please Login

PP223 (HA3029)



Nozzle

Compatibility: 165,000 BTU

Item No.	Retail	Wholesale
PP223		Please Login

079980-01



Nozzle Adapter

Item No.	Retail	Wholesale
079980-01		Please Login

PP234 (HA1210)



Thermostat with numbers on dial

Item No.	Retail	Wholesale
PP234		Please Login

PP236



Photocell

Compatibility: M16656-24

Item No.	Retail	Wholesale
PP236		Please Login

HA1170



(Safety Control / Photo Cell) Tester

Compatibility: All Models

Item No.	Retail	Wholesale
HA1170		Please Login

F221887



Filter kit (HeatStar)

Compatibility: Models since 2009

Item No.	Retail	Wholesale
F221887		Please Login

F226831



Rotor kit (HeatStar)

Compatibility: All models

Item No.	Retail	Wholesale
F226831		Please Login



Gas Pressure Test Set

- Employs a 2-1/2" dial, 83K gauge with a dual scale of 0 - 20 ounces and 0 - 35" water column
- Gauge is mounted securely in a polyethylene box with a hinged cover and gray finish
- Three feet of rubber tubing is assembled to the connection of the gauge

Item No.	Retail	Wholesale
G24507		Please Login

Propane Test Gauge Low Pressure



- Use on Sure Flame models: SL11B, S1500, S1505 & S2000
- Can also be used on any low pressure gas portable heater
- 0-15 IN W.C.
- 2 1/2" dial
- 1/8" NPT lower mount connection

Item No.	Retail	Wholesale
G24503		Please Login



559L-153438



G14494



HA1180

Pressure Gauges For Oil Fired Heaters

- Proper pressure is essential for efficient heater performance. **High Pressure Gauge: 0-160 PSI**, used to set pump pressure on oil heaters equipped with high pressure pump (100+PSI)
- **Low Pressure Gauge: 0-15 PSI**, test gauge is used when adjusting the pump pressure on low pressure oil fired heaters.
- **Liquid Filled Low Pressure Gauge: 0-15 PSI**, for oil fired heaters. Most accurate & longest lasting gauge available today! Mounting is on back of gauge instead of bottom of gauge.

Item No.	Description	Retail	Wholesale
G14494	High Pressure, 0-200 PSI		Please Login
HA1180	Low Pressure, 0-15 PSI		Please Login
559L-153438	Liquid Filled Low Pres., 0-15 PSI		Please Login

Oil Burner Electrode Setting Gauge



- Just slide over nozzle and set electrode
- Works great on Wayne Burners, Champion, Century, Porta Heat, and Guardian Heaters
- Does not work well on Master, Reddy, Koehring

Item No.	Retail	Wholesale
T100-220		Please Login

Master Safety Control/Photocell Tester



- Portable battery operated (9V battery not included, part #HD-9V)
- Check all low pressure safety controls and low pressure photocells for proper operation
- **Must for all portable heater servicemen and H.S.I. repair**.

Item No.	Retail	Wholesale
HA1170		Please Login

A MUST FOR HSI TROUBLESHOOTING!

Essential Tool Kit For Repair Shop



Kit Includes

- HA1170 - Flame out control tester
- HA1180 - Low pressure gauge
- G14494 - High pressure gauge
- 23T - Technical service manual

Item No.	Retail	Wholesale
RS100		Please Login

A Must For HSI Troubleshooting





High Pressure Nozzles

Desa High Pressure



Item No.	GPH x Degree	Model#	Retail	Wholesale
M3292	.75 x 80˚A	Old B100's		Please Login
M4792	.90 x 80˚B	B125		Please Login
M9108	1.00 x 90˚A	B150, B155, F155		Please Login
1001347-5	1.50 x 80˚	B240		Please Login
M51070-01	2.00 x 70˚A	BV400/C		Please Login
M50112	2.50 x 70˚A	B350's		Please Login
M30765	4.00 x 80˚A	B600's		Please Login

Stone High Pressure



Item No.	GPH x Degree	Model#	Retail	Wholesale
46291	.65 x 80˚B	SG100, SG120		Please Login
46238	.85 x 80˚B	SG150, SG160		Please Login
46216	1.50 x 80˚B	SG500 (1974-1977)		Please Login
46215	2.00 x 80˚B	SG300 (pre 1979)		Please Login
46294	3.25 x 80˚B	SG500 (1977-on)		Please Login

Universal High Pressure



Item No.	GPH x Degree	Model#	Retail	Wholesale
M50112	2.50 x 70˚A	K350		Please Login
M30765	4.00 x 80˚A	K650		Please Login

Toro High Pressure



Item No.	GPH x Degree	Model#	Retail	Wholesale
154610	.85 x 60˚B	CH120 (pre-1977) Champ Ven-Tec		Please Login
154389	.85 x 80˚B	CH120 Air Scoop VAL 6		Please Login
154612	1.00 x 90˚A	CH150 Inline		Please Login
154387	1.10 x 80˚B	CH155's		Please Login
154388	1.65 x 60˚B	CH230 (pre-1977)		Please Login
154840	1.65 x 70˚B	CH230		Please Login
154744	1.65 x 80˚B	CH230		Please Login
147531	4.50 x 80˚B	CH650's		Please Login

Kelly High Pressure



Item No.	GPH x Degree	Model#	Retail	Wholesale
32206	.65 x 80˚B	90KSHS		Please Login
32233	.85 x 80˚B	120KSHS		Please Login
32101	3.00 x 80˚B	450KSHS		Please Login


3825CPL


01544


28199


7500P

Pipethreads x Pipethreads

Item No.	Description	Retail	Wholesale
6133NR	1/4"FPT x 1/4"FPT Coupler		Please Login
3825CPL	1/4"FPT x 3/8"FPT Coupler		Please Login
2538BELL	1/4"FPT x 3/8"FPT Bell Reducer		Please Login
01544	1/4"FPT x 3/8"FPT Reducing Bushing		Please Login
6435NR	1/4"FPT x 3/8"MPT Bushing		Please Login
01519	1/4"FPT x 1/2"FPT Union		Please Login
28199 (7676NR)	1/4"FPT x 1/2"FPT Bushing		Please Login
3850CPL	3/8"FPT x 1/2"FPT Coupler		Please Login
3850FTG	3/8"FPT x 1/2"FPT Bushing		Please Login
5038FTG	3/8"FPT x 1/2"MPT Reducing Bushing		Please Login
54	1/2"FPT x 1/2"FPT Swivel Union		Please Login
7500P	3/4"FPT x 3/4"FPT Swivel Union		Please Login


097157-01


6127NR


097809-01


10444

Pipethreads x Flare Fittings

Item No.	Description	Retail	Wholesale
097157-01	1/4"FPT x 1/4"MFLR		Please Login
097157-03	1/4"FPT x 1/2"MFLR		Please Login
097809-01	(6124NR) 1/4"MPT x 1/4"MFLR		Please Login
6127NR	1/4"MPT x 3/8"MFLR		Please Login
3810FTG	3/8"FPT x 3/8"MFLR		Please Login
M51572-01	(6122NR) 3/8"MPT x 3/8"MFLR		Please Login
M51572-02	3/8"MPT x 1/2"MFLR		Please Login
10444	1/2"MPT x 1/2"FFLR		Please Login
103401-01(6125NR)	1/2"MPT x 1/2"MFLR		Please Login


2538FLR


381050FTG

Flare x Flare Fittings

Item No.	Description	Retail	Wholesale
2538FLR	1/4"FFIR x 3/8"MFLR		Please Login
381050FTG	3/8"MFIR x 1/2"FFLR		Please Login


07970


03395


03536

Special Fittings

Item No.	Description	Retail	Wholesale
07970*	1/4"FPT x 1/4"LHMPT		Please Login
01098*	1/4"MPT x 1/4"LHMPT		Please Login
03395*	1/4"LHMPT x 1/2"MPT		Please Login
06771**	1/4"MPT x 1/2"MPT (INV. FLR)		Please Login
03536 (04800)**	3/8"MPT x 1/2"MPT (INV. FLR)		Please Login
02894**	1/2"MPT x 1/2"MPT (INV. FLR)		Please Login

*Left Hand Pipe Threads **Inverted Flares



Brushable Thread Sealant

- Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
- Not suitable for oxygen
- 8 oz. can

Item No.	Retail	Wholesale
TTS8		Please Login

MPT=male pipe thread
FPT=female pipe thread
MFLR=male flare
FFLR=female flare

These fittings will be used to connect heating appliances to hoses or regulators.

Tune-up Kits for Hot Surface Ignitor (HSI) Heaters



TU55H For all DESA glow bar heaters (up to 70,000 BTU's) that require the HA1000 glow bar.

Kit Includes

- PP200 - Hot surface ignitor
- M29633 - Input filter
- M29612-01 - Output filter
- M29632 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge

Item No.	Retail	Wholesale
TU55H		Please Login



TU60H For all DESA glow bar heaters that require the PP201 glow bar.

Kit Includes

- PP201 - Hot surface ignitor
- M29633 - Input filter
- M29612-01 - Output filter
- M29632 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge

Item No.	Retail	Wholesale
TU60H		Please Login



TU165H For all DESA glow bar heaters from 110K to 200K BTU's that require the 147082 nozzle "O" ring.

Kit Includes

- PP200 - Hot surface ignitor
- M12179 - Input Filter
- M12244-1 - Output filter
- M11637 - Lint filter
- 147082 - O-ring
- G14490 - Low pressure gauge
- M51150-01 - Fuel filter

Item No.	Retail	Wholesale
TU165H		Please Login



TU200H For all DESA 200,000 BTU glow bar heaters that require the M8882 nozzle seal.

Kit Includes

- PP200 - Hot surface ignitor
- M12179 - Input Filter
- M12244-1 - Output filter
- M11637 - Lint filter
- M8882 - Nozzle Sleeve
- G14490 - Low pressure gauge
- M51150-01 - Fuel filter

Item No.	Retail	Wholesale
TU200H		Please Login

Tune-up Kits for Spark Plug Heaters



TU50 BTU sizes 35 & 50,000. Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Remington, Co-op, others.

Kit Includes

- M29612-01-Output filter
- M29835-Spark Plug
- M29633-Input filter
- 147082-Nozzle O-ring
- M29632-Lint filter
- M29824 Spark plug nut
- 079980-01 Nozzle adapter

Item No.	Retail	Wholesale
TU50		Please Login



TU110 New Style Model 100, 110, 150, 165 (Short white plastic fuel filter) Possible Brands: Master, Dayton, Knipco, Remington, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M10962-2 Spark Plug
- M12244-1-Output filter
- M8882-Nozzle seal
- M11637-Lint filter
- M10809-1 Nozzle spring
- M10659-1-Nozzle washer (2),
- M51150-01-Short fuel filter

Item No.	Retail	Wholesale
TU110		Please Login



TU150 These kits are for Desa brand heaters. Old Style Model 150 (Long fuel filter) Possible Brands: Master, Dayton, Knipco, Reddy, Koehring, Amoco, Co-op, others.

Kit Includes

- M12179-Input filter
- M10809-1 Nozzle Spring
- M12244-1 Output filter
- M8882 Nozzle seal
- M11637 Lint filter
- M19630 Long fuel filter
- M10962-2 Spark Plug
- M10659-1-Nozzle washer (2)

Item No.	Retail	Wholesale
TU150		Please Login



Transformer Wire

- Will work with any portable oil fired space heater
- Belden Type GTO-15 Ignition Wire
- 15,000 Volt Rated
- UL listed


Item No.	Length	Retail	Wholesale
41648	10'		Please Login
41650	25'		Please Login



-10˚ to 100˚F Thermostat

- Maintains a set temperature
- Helps save on fuel cost
- Plugs into standard 120 volt outlet
- Bi-metal activated sensor
- No installation required

Item No.	Retail	Wholesale
PP234		Please Login



8’ Test Cord

- 110 volts
- Stays flexible, even in coldest weather
- Conductor firmly crimped and soldered for maximum current flow
- Clip strongly clinched to cable insulation-won’t break off
- Heavy-duty design

Item No.	Retail	Wholesale
7328TC		Please Login

See page 29 for description of flares and fittings.

Propane/Natural Gas Hoses

All hoses meet or exceed O.E.M. specifications. All hoses are UL-approved.

Item No.	Description	Where Used	Retail	Wholesale
2510LH	1/4" x 10' w/left hand threads 9/16" x 18 fittings	Sure Flame torch LB White Heaters & Torches		Please Login
2510	1/4" x 10' w/1/4"MPT x 1/4" female flair swivel	3500FA, 250, 250A TC200V, TC275,BLP375/T		Please Login
2525	1/4" x 25' w/1/4"MPT x 1/4" female flair swivel	Same as above		Please Login
2525LH	1/4"x 25' w/left hand	Torches		Please Login
2525FTG	Fitting to connect 1/4" hoses together			Please Login
3810	3/8" x 10' w/3/8" MPT x 3/8" female flair swivel	BLP80, 150FA, 80FA,150FAS		Please Login
381050	3/8" x 10' w/3/8" MPT x 1/2" female flair swivel	BLP150, BLP155, BLP155T		Please Login
3825	3/8" x 25' w/3/8" MPT x 3/8" FPT female flair swivel	Optional hose for 80K & 150K		Please Login
382550	3/8" x 25' w1/2" MPT	Multiple applications		Please Login
3810FTG	Fitting to connect 3/8" #3810/25 hoses together	Multiple applications		Please Login
5010	1/2" x 10' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5025	1/2" x 25' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
5050	1/2" x 50' w/1/2" MPT x 1/2" MPT	Multiple applications		Please Login
54	1/2" Hose swivel connector			Please Login
7510P	3/4" x 10' w/3/4" MPT each end with (1) female swivel adapter	Optional hose for heaters over 375,000 BTU's (S405)		Please Login
7525P	3/4" x 25' w/3/4" MPT each end with (1) female swivel adapter	Optional hose for heaters over 375,000 BTU's (S405)		Please Login
7550P	3/4" x 50' w/3/4" MPT end with female swivel adaptor			Please Login
1050	1" x 50' w/1"MPT x 1"MPT	Includes swivel adapter		Please Login
12525P	1 1/4" x 25' with 1 1/4"MPT x 1 1/4"MPT	Includes swivel adapter		Please Login
12500P	Fitting to connect 1-1/4" hoses together			Please Login
1025	1" x 25' hose, 1"MPT			Please Login



Natural Gas Hose

- 1/2" x 25'
- Recommended for natural gas heaters

Item No.	Retail	Wholesale
5025		Please Login



First Stage High Pressure Regulator

•Reduces LP tank pressure to 10 P.S.I.
•Connections: 1/2" Female NPT Inlet & Outlet
•Factory set outlet pressure: 10 PSIG
•Outlet Pressure: 2,500,000 BTU/hr Propane

Item No.	Retail	Wholesale
LV4403TR4		Please Login



Second Stage Low Pressure Regulator

Reduces the outlet pressure from first stage levels down to burner pressure
•Capacity: 1,200,000 BTU/hr Propane
•Adjustment Range: 9-13" W.C.
•Factory set at 11" W.C.
•Connections: 1/2" Female NPT Inlet and Outlet

Item No.	Retail	Wholesale
LV4403B4		Please Login



High Pressure Regulator

•10 PSI outlet pressure
•1/4" x 1/4" FNPT
This regulator is used on:
National Riverside: 250, 250A
Master: R/TC250, R/TC250A, R/TC275


Item No.	Model	Description	Retail	Wholesale
6256NR	130-00	10 PSI 130 Regulator		Please Login



Low Pressure Regulator

•11" W.C. outlet pressure
•1/4" x 3/8" FPT
Used on: National Riverside: 150FA, 150FAS, 150FAST, 80VC, 80FA, 100RA
Master: B/RLP45, B/RLP80, BLP150, BLP155, BLP155T

Item No.	Model	Description	Retail	Wholesale
6255NR	230-00	11" W.C. 230 Regulator		Please Login



2-Tank Connection Assembly

• Tee adapter assembly
• Includes (2) 30" pigtails
• Manifold (2) LP tanks together
• CSA Approved

Item No.	Retail	Wholesale
FF-KIT188		Please Login



2-Appliance Connection Assembly

• Manifold (2) appliances to (1) LP tank (i.e. Two gas grills to one 100 lb. tank)
• CSA Approved


Item No.	Retail	Wholesale
FF-KIT278		Please Login



T-Block Manifold

•Inlet - Male POL •Outlet - Female POL

Item No.	Retail	Wholesale
P400		Please Login



POL Pigtail

Item No.	Description	Retail	Wholesale
1662	30" Long x 1/4" Copper Tubing		Please Login
1630RU	30" Hose connection POL x POL		Please Login
1648RU	48" Hose connection POL x POL		Please Login



Regulator

•5-20 PSI outlet pressure
• Fits DESA brands: Master, Reddy, Remington torpedo kerosene forced air heaters

Item No.	Retail	Wholesale
LPA2020		Please Login



Brushable Thread Sealant

• Suitable for steel, copper, brass, aluminum, ABS, PVC and fiberglass piping
• Not suitable for oxygen
• 8 oz. can

Item No.	Retail	Wholesale
TTS8		Please Login


6252NR


G1653


G1643


30SO7P


G1630-2

Tank Connectors

Item No.	Description	Retail	Wholesale
G1643	POL nut only		Please Login
G1653-3	O-Ring only (Bag of 10)		Please Login
30SO7P	1/4" POL LH x LH - LB White heaters, torches		Please Login
G1653	POL fitting with handwheel		Please Login
G1630-2	Plastic handwheel		Please Login
6252NR	Tank connector w/check valve		Please Login
G1680	Tank connector without excess flow		Please Login



Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton

Item No.	Size	Retail	Wholesale
UT11-520	1/2" X 520"		Please Login



WORTHINGTON INDUSTRIES

MANCHESTER TANK

Propane Tanks-Steel

Item No.	Description	Brand	Gallons	Retail	Wholesale
281247	20# Tank/OPD	Worthington	4.7		Please Login
1160TC.5	30# Tank/OPD	Manchester	6.8		Please Login
1220.13	40# Tank/OPD	Manchester	9.2		Please Login
282157	100# Tank	Worthington	23.6		Please Login



Propane Tank Stabilizer

- Safest way to rent or sell tank top heaters
- No more tanks falling over!
- Works for up to 60# LP tank


Item No.	Retail	Wholesale
F273169		Please Login



OPD Valves

Item No.	Description	Retail	Wholesale
808107	20 lb. tank		Please Login
808109	30 lb. tank		Please Login





LP Tank Quick Connect

Item No.	Retail	Wholesale
F276334		Please Login



Acme Thread

Item No.	Retail	Wholesale
95QC		Please Login



Acme Thread Tank Connector

Item No.	Description	Retail	Wholesale
G1851	Up to 140,000 BTU (black)		Please Login
G1852	70,000 to 200,000 BTU		Please Login
G1853	200K to 400K (red)		Please Login



10 Pack Propane Tank Leak Stopper

Item No.	Description	Retail	Wholesale
88S	Flat tag (10 pk.)		Please Login



Engineer's Raincoat

- Extra long with detachable hood to keep you dry
- Heavy weight .35 mil PVC, polyester backing and corduroy collar
- Non-conductive
- 24 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
E4800	M-5XL		Please Login

#1 BEST SELLER

THE ORIGINAL RETURNS!

Premium Rugged Series Rainsuit

- 3 piece suit
- 30" jacket with detachable hood
- Heavyweight .35 mil PVC with polyester backing
- Non-conductive
- Medium through 7XL
- 10 per carton
- Sold individually

Item No.	Size	Retail	Wholesale
PHP570-(Size)	M - 4XL		Please Login
PHP570-(Size)	5XL - 7XL		Please Login



#1 BEST SELLER



Yellow Slush Boots

- 100% heavy-duty rubber
- 44 mil
- Utilize a boot two sizes larger than your work boot
- To cover "gym" shoes, one size larger should be enough
- 10 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
S2117	9-18		Please Login



Black 5 Buckle Boots

- Easy-on/easy-off
- 100% heavy-duty rubber
- Sizes 9-16
- 6 pair per carton
- Sold by the pair

Item No.	Size	Retail	Wholesale
B2511	9-16		Please Login



ToolHandz® Hi-Vis Extreme Winter Gloves

- Synthetic leather palm
- Hi-vis spandex back
- Palm reinforcements
- Protective guards and padding
- MultiBlend™ insulation
- Waterproof lining
- Sold by individual pair

Item No.	Size	Retail	Wholesale
GW101	L-XL		Please Login



Waterproof Polar Fleece Insulated Gloves

Tagged for Hanging

- Ultra-comfortable construction
- Warm acrylic polar fleece back
- Waterproof barrier lining
- Resilient grain pigskin
- 6 pair per package
- Sold by individual pair

Item No.	Size	Retail	Wholesale
15MAX2	M-XL		Please Login



Spandex/Synth. Leather Storm Cuff Hi-Vis Insulated Mechanic's Gloves

Tagged for Hanging

- Padded synthetic leather palm
- Comfortable and warm winter lining
- Quality hi-vis materials and reflectives
- Convenient slip-on style
- Sold by individual pair

Item No.	Size	Retail	Wholesale
15HV	L-XL		Please Login





Winter Hard Hat Liners

Item No.	Description	Retail	Wholesale
165	32˚ to -45˚, 100% cotton, napped flannel interior		Please Login
200	32˚ to 45˚, 100% cotton, red heavyweight fleece lining		Please Login
400	0˚ to -20˚, full head coverage, wrap around collar, sherpa lining		Please Login
440	0˚ to -20˚, heavy-duty, extra-long nape, sheepskin-like lining		Please Login



Original HotHands

Provides up to 12 hours of up to 140˚F warmth. 40 per case.

Item No.	Description	Retail	Wholesale
HH1	8 hrs. 4" x 5"		Please Login
HH2	12 hrs. 2.25" x 4" - 2 pack		Please Login



Toe Warmers

Provides up to 8 hours of up to 140˚F warmth. 240 per case.

Item No.	Description	Retail	Wholesale
TT240	8 hrs. 3-1/2" x 2-3/4"		Please Login



Tagged for Hanging

Deerskin

- Supple deerskin leather palm
- ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99D	M-XL		Please Login



Tagged for Hanging

Goatskin

- Goatskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99G	S-XL		Please Login



Tagged for Hanging

Pigskin

- Durable pigskin leather palm
- Exclusive ProCurve™ spandex/neoprene back
- Leather thumbguard protects seam
- Comfortable low profile neoprene cuff
- Convenient sweat wipe
- Sold by individual pair

Item No.	Size	Retail	Wholesale
R99A	M-XL		Please Login




Performance Driver Hybrid Glove

- Protection and durability of a driver, with the fit and dexterity of a performance glove
- Rugged cowhide finger & palm
- Premium grade cowhide leather
- Short slip-on cuff for easy on and off
- Neoprene straps

Item No.	Size	Retail	Wholesale
DPG212	L-XL		Please Login

phpdistribution.com

ORDER ONLINE!



- Secure Site
- Check Account Status
- Look Up Individual Parts



Tool Handz Plus

- Convenient elastic cuff
- Comfortable action spandex for snug fit
- Sold by individual pair

Tagged for Hanging

Item No.	Size	Retail	Wholesale
R99P	S-2XL		Please Login
12 pair per package			



Tagged for Hanging

Economy Leather Palm Gloves

- Shoulder split cowhide leather
- Gunn pattern
- Cotton palm lining
- 2 ½" rubberized cuff
- Knuckle strap
- Wing thumb construction

Item No.	Size	Retail	Wholesale
R5B	L		Please Login



Yellow Chore Gloves

- Regular weight
- Straight thumb
- Knit wrist
- 2-layer fleece quilted palm and back
- Clute pattern

Tagged for Hanging

Item No.	Size	Retail	Wholesale
3460G	L		Please Login
4203QXL-BG	XL		Please Login



Tagged for Hanging

Quality Grain Pigskin Driving Gloves

- Pigskin toughness in a classic construction
- Multi-purpose use and versatility
- Ergonomic keystone thumb design
- Shirred elastic back for a snug fit

Item No.	Size	Retail	Wholesale
R9P	L		Please Login



Textured Latex Concrete/Brick Gloves

- Textured blue latex palm coated
- Gray string knit shell
- 10 Gauge
- Elastic knit wrist
- Seamless knitted

Tagged for Hanging

Item No.	Size	Retail	Wholesale
4729G	L-XL		Please Login



Cotton / Polyester Knit Gloves

- Regular weight
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Item No.	Size	Retail	Wholesale
3403G	L		Please Login



Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 12 per package

Tagged for Hanging

Item No.	Size	Retail	Wholesale
3401T	L		Please Login



Fleece Lined Brown Jersey Gloves

Tagged for Hanging

- Comfortable jersey construction
- Multi-purpose hand protection
- Easy slip-on construction
- Size L - 12 pair per package
- Sold by individual pair

Item No.	Size	Retail	Wholesale
3421G	L		Please Login

MAKE SURE YOU CHECK OUT THE BARGAIN BUYS ON PAGE 145



Cotton String Knit Gloves with PVC Dots

- Two-sided black PVC dots
- 7 Gauge
- Elastic knit wrist
- Seamless knitted
- Reversible

Item No.	Size	Retail	Wholesale
3405G	L		Please Login



Latex Palm Coated Gloves

- Blue latex palm coated
- Standard weight string knit shell
- 10 Gauge cotton/polyester knit shell
- Elastic knit wrist
- Seamless knitted

Item No.	Size	Retail	Wholesale
2300EE	L-XL		Please Login
2300EET	Tagged-L		Please Login



Tagged for Hanging

Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Knit wrist
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3361G	L		Please Login



Black PVC Gloves

- 14" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3365G	L		Please Login



Infinity Series

- 2mm panlite polycarbonate lens material
- Meets or exceeds ANSI Z87 2010 standards
- 99.9% protection From UVA / UVB rays


Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	2812	Black/Orange	Gold Mirror		Please Login
B	2117	Crystal Brown	Brown Mirror (HD)		Please Login
C	241	Crystal Black	Smoke		Please Login
D	2243	Pearl White	Silver Mirror		Please Login
E	263	Shiny Black	Silver Mirror		Please Login
F	2254	Pearl Pink	Clear		Please Login
G	22528	Pearl Pink	Smoke		Please Login



ES5 Series

- Rubber Nosepiece For All Day Comfort
- Dual Mold Rubber Temple Grips
- 8-Base Curve Lens
- Hard Coated Lens - Protects From Scratches
- Meets ANSI Z87.1+ standards
- 99.9% protection From UVA / UVB Rays

Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	29117	Crystal Brown	Brown Mirror(HD)		Please Login
B	2968	Black	Blue Mirror		Please Login
C	2961	Pearl Gray	Smoke		Please Login



Sniper Series

- Rubber nosepiece for comfort
- Dual mold rubber temple grips for better stability
- Meets ANSI Z87.1-2003
- 99.9% Protection From UVA / UVB Rays

Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	9233	Burgundy	Silver Mirror		Please Login
B	9141	Camo	Smoke		Please Login
C	9614	Black	Smoke(P)		Please Login
D	9610	Black	Emerald		Please Login



RPG Series

- Polycarbonate lens provides impact resistance
- Rubberized temples and nosepiece
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection

Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	23117	Brown	Brown Mirror(HD)		Please Login
B	23226	Black	Blue Mirror(HD)(P)		Please Login
C	23233	Black/Red	Silver		Please Login
D	23125	Burnt Orange	Copper Mirror(HD)		Please Login
E	23615	Pearl Gray	Indoor/Outdoor		Please Login
F	23421	Black	Smoke		Please Login



Rad-Apocalypse Camo Series

- New, improved soft rubber temples with flared ends
- Neck cord included
- Coated protective lens
- Protective lens provide 99.9% UVA/UVB protection
- Safety Glasses meet ANSI Z87.1+ standards

Item No.	Frame	Lens Color	Retail	Wholesale
AP4-B1	Camo	Bronze Anti-Fog		Please Login



The Rad-Sequel Series

- Rubber nosepiece for all day comfort
- Polycarbonate lens for impact resistance
- Meets ANSI Z87.1+ standard

Item No.	Lens	Retail	Wholesale
RS1-10	Clear		Please Login
RS1-20	Smoke		Please Login
RS1-90	I/O		Please Login



The Dominator Series

- Integrated rubber nosepiece
- Full frame with larger lens
- Rubber accents on temple
- Meets ANSI Z87.1+ standard

Item No.	Frame	Lens	Retail	Wholesale
DPG94-6D	Black	Silver		Please Login



Optima Series

- Lightweight comfortable frame
- Dual mold rubber temples
- Adjustable rubber nosepiece
- Polycarbonate lens provides impact resistance
- Dielectric frame
- Meets ANSI Z87.1 standards
- Provides 99.9% UVA/UVB protection

Key	Item No.	Frame	Lens Color	Retail	Wholesale
A	OP1010ID	Black	Clear		Please Login
B	OP1011ID	Black	Clear A/F		Please Login
C	OP1020ID	Black	Smoke		Please Login
D	OP1060ID	Black	Silver Mirror		Please Login
E	OP1090ID	Black	Indoor/Outdoor		Please Login
F	OP6710ID	Pink	Clear		Please Login
G	OP6790ID	Pink	Indoor/Outdoor		Please Login
H	OP6767ID	Pink	Pink		Please Login

Hot Seller!

Safety Goggles

- Dual injected rubber provides a soft comfortable seal
- Elastic head strap provides a comfortable fit
- Built-in ventilation channel provides extra fog control
- Meets ANSI spec. Z87.1

Item No.	Retail	Wholesale
DPG82-11		Please Login













Nemesis Series

- Sleek, sporty style
- Soft-touch temples
- Single lens wrap-around protection
- 99.9% UV protection
- Free neck cord included
- Meets ANSI Z87.1+
- Meets all impact resistance standards

Item No.	Frame	Lens	Retail	Wholesale
25679	Black	Clear AF		Please Login
25688	Black	Smoke Mirror		Please Login
22475	Black	Smoke AF		Please Login
25685	Black	I/O		Please Login
14481	Black	Blue Mirror		Please Login
22476	Black	Amber AF		Please Login
19639	Blue	Light Blue		Please Login
19642	Black	Blue Shield		Please Login
19644	Camo	Copper		Please Login
22608	Camo	Clear AF		Please Login
22610	Camo	Amber		Please Login
22609	Camo	Smoke AF		Please Login

JACKSON





Nemesis RX Bifocal Series

- Larger lens for a more complete wrap-around impact protection
- Enhanced nose piece design with integrated ridges channels away sweat
- Extended temples hug your head to prevent slipping
- Free neck cord included
- Meets ANSI Z87.1+ Standards

Item No.	Lens	Diopter	Retail	Wholesale
28624	Clear	+2.0		Please Login
22516	Smoke	+1.5		Please Login
22519	Smoke	+2.5		Please Login

Kimberly-Clark



Purity Series

- Wraparound lens for better eye protection
- Comfortable, padded temples
- 99.9% UVA/UVB protection
- CSA Z94.3 compliant



Item No.	Frame	Lens	Retail	Wholesale
25652	Smoke	Smoke		Please Login
25654	Clear	Clear AF		Please Login





Mini Blade Series

- Polycarbonate Lens Material
- Ultralight Frame
- Scratch Resistant Coating
- Meets ANSI Z87 2010
- 99.9% Protection From UVA / UVB Rays



Item No.	Frame	Lens Color	Retail	Wholesale
32231AF	Aqua	Smoke Anti-Fog		Please Login
32224AF	Pink	Clear Anti-Fog		Please Login



Wobblelight®

SELF-RIGHTING LED JOBSIGHT LIGHT

BRIGHT, DURABLE AND VIRTUALLY INDUSTRUCTABLE WOBBLELIGHT® is a self righting, highly durable work light that takes a severe beating with no bulb breakage. Operates on 120 volts.

- Patented Self-Righting Technology
- 360 Light Output
- 5' Power Cord
- Intergrated Carry Handle
- No Hot Surfaces
- 5000K Color Temperature
- 6000 Lumens
- 120Vac 50/60Hz
- 51 Watts E39 Mogul Base

Item No.	Description	Retail	Wholesale
111208	Wobblelight		Please Login
111908	Bulb for WL85F		Please Login
111901	Bulb for WL175MH		Please Login

WOBBLELIGHT



Brilliant Solutions LED Flashlights

- (1) 2D: 5 LEDs - 27 Lumens
- (2) 2AA: 3 LEDs - 18 Lumens
- 3 ft. Drop Test
- LEDs Last 50,000 hours
- Durable rubberized construction
- Lifetime warranty
- Batteries (included)

Item No.	Retail	Wholesale
BER2AA2D-B3A		Please Login

RAYOVAC



Focusing LED Flashlight

- 166 lumen output
- 7 hour runtime
- Rear power switch
- Includes 3 AAA-cell batteries
- 143 m (469 ft.) beam distance
- Impact and water resistant

Item No.	Retail	Wholesale
TT8607CP		Please Login

COAST



Virtually Indestructible LED Spotlight

- Three light modes: High, Medium, and Low
- Shatterproof lens and internal reflector
- Runs On 6 x AA Batteries (Included)
- Beam Distance 440 M (High)
- IP67 Water Resistant
- 15 ft. Impact Resistance

Item No.	Retail	Wholesale
DIYSP6AA-BXB		Please Login

RAYOVAC

DEWALT

WHILE SUPPLIES LAST



2200-Watt Portable Inverter Generator

- CO Protect technology -stops, alerts, saves, powerful protection against hazardous carbon monoxide
- Compact and lightweight
- 11-hours of run time at 25% load with integrated 1 Gal. fuel tank
- DEWALT 80cc OHV engine with Auto Throttle and low oil shutdown
- Fully enclosed design dramatically reduces noise levels and meets National Park Service camp ground noise requirements
- Economy Mode automatically adjusts engine speeds
- LED indicators alert when low on oil, overloaded or ready-to-use
- One 120-Volt 20 Amp OSHA compliant GFCI receptacle, one 12-Volt DC 8 Amp, one 1.5 amp USB port
- Connect two for twice the power
- Covered outlets provide added protection from the environment

Item No.	Retail	Wholesale
DXDNI2200		Please Login

DEWALT



4000-Watt Manual Start Portable Generator

- CO Protect technology -stops, alerts, saves, powerful protection against hazardous carbon monoxide
- Premium DEWALT 223 cc engine
- Never flat, durable wheels for maxi mum portability and durability
- Covered outlets for protection from the elements
- Hardened 1-1/4 in. steel tube cradle for added strength
- Fold-down/locking handle
- Low-oil level shutdown
- Hour meter

Item No.	Retail	Wholesale
DXGNR4000		Please Login

GENERAC



5,000 Watt Diesel Generator

- Diesel power requires less maintenance, is more efficient and provides a long life
- Yanmar LW series 435cc air-cooled direct injection, industrial-grade diesel engine
- Large 12 Gal. fuel tank with fuel gauge
- Idle control conserves fuel and reduces noise
- Low oil shutdown automatically safeguards engine from damage
- Durable, fully welded 1-1/4" steel frame
- Single touch electric start provides hassle-free start-up, battery not included
- Hour meter with maintenance resets
- Drop ship item

Item No.	Model No.	Retail	Wholesale
6864	XD5000E		Please Login

Southwire



"W" Adapter Part

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18"
- Indoor use only
- Polarized cord

Item No.	Retail	Wholesale
1479		Please Login

Yellow Jacket 5 Outlet In-Line Tap

- Outdoor rated with cord lock
- Accommodates 16/3 - 10/3 SJT (300V) up to 12/3ST (600V)
- Connect extension cords together
- Durable, yellow overmolded vinyl



Item No.	Retail	Wholesale
997362		Please Login



Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R

Generator Adapters & Cord Sets


- Increase the number of useable 20 amp connectors
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket

Item No.	Description	Retail	Wholesale
01915	3' - 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3' - 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login

6506UGSX



8706UGCX
Roll Cage



Southwire

Portable Power Distribution Center

Item No.	Description	Retail	Wholesale
6506UGSX	Power Box - straight blades		Please Login
8706UGCX	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

All Sold Individually Or By The Case Your Choice!



Extension Cords

- Jacket type SJTW-A

CENTURY WIRE AND CABLE



Southwire



Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D11712100YL	100', lighted	4		Please Login
D11712050YL	50', lighted	6		Please Login
12350YN	50' lighted	4		Please Login

CENTURY WIRE AND CABLE

White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login



Orange 10 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D132100500R	50', lighted, triple tap	6		Please Login

Magnetic Ratchet Tie-Downs

- With the help of Neodymium magnets, our patented hooks stay in place while securing your load
- Ensure your hook never falls off
- Eliminate the need for a second set of hands





1"x16' Ratchet Straps

- 2,250 Lb. break strength
- Securing building materials, ATV's, UTV's, or furniture
- 8 Lb. pull force on the magnet

Item No.	Description	Retail	Wholesale
FG112	4 Pack		Please Login
FG116	2 Pack		Please Login
FG116S	1 Pack		Please Login
FG116S-C20	Case of 20		Please Login





Scan QR Code to view demo video



2" Ratchet Straps

- 11,000 pound break strength
- 3,333 pound safe working load
- Hauling large loads like hay and equipment

Item No.	Description	Retail	Wholesale
FG227	2" x 27'		Please Login
FG227F	2" x 27' Flat Hook		Please Login
FG235	2" x 35'		Please Login





Chain Anchor Tiedown



- 2" x 27'
- 10,000 lb. rated capacity
- 3,335 lb. working capacity
- 18" chain length

Item No.	Retail	Wholesale
RS-2-27-W-CH		Please Login

DURABILT

Ratcheting Tie Downs Claw Hook



- 1" x 15'
- Red
- 1,500 lb. rated capacity
- Blister package for hanging

Item No.	Retail	Wholesale
84023		Please Login

CargoLoc

2" Ratcheting Tiedowns



- 2" x 27'
- 10,000 lb. rated capacity
- 3,300 lb. working capacity
- Claw hook or flat hook
- Yellow

Item No.	Description	Retail	Wholesale
82392	Claw Hook		Please Login
82392F	Flat Hook		Please Login

DURABILT

Ratcheting Tie Downs Claw Hook



- 1-1/2" x 15'
- 3,000 lb. rated capacity
- Yellow
- Blister package for hanging

Item No.	Retail	Wholesale
28584		Please Login

GRIP

Tow Strap



- Extra long - 2" x 20'
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow

CargoLoc

Item No.	Retail	Wholesale
82497		Please Login

Heavy-duty CargoBar™



PEERLESS

- Retracts to 48"
- Adjusts continuously to a maximum extension of 108"
- Greater holding power than conventional loadlocks
- Harder to bend and damage

Item No.	Retail	Wholesale
CC5010		Please Login

Transport Tow & Binder Chains



PEERLESS

- Grade 70 transport
- Working load limit: 6,600 lbs. - 3/8"
  4,700 lbs. - 5/16"
- Clevis type hook

Item No.	Description	Retail	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login

Chain Binder

PEERLESS



- Corrosion-resistant baked enamel finish
- 1 piece fork, lugs, handle
- Drop forged, heat treated steel handle/hooks
- Working load limit: 9,200 lbs.
- Easy secure tightening and quick release
- Max. break strength: 19,000 lbs.

Works with 1/2" or 3/8" Chain

Item No.	Description	Retail	Wholesale
19055	1/2" x 3/8" Load Binder		Please Login

Ratchet Binder Plus



PEERLESS

- Take-Up: 6.5"
- Working load limit: 7,100 lbs.
- Handle Length: 13.92"
- DOT/CVSA
- Sold individually
- Carton qty. - 2

Works with 5/16" or 3/8" Chain

Item No.	Retail	Wholesale
H5121-4158		Please Login

Ratchet Style QuikBinder



PEERLESS

- Fast installation
- Handle folds down for compact storage
- Working load limit: 12,000 lbs.
- Max. break strength: 19,000 lbs.
- DOT/CNSA/CCMTA
- Sold individually
- Carton qty. - 4

Works with 1/2" or 3/8" Chain

Item No.	Retail	Wholesale
H5125		Please Login

WHILE SUPPLIES LAST

SIMPLE STRAP



Item No.	Description	Color	Duty	Retail	Wholesale
SS1-BLK	20' x 2mm	Black	Regular		Please Login
SS2-BLK	20' x 3mm	Black	Regular		Please Login
BB-SS10-RED	Countertop Displays (2), 10'-2.5mm, Red, Medium Duty Master Case 15 units each (30 total)				Please Login

All-Purpose Rubber Tie-Downs

- Simply the fastest & easiest way to secure anything
- No complicated knots, no hazardous hooks & no rusty ratchets
- Self-gripping design holds tight
- Thick straps hold tight, withstanding strains up to 1000 PSI without damage
- 20' long strap can be cut to custom lengths
- Rubber construction is non-marring and cushioning



BB-SS10-RED
(2 Boxes)



PB-1
With Video







6 Piece Flat Bungee Pack



- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25"
  1 each of 35", 45"

WHILE SUPPLIES LAST

Item No.	Retail	Wholesale
32403		Please Login

CargoLoc

Rubber Tarp Straps



- Guaranteed elasticity for up to one year
- 25 per bundle

Item No.	Strap Lgth	Retail	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login

Sold Individually



Elastic Tie Down

WHILE SUPPLIES LAST

- Elastic design provides constant tension and a firm hold
- Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- Blister package for hanging

Item No.	Retail	Wholesale
28380		Please Login

GRIP

Standard Nylon Cable Ties (clear)



Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV200S	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login

Sold by the bag



NITE IZE S-Biner SlideLock Gravity Bin Display

WHILE SUPPLIES LAST

- Includes 24 S-Biner SlideLocks
- 5.56"W x 10.87"H x 4.00"D

Item No.	Retail	Wholesale
GB-LSBA3-A1		Please Login

Light-duty Poly Twine

- Will not rot, mildew or rust
- Ships in plastic pail for ease of use
- Tensile strength of 210 lbs.
- Length: 6,500'

Item No.	Retail	Wholesale
J7603		Please Login



Heavy-duty CargoBar™

- Retracts to 48"
- Greater holding power than conventional loadlocks
- Adjusts continuously to a maximum extension of 108"
- Harder to bend and damage



Item No.	Retail	Wholesale
CC5010		Please Login

Master Lock® Steel Pin Tumbler Padlock, 4 Pin

- Hardened steel shackle
- 4-pin cylinder helps prevent picking
- Dual locking levers
- 1-9/16" wide body, 2" shackle

Item No.	Description	Retail	Wholesale
5KALJ	2-1/2" Shackle		Please Login
1SSKADLF	1-1/2" Shackle		Please Login
1SSTLF	1-1/2" Shackle, 2-pack		Please Login



Yellow Polypropylene Rope

- 1/2" x 50' yellow poly rope
- Easy and simple use kit
- Twisted polypropylene construction
- 358 pounds load limit
- Coil design provides quick access to rope while keeping it neatly organized and untangled



Item No.	Retail	Wholesale
15027		Please Login

Yellow Polypropylene Rope

- 3/8" x 50',Twisted, Peg Pak
- Economy tie-down rope, 100% virgin twisted poly
- Twice as strong as manila, resistant to rot, mildew, marine growth and petroleum products



Item No.	Retail	Wholesale
16361		Please Login







- Makes loads feel like 1/3 of actual weight
- No straining your back or gouging your hands
- Adjustable up to 48”
- Weight Cap.:600 lbs./Pair -(Tested at 2,720 lbs.)
- Felt for comfort in any adjusted length

VIDEO DEMO



#L74995D Countertop display contains 6 units.



#FLOOR-POP Floor display contains 15 units.

Item No.	Description	Retail	Wholesale
42895	Forearm Forklift		Please Login
EXT	Extension strap		Please Login
L74995D	Countertop display kit		Please Login
Floor-POP	Floor display kit		Please Login



Moving Harness

- Rated for items weighing up to 800 lbs.
- Encourages proper lifting techniques
- Strap system that employs leverage which makes the items being carried seem MUCH lighter
- Saves floors from scratches, dents, scuffs and scrapes that dollies and hand trucks leave behind
- Includes: 2 harnesses & 2 adjustable center straps

Item No.	Retail	Wholesale
FFMHVP		Please Login



phpdistribution.com

ORDER ONLINE!

- Secure Site
- Check Account Status
- Look Up Individual Parts



Moving Blanket

- 72” x 80” - 4 lbs.
- Premium, two color
- Woven construction on the orange side for HEAVY-DUTY use
- Gentle, non-woven on the black side, better for shielding delicate items
- Use to protect floors from falling or stepped on tools, materials, and fixtures

Item No.	Retail	Wholesale
FFMB		Please Login

Self Retracting Lifeline

NEW!



Rogue Self-Retracting Lifeline is light on your back but heavy on the features. This lightweight design is perfect for all-day use, and the 6′ length gives your workers freedom of movement.

- 6’ working length
- Capacity of 400 lbs.
- Sub -compact design
- Short fall arrest Class “1” SRL

Item No.	Retail	Wholesale
MRG1-4Z-6		Please Login

Red/Silver 2" x 10' High Visibility Reflective Safety Tape



- For automotive, recreational vehicles, trailers, farm machinery, marine, sign marking, general household and work place uses, mail boxes, post markers or door markers
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers

Item No.	Retail	Wholesale
RE2110		Please Login









Caution & Danger Tape

HARRIS INDUSTRIES, INC.

Item No.	Description	Mil.	Ctn. Qty.	Retail	Wholesale
CT1000	3" x 1000' roll - Caution	1.5	25		Please Login
DT1000	3" x 1000' roll - Danger	2.0	16		Please Login

MADE IN USA



French Creek Full Body Harness

- Lightweight and comfortable
- High-strength, high-visibility nylon webbing
- Dee ring centered in the back for attaching lanyards

Item No.	Description	Retail	Wholesale
631	Harness		Please Login
490A	Shock absorbing lanyard		Please Login
208	Nylon carrying bag		Please Login
631-KIT	Harness, bag & lanyard		Please Login

Back Support


WHILE SUPPLIES LAST

- Lightweight, cool, washable nylon
- Contoured support
- Allows for full range of body motion
- 6 per carton

Item No.	Size	Retail	Wholesale
7162	M-32″-38″		Please Login
7163	L-38″-47″		Please Login
7164	XL-46″-56″		Please Login



TrueGRIP TRACTION TAPE



Contractor Grade Non-Skid Tape

- Rugged adhesive-backed tapes easily install indoors or outdoors
- Adheres to almost every clean, dry, and oil-free surface
- Ideal for heavy-duty industrial traffic

Item No.	Description	Ctn. Qty.	Retail	Wholesale
SG7002CB	2″ x 60′ roll	6		Please Login
SG7004CB	4″ x 60′ roll	3		Please Login
SG7006CB	6″ x 60′ roll	2		Please Login

WHILE SUPPLIES LAST

Rounded Cap Knee Pads



- Rounded cap allows for swiveling & pivoting
- Durable cordura fabric
- 1/2” neoprene padding
- Woven elastic adjustable straps
- Adjustable buckle easily fastens

Item No.	Retail	Wholesale
EKP		Please Login



Only 5 gal. cans (shown) have the dual handle.

No-Spill® CARB Fuel Cans w/Auto Stop Nozzle

Meets CARB Environmental Standard

- 7/8" Funnel spout easily fills even the smallest equipment
- Wide, stable base can reduce upsets
- Semi-translucent body lets you see your fuel level
- Quart & Liter markings molded in for easy reference

Item No.	Description	Retail	Wholesale
1415	1.25 Gal. gas (red)- CARB		Please Login
1405	2.5 Gal. gas (red)-CARB		Please Login
1460	5 Gal. gas (red)-CARB		Please Login
1456	5 Gal. kerosene (blue)-CARB		Please Login
1467	5 Gal. diesel (yellow)-CARB		Please Login

No-Spill® Accessories

Item No.	Description	Retail	Wholesale
0206	6" Extension-Fits all No-Spill cans		Please Login
6132	Nozzle assembly (Since 2010)		Please Login
6235	Nozzle gasket		Please Login





Pour & Fill Out Of Single Hole


JUSTRITE

Type I Red Safety Cans for Flammables


- Powder coated all steel construction
- Self-closing lid controls vapors and spills
- Meets OSHA and NFPA Code 30 - FM approved
- Includes funnel

Item No.	Gal.	Can Dim. Outer Dia. x H	Retail	Wholesale
7120110	2	Red 9-1/2" x 13-1/4"		Please Login
7150110	5	Red 11-1/2" x 16-7/8"		Please Login

SI60
(can be used with any fuel type)



A60
(2)AA batteries not included (use with Kerosene only)



Siphon Pumps

Battery Operated & Manual

Item No.	Description	Retail	Wholesale
A60	Battery Siphon		Please Login
SI60	Individual Manual Pump		Please Login



HOT 4 in 1 Heating Oil Treatment

- TOTALLY disperses water, so in effect there is no longer any "free water"
- Treats 274 gallons.
- Do not use with wick heaters

Hot Seller!

Item No.	Retail	Wholesale
00161		Please Login



3" Stainless Steel Ball Bearing Flipper Knife

- Drop Point Blade
- 8Cr13MoV Stainless Steel
- Black Oxide
- G10 handle

TRUE

Item No.	Retail	Wholesale
TRU-FMK-0006		Please Login





18MM Plastic Snap Off Knife

- Steel knife blade with plastic body
- Ergonomic grip
- 13 pt. blade that can be snapped off for a new sharp edge

Item No.	Description	Retail	Wholesale
JL-54306-D	Box of 100		Please Login
JL-54306-EACH	Individual		Please Login



Nekkid Fixed Blade Knife

- 2.4” sheepfoot blade
- Stonewashed 3Cr13 stainless steel full-tang
- 7.28” overall length
- Paracord wrap skeletal handle
- Nylon sheath: belt-loop, snap enclosure

TRUE

Item No.	Retail	Wholesale
TRU-FXK-1020		Please Login



ACCUSHARP

Sport Knives

- Constructed of anodized aluminum and stainless steel
- Patent pending wheel lock with allows for one hand operation
- Will not rust
- Lifetime warranty
- Glass breaker feature
- Belt clip

Item No.	Description	Retail	Wholesale
SK701	Blue		Please Login
SK704	Camouflage		Please Login



Utility Smartknife and Multitool

- 2.375" partially-serrated locking drop point knife
- Black oxidized 420 stainless steel
- Anodized aluminum
- Pry bar, bottle opener, screwdrivers, 1/4" magnetic bit storage, wire strippers, rulers, 5 wrenches
- Length: 4.375” (closed) / 6.875” (open)

TRUE

Item No.	Retail	Wholesale
TU6869		Please Login





AccuSharp® Knife Sharpener

- No more messy oils or stones
- Sharpens in as little as 10 seconds
- Large ergonomic handle
- Full length finger guard
- Won’t rust. clean with soap and water
- Diamond Honed Tungsten Carbide

ACCUSHARP

Item No.	Description	Retail	Wholesale
KS001	White		Please Login
C005C	Camouflage		Please Login



12-1/2-Ton Low Profile Hydraulic Bottle Jack



- Low profile model
- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Pump handle included
- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 3-3/4
- Minimum Height (In.) 6-3/4
- Maximum Height (In.) 13-3/8

Item No.	Retail	Wholesale
JHJ-12-12L		Please Login

Hydraulic Bottle Jacks



- Precision machined and polished cylinders provide non-abrasive, leak-free, durable performance
- Heavy-duty bases are electrically welded providing a stable platform
- Hydraulic system is protected from damage by internal by-pass mechanism
- Chrome-plated piston and ram are corrosion resistant
- Industrial-duty construction permits use in extreme climates
- Pump handle included for both

JHJ-12-12

- Load Capacity (Tons) 12-1/2
- Piston Lift (In.) 5-7/8
- Minimum Height (In.) 9-1/2
- Maximum Height (In.) 18-1/2

JHJ-22-12

- Load Capacity (Tons) 22-1/2
- Piston Lift (In.) 6-1/4
- Minimum Height (In.) 10-5/8
- Maximum Height (In.) 16-7/8

Item No.	Description	Retail	Wholesale
JHJ-12-12	12 1/2 Ton jack		Please Login
JHJ-22-12	22 1/2 Ton jack		Please Login

10-Ton Screw Jack



- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available seperately)
- Capacity (Tons) 10
- Screw Size (OD x L) 1-1/2 x 8-3/8
- Bar Hole Size (In.) 11/16
- Head Diameter (In.) 3-1/16
- Height Closed (In.) 11

Item No.	Description	Retail	Wholesale
SJ-10	Jack		Please Login

20-Ton Screw Jack



- Industrial design eliminates creeping when holding heavy loads
- Heavy-duty cast bell shaped base provides a stable foundation
- Corrugated pivoting head, contours to the load providing maximum surface contact
- Turning bar not included (available seperately)
- Capacity (Tons) 20
- Screw Size (OD x L) 2 x 12
- Bar Hole Size (In.) 13/16
- Head Diameter (In.) 4-1/8
- Height Closed (In.) 16

Item No.	Description	Retail	Wholesale
SJ-20	Jack		Please Login
SJTB-34	Turner bar		Please Login



Pallet Trucks

- 180° turning radius
- 2-1/2" low profile allows for easy engagement of pallets
- Easy-to-use fingertip controls permit single handed operation
- Welded all-steel frame and powder coat finish
- Chrome-plated pump piston and ram provide corrosion resistance
- Poly over steel 6-1/4" x 2-3/4" steer wheels
- Steer wheels feature double sealed lubricated bearings

Item No.	Description	Retail	Wholesale
PT-2048JB	20" x 48" 5,500 lb.		Please Login
PT-2748JB	27" x 48" 5,500 lb.		Please Login
PTW-2748B	27" x 48" 6,600 lb.		Please Login

Lever Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9

Item No.	Load Cap.	Lift	Retail	Wholesale
LC008-10	3/4 Ton	10′		Please Login
LC015-20	1-1/2 Ton	20′		Please Login
LC030-10	3 Ton	10′		Please Login



Mini Lever Hoists

- Small size allows operation and storage in tight places
- Planetary gearing is used to minimize operator's effort
- Lightweight and durable all steel construction
- Meets ASME/ANSI B30, OSHA, NASA_STD_8719.9 and EU directives: 98/37/EC

Item No.	Load Cap.	Lift	Retail	Wholesale
ML003-05	1/4 Ton	5′		Please Login
ML003-10	1/4 Ton	10′		Please Login



Hand Chain Hoists

- Low headroom, light weight and durable formed steel enclosure
- Weston style dual pawl brake system
- Alloy steel hooks
- Meets ASME B30, OSHA and NASA-STD-8719.9
- Hand chain opening is formed with radius, allowing operation in lifting or pulling direction

Item No.	Load Cap.	Lift	Retail	Wholesale
CB010-10-08	1 Ton	10′		Please Login
CB010-20-18	1 Ton	20′		Please Login
CB020-10-08	2 Ton	10′		Please Login
CB020-20-18	2 Ton	20′		Please Login
CB030-20-18	3 Ton	20′		Please Login



Beam Clamps

- Simple installation by hand, no tools required
- The easy way to install a fixed hoist mount or rigging point
- Compact and portable low headroom design
- Meets OSHA, ASME B30, NASA- STD-8719.9 and EU Directives: 98- 37/EC

Item No.	Load Cap.	Flange Range	Retail	Wholesale
BC-02	2 Ton	3.1 - 9.6″		Please Login
BC-03	3 Ton	3.5 - 13.0″		Please Login
BC-05	5 Ton	3.5 - 13.0″		Please Login
BC-10	10 Ton	3.5 - 13.8″		Please Login



Web Slings



- Heavy duty polyester Web Slings
- Reinforced polyesters wear pads on the eyes
- WLL rated at 5:1
- Each sling is serialized and meets ASME B30.9 and WSTDA standards

Item No.	Load Capacities (lbs.) Vertical	Choker	Basket	Width	Length	Retail	Wholesale
EE290104	3200	2500	6400	1″	4′		Please Login
EE290106	3200	2500	6400	1″	6′		Please Login
EE290206	6400	5000	12800	2″	6′		Please Login
EE290208	6400	5000	12800	2″	8′		Please Login
EE290210	6400	5000	12800	2″	10′		Please Login
EE290212	6400	5000	12800	2″	12′		Please Login
EE290216	6400	5000	12800	2″	16′		Please Login
EE290220	6400	5000	12800	2″	20′		Please Login
EE290310	8800	7040	17600	3″	10′		Please Login
EE290320	8800	7040	17600	3″	20′		Please Login
EE290412	12000	9600	24000	4″	12′		Please Login
EE290420	12000	9600	24000	4″	20′		Please Login

Speedway 1-Ton Hoist

- Load capacity - 1-Ton
- Chain fall lines - 2
- 9'10" lift height 12.5" required head room
- 1/4" grade 80 steel chain fully portable for use indoors or out
- Forged 360º swivel hooks
- Mechanical load brake
- Hardened steel construction
- Great for shop or engine hoist

Item No.	Retail	Wholesale
7518		Please Login



Flexogen Super Duty Garden Hose 5/8" x 50'



- Strongest, lightest hose in its class
- 600 psi burst strength guarantees long hose life
- Crush-resistant and corrosion-resistant brass connectors
- Made in the U.S.A.
- Lifetime manufacturer's warranty

Item No.	Retail	Wholesale
876001-1001		Please Login

Gilmour

Industrial Water/ Garden Hose

ABBOTT RUBBER COMPANY, INC.



- 100% rubber
- 200# P.S.I. working pressure
- Heavy duty MGHT x FGHT solid brass coupling
- Resists sunlight, abrasion, kinking and cracking
- Flexible in freezing temperatures

Item No.	I.D. x Length	Retail	Wholesale
1112-0625A	5/8" x 50'		Please Login
1112-0750A	3/4" x 50'		Please Login

ABBOTT RUBBER COMPANY, INC.

Jackhammer Hose



- General purpose hose for various rental, construction and industrial applications
- Limited oil resistance, EPDM cover
- Includes universal couplings with safety clips attached
- Two Band-It smooth I.D. clamps on each end
- 3/4" I.D. x 50' cpld.
- Chicago fittings standard

Item No.	Color	Retail	Wholesale
1025-0750R-50-CRS	Red		Please Login
1025-0750Y-50-CRS	Yellow		Please Login

250 lbs. Working Pressure

Whip Check Safety Cable



- Steel cable prevents the hose from whipping in case of accidental separation of the coupling
- Highly resistant to rust and corrosion
- Easy to install and remove
- No tools needed

Item No.	Retail	Wholesale
UWB1		Please Login

Universal Couplings

- For pneumatic lines & spray service
- Rust-proof malleable iron



Hose End

Item No.	I.D.	Retail	Wholesale
UH-050-M	1/2"		Please Login
UH-075-M	3/4"		Please Login



FNPT End

Item No.	I.D.	Retail	Wholesale
UF-050-M	1/2"		Please Login
UF-075-M	3/4"		Please Login



MNPT End

Item No.	I.D.	Retail	Wholesale
UM-050-M	1/2"		Please Login
UM-075-M	3/4"		Please Login

2-Lug Gaskets



- Size: 3/4"
- Bag of 50
- Use with red jackhammer hose

Item No.	Retail	Wholesale
UG		Please Login

In-line Lubricator



- Protects portable or stationary air tools
- Efficiently lubricates the tool mechanism each time the air tool is operated

Item No.	Size	Oil Cap.	Retail	Wholesale
UPL-400	3/4"	3.7 oz.		Please Login

Boss Interlocking Bolt Clamp



- Attach to "Boss" interlocking clamp type couplings
- Plated malleable iron
- Serrations ensure couplings won't work loose

Item No.	Hose (I.D. x O.D)	Retail	Wholesale
HPC-075	3/4" x 1-3/16" - 1-5/16"		Please Login



Hybrid Air Hose

300 lbs. Working Pressure

- Hose stays flexible even in extreme weather conditions
- Lightweight, low friction hybrid polymer resists kinking
- Solid brass 1/4in. NPT end fitting resists corrosion
- Bend restrictors relieve strain and prevent kinks near hose ends
- Max working pressure: 300 PSI

Item No.	Size	Weight	Retail	Wholesale
12531	3/8"x50'	4 lbs.		Please Login



Roofing/Framing Air Hose

200 lbs. Working Pressure

- Excellent oil resistance
- Use with air compressors, staplers, nailers and pneumatic tools
- UV stabilized for longer outdoor service
- Flexible in sub-zero temperatures
- Coupled with 1/4" reusable male swivel fittings

Item No.	Size	Weight	Retail	Wholesale
1042-0250-100-4MMX	1/4"x100'	4.3 lbs.		Please Login

Air Hose Quick Couplers

Coupler-3/8" FNPT



- 1/4" brass body

Item No.	Retail	Wholesale
M-718		Please Login

Coupler-1/4" FNPT



- 1/4" brass body

Item No.	Retail	Wholesale
M-715		Please Login

Coupler-3/8" MNPT



- 1/4" brass body

Item No.	Retail	Wholesale
M-719		Please Login

Coupler-1/4" MNPT



- 1/4" brass body

Item No.	Retail	Wholesale
M-716		Please Login

Plug-3/8" FNPT



- 1/4" steel body

Item No.	Retail	Wholesale
M-732		Please Login

Plug-1/4" FNPT



- 1/4" steel body

Item No.	Retail	Wholesale
M-728		Please Login

Plug-3/8" MNPT



- 1/4" steel body

Item No.	Retail	Wholesale
M-733		Please Login

Plug-1/4" MNPT



- 1/4" steel body

Item No.	Retail	Wholesale
M-727		Please Login

PVC Water Suction Hose

- Flexible, abrasion-resistant, extruded PVC
- Temp. Range: -10ºF to 130ºF



M&F Shank Shown



ABBOTT RUBBER COMPANY, INC.

SHIPSET BY TRUCK

Cpld. M & F Alum Short Shank w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
1240-2000-20	2″ x 20′		Please Login
1240-3000-20	3″ x 20′		Please Login
1240-4000-20	4″ x 20′		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
1240-2000-20-CE	2″ x 20′		Please Login
1240-4000-20-CE	4″ x 20′		Please Login

Cpld. C & Plated Steel Nipple w/Band-it Clamps

Item No.	I.D. x Length	Retail	Wholesale
98128505	2″ x 20′		Please Login
98128510	3″ x 20′		Please Login



M&F Shank



C&E Cam & Groove

50’ PVC Flat Discharge Hoses

- Ideally suited for all open end water discharge
- High tensile polyester yarn reinforcement
- Light weight hose coils flat for easy storage

*1150-2000-50 is a heavy-duty reddish brown discharge hose

Cpld. M & F Alum Short Shank w/Band-it Clamps

Item No.	I.D.	Retail	Wholesale
1148-2000-50-NPSH	2″		Please Login
1148-3000-50-NPSH	3″		Please Login
1148-4000-50-NPSH	4″		Please Login
1152-2000-50-NPSH*	2″		Please Login

Cpld. Alum C & E Cam & Groove w/Band-it Clamps

Item No.	I.D.	Retail	Wholesale
1148-2000-50-CE	2″		Please Login
1148-3000-50-CE	3″		Please Login
1148-4000-50-CE	4″		Please Login

White Discharge Hoses

Item No.	Description	I.D.	Retail	Wholesale
1131-2000-50	M & F Short Shank	2″		Please Login
1131-2000-50-CE	C & E Cam & Groove	2″		Please Login
1131-3000-50-CE	C & E Cam & Groove	3″		Please Login
1131-4000-50-CE	C & E Cam & Groove	4″		Please Login

50’ PVC Discharge Hose Kit



- All-In-One Kit provides everything needed to retrofit your pump
- Includes 20’ PVC suction, 50’ PVC discharge hose, steel round hole strainer and spanner wrench(M&F kits only)
- Kits are supplied in a retail box

ABBOTT RUBBER COMPANY, INC.

Item No.	Suction Hose	Discharge Hose	Hose Ends	Retail	Wholesale
1240-KIT-1500-1148	1-1/2″	1-1/2″	M&F		Please Login
1240-KIT-2000-1148	2″	2″	M&F		Please Login
1240-KIT-3000-1148	3″	3″	M&F		Please Login
1240-KIT-1500-1148-QC	1-1/2″	1-1/2″	Quick Coupling		Please Login
1240-KIT-2000-1148-QC	2″	2″	Quick Coupling		Please Login
1240-KIT-3000-1148-QC	3″	3″	Quick Coupling		Please Login

Two aluminum part “A” adapters are included

Aluminum Male-Female Pin-Lugs

- SIPT threads
- Requires clamps to attach to hose



Male Aluminum

Item No.	I.D.	Retail	Wholesale
SM-200-A	2″		Please Login
SM-300-A	3″		Please Login
SM-400-A	4″		Please Login



Female Aluminum with Brass Nut

Item No.	I.D.	Retail	Wholesale
SF-200-AB	2″		Please Login
SF-300-AB	3″		Please Login
SF-400-AB	4″		Please Login

EPDM Gaskets



- Standard rubber gaskets
- Use for female SIPT pin-lug couplings

Item No.	I.D.	Retail	Wholesale
SRW-200	2″		Please Login
SRW-300	3″		Please Login
SRW-400	4″		Please Login

Spanner Wrenches



- Plated malleable iron
- Use on male/female pin-lug couplings

Item No.	I.D.	Retail	Wholesale
SW-200	2″		Please Login
SW-300	3″		Please Login
SW-400	4″		Please Login

Aluminum Cam & Groove Couplings

A



Part "A" Male Adaptors

Item No.	I.D.	Retail	Wholesale
QA-200-DC	2"		Please Login
QA-300-DC	3"		Please Login
QA-400-DC	4"		Please Login
QA-600-DC	6"		Please Login

B



Part "B" Female Couplers

Item No.	I.D.	Retail	Wholesale
QB-200-DC	2"		Please Login
QB-300-DC	3"		Please Login
QB-400-DC	4"		Please Login
QB-600-DC	6"		Please Login

C



Part "C" Female Couplers

Item No.	I.D.	Retail	Wholesale
QC-200-DC	2"		Please Login
QC-300-DC	3"		Please Login
QC-400-DC	4"		Please Login
QC-600-DC	6"		Please Login

D



Part "D" Female Couplers

Item No.	I.D.	Retail	Wholesale
QD-200-DC	2"		Please Login
QD-300-DC	3"		Please Login
QD-400-DC	4"		Please Login
QD-600-DC	6"		Please Login

E



Part "E" Male Adaptors

Item No.	I.D.	Retail	Wholesale
QE-200-DC	2"		Please Login
QE-300-DC	3"		Please Login
QE-400-DC	4"		Please Login
QE-600-DC	6"		Please Login

F



Part "F" Male Adaptors

Item No.	I.D.	Retail	Wholesale
QF-200-DC	2"		Please Login
QF-300-DC	3"		Please Login
QF-400-DC	4"		Please Login
QF-600-DC	6"		Please Login

DC



Part "DC" Dust Caps

Item No.	I.D.	Retail	Wholesale
QDC-200-DC	2"		Please Login
QDC-300-DC	3"		Please Login
QDC-400-DC	4"		Please Login
QDC-600-DC	6"		Please Login

DP



Part "DP" Dust Plugs

Item No.	I.D.	Retail	Wholesale
QDP-200-DC	2"		Please Login
QDP-300-DC	3"		Please Login
QDP-400-DC	4"		Please Login
QDP-600-DC	6"		Please Login

Plated Steel Strainers



Round Hole

- Helps to keep potentially damaging solids from entering the pump

Item No.	Description	Retail	Wholesale
SRHS-200	2" FNPT		Please Login
SRHS-300	3" FNPT		Please Login
SRHS-400	4" FNPT		Please Login

Square Hole



- Used for trash pumps
- Large openings allow smaller solids to pass but keeps the larger potentially damaging solids out

Item No.	Description	Retail	Wholesale
SSHS-200	2" FNPT		Please Login
SSHS-300	3" FNPT		Please Login
SSHS-400	4" FNPT		Please Login



Gaskets for Cam & Groove Couplings

Item No.	I.D.	Retail	Wholesale
QRG-200	2"		Please Login
QRG-300	3"		Please Login
QRG-400	4"		Please Login



Hose Safety Clips

- Clip and lanyard sold separately
- Bag of 25

Item No.	Description	Retail	Wholesale
ESL	Lanyard		Please Login
ESC	Clip		Please Login

Hose Menders Steel



- For low pressure suction/discharge hoses
- Used to repair/splice damaged hose or extend hose length
- Rust resistant

Item No.	I.D.	Retail	Wholesale
CM-200-S	2"		Please Login
CM-300-S	3"		Please Login
CM-400-S	4"		Please Login
CM-600-S	6"		Please Login



Center Punch Tensioning Tool

- Designed for fast, efficient application of center punch clamps
- Band width 5/8"
- Galvanized steel clamps

Item No.	Description	Retail	Wholesale
BCP-P1000I	Tool		Please Login
BCP-10	#10 Clamp, 2-1/2x5/8		Please Login
BCP-14	#14 Clamp, 3-1/2x5/8		Please Login
BCP-18	#18 Clamp, 4-1/2x5/8		Please Login

PAYMENT TERMS

Our terms are net 30 from date of invoice, unless otherwise stated. Past due invoices are subject to finance charges.

PAYMENT METHODS

We accept Visa, Mastercard, Discover, and American Express and checks.

CREDIT APPROVAL

Orders will be processed subject to credit approval. Unless we have a signed and approved credit application on file, all orders will be held until approved or be processed by credit card. To establish an account, please, fill out the PHP credit application at www.phpdistribution.com or request an application via phone and fax a completed copy to us at 800-255-7985. If you include an order with your application, we will make every effort to process your application within 24 hours of receipt. If you require same day shipping, we suggest you pay using Visa, Mastercard, Discover or American Express.

BACKORDERS

On occasion, an unexpected surge in demand may render us temporarily short of inventory. When that happens we will automatically ship the backordered product when it arrives unless you advise us otherwise. If you prefer, we will hold your order and ship complete.

MINIMUM ORDERS

A $3.00 charge will be added to orders of less than $25.00.

RETURNS

Please call for a Returned Goods Authorization Number (RGA#) before returning any item. This number must be clearly marked on the outside of the returned package. You may return parts and whole goods within 14 days of the purchase date without a restocking fee if in new, sellable condition (original factory package, unused, unmarked). After 14 days, returned goods are subject to a 15% restocking fee, after 30 days contact our sales dept. If determined that the goods were shipped to you in error, we will absorb the return freight, otherwise all returns must be shipped prepaid.

Non-stock, special-order items may not be returned.

WARRANTY

If you have new equipment that needs warranty repair (damaged in transit, or not working properly), you can repair it under warranty, or return it to us, and we will repair it under warranty. We will not exchange new equipment for defective models. We expect our customers to process all defects as warranties. Replacement parts from new equipment must reference the model number and serial number. Upon receipt of defective parts we will issue you credit in accordance with factory guidelines.

SHIPPING

We ship all orders to continental U.S.A. destinations via either Federal Express or UPS; any order not conducive to either Federal Express or UPS will ship via one of our preferred carriers prepaid and add. If your order is being shipped collect, you may specify the carrier of your choosing at the time you place your order. Shipments to areas outside of the continental U.S.A., including international shipments, are subject to applicable shipping guidelines and rates. Your non-continental U.S.A. and international shipping rates will be determined on a case-by-case basis and you will be responsible to pay for all applicable shipping costs, as determined by us. All non-drop-shipped orders are shipped FOB Valparaiso, Indiana and freight claims for damaged or missing goods must be settled between the consignee and carrier. Freight shipped pre-paid and add is subject to a handling fee. PHP does not ship Cash on Delivery (C.O.D.).

GENERAL INFORMATION

We sell only to retail or other wholesale outlets. If you have a resale license, you are authorized to purchase from us at wholesale cost.

PRICES

Due to unprecedented times, we are facing manufacturer price updates more frequently than usual. Please check www.phpdistribution.com for prevailing prices, which are subject to change without notice.

TERMS & CONDITIONS

All prices, terms & conditions, promotions & product availability expressed in this catalog supercedes any previous offers. Terms and conditions are subject to change without notice.

FINANCE CHARGES

We charge a late fee of 1-1/2% per month on overdue invoices.

WILL CALL ORDERS

Will call orders must be placed in advance. Please, allow one hour from the time the order is placed to pick-up. Upon your arrival, our customer service personnel in our main lobby will coordinate your pick-up.

NEW!



3/4”-2” KOSHIN Submersible Pump

- Oil bathed double silicon carbide mechanical Seals
- Thermal overload protected motors
- Fits into small diameter holes
- Motor output - 1/2 HP
- Delivery volume - 1,500 GPH
- Voltage - 110 V
- Rated current - 6.4 Amps
- Cable length - 20’
- Net weight - 25 Lbs.
- Max head - 36’

Item No.	Retail	Wholesale
PXL65011		Please Login



3” KOSHIN Submersible Pump

- Full water channel design to cool the motor
- Uni-body constructed 40' power cord
- Motor Output - 2 HP
- Delivery Volume - 7286 GPH
- Voltage - 110V / 220V
- Rated Current - 15 Amps
- Max Head - 61’

Item No.	Retail	Wholesale
PB68011		Please Login

KOSHIN



2” Submersible Pump

- Oil bathed double silicon carbide mechanical Seals
- Thermal overload protected motors
- Fits into small diameter holes
- Motor output - 1/2 HP
- Delivery volume - 4,110 GPH
- Voltage - 110 V
- Rated current - 6.4 Amps
- Cable length - 20’
- Net weight - 25 Lbs.
- Max head - 33’

Item No.	Retail	Wholesale
PX65011		Please Login

KOSHIN



Garden Hose Submersible Pumps

- ABS plastic housing is shock resistant and will not rust
- Completely rebuildable–All parts are replaceable
- Delivery volume: 1,584 GPH
- Voltage - 110 V
- Cable length: 15’
- Max head: 24.6’

Item No.	Hose Dia.	Retail	Wholesale
NSM-62511	3/4” & 1”		Please Login



Black PVC Gloves

- 10" gauntlet black PVC fully coated
- Smooth finish
- Single dipped
- Interlock lined
- Knit wrist
- Great for sewer auger rentals

Item No.	Size	Retail	Wholesale
3361G	L		Please Login



2” Submersible Trash Pump

- Easily handles solids up to 5/8" diameter
- Double mechanical seals run in an "oil" filled chamber of liquid paraffin to prevent damage from periods of dry running
- The built-in thermal protector turns off the power supply in case of overload operation thus protecting the motor
- Motor output - 1/2 HP, 110V, 7.0 Amps
- Delivery volume - 4760 GPH
- Cable length - 20’
- Net weight - 33 Lbs.
- Max head - 33’

Item No.	Description	Retail	Wholesale
PKS65011	Trash pump		Please Login
FS10	Float switch		Please Login



TSURUMI PUMP

2” Submersible Pumps

- Good for low to medium levels of water at home or at work
- Maximum output capacity: 62 GPM
- Maximum head: 39’
- Intake/discharge diameters: 2"
- 2/3 hp, 115V, single-phase electric
- 32’ submersible power cord included
- Urethane semi-vortex impeller with ethylene propylene rubber casing resists abrasion
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Automatic relay unit turns the pump on when the water level hits the electrodes. Pump shuts off automatically after 1 minute when the water level falls below the electrodes.

Item No.	Description	Retail	Wholesale
LB-480	Manual		Please Login
LB-480A	Automatic		Please Login

Factory Direct Pricing!!



TSURUMI PUMP

2” Submersible Pump

- Designed to fit in an 8” pipe up to 60’ shut off head
- Maximum output capacity: 73 GPM
- Maximum Head: 60’
- Intake/discharge diameters: 2"
- 1 hp, 115V, single-phase electric
- 50’ submersible power cord included
- Double mechanical seals with silicon carbide faces and an additional lip seal
- Built-in thermal and amperage sensor prevents motor overload or failure due to an accidental dry run

Item No.	Description	Retail	Wholesale
LB-800	Manual		Please Login
LB-800A	Automatic		Please Login

View Our Complete Line of ABBOTT RUBBER COMPANY, INC. Hoses & Pump Accessories on Pages 54-57



HS24S



HSZ24S



HS375S

TSURUMI PUMP

Submersible Trash Pumps

- Built-in shaft mounted agitator suspends solids
- Urethane, semi vortex Impeller for maximum durability and pump performance
- Dual inside mechanical seal with SiC faces provides longest operational life
- Oil Lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- HSZ models have attached float switch for automatic operation

Item No.	Discharge	GPH	Max Head	Motor	Cable Length	Retail	Wholesale
Manual Operation							
HS24S	2″	3,000	39′	1.2HP - 110V	20′		Please Login
HS375S	3″	4,200	60′	1 HP - 115V	32′		Please Login
Automatic Operation							
HSZ24S	2″	3,000	39′	1.2HP - 110V	20′		Please Login
HSZ375S	3″	4,200	60′	1 HP - 115V	32′		Please Login



HSZ375S

TSURUMI PUMP

3/4” Submersible Ground Drainage Pump



- Able to pump down to the floor
- Prime pump through discharge outlet for start up at any water level
- Internal check valve holds prime and prohibits back flow through pump when stopped
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 45 GPM
- Maximum head: 40’
- Intake/discharge diameters: 3/4"
- 2/3 hp, 110V, single-phase electric
- 32’ submersible power cord included

Item No.	Retail	Wholesale
LSC14S		Please Login

TSURUMI PUMP

2” Submersible Ground Drainage Pump



- Pump holds suction for drainage to 0.2” water level
- Oil lifter provides lubrication of the seal faces
- V-Ring seal design protects mechanical seal from abrasive particles
- Urethane, semi vortex impeller and wear plates for maximum durability
- Double inside mechanical seal with SiC faces provides the longest operational life
- Maximum output capacity: 62.4 GPM
- Maximum head: 40’
- Intake/discharge diameters: 2"
- 2/3 hp, 110V, single-phase electric
- 32’ submersible power cord included

Item No.	Retail	Wholesale
LSR24S		Please Login

Factory Direct Pricing!!

Full Line of Tsurumi Products & Power Solutions Available!



TSURUMI PUMP

HONDA ENGINES

Centrifugal Pump w/ Low Oil Sensor

- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Honda engine

SHIPS BY TRUCK

Item No.	Description	Retail	Wholesale
TE3-50HA	2”, 4 HP engine		Please Login
TE3-80HA	3”, 5.5 HP engine		Please Login



TSURUMI PUMP

HONDA ENGINES

Trash Pump w/ Low Oil Sensor

- Heavy-duty Honda gas engine with oil sensor and silicon carbide mechanical seal provides longer life in this class
- Cast Iron impeller and volute casing
- Durable rolled-steel frame provides pump/engine with maximum protection, perfect ease of handling or transport, and safe operation
- Rubber mounts on the pump and the frame
- Galvanized steel hose couplings promise longer thread life
- Max. capacity (GPH): 21,600
- Discharge & suction connection: 3" NPT coupling
- Output: 8 HP GX-240 engine

SHIPS BY TRUCK

Item No.	Size	Retail	Wholesale
EPT3-50HA	2”		Please Login
EPT3-80HA	3”		Please Login





Mr. Heater Propane Torch Kit

- 500,000 BTU/Hr
- 31” heavy-duty handle
- Burn weeds, melt ice and peel paint
- Includes 10’ hose and spark igniter
- CSA Certified
- Limited 1-year warranty

Item No.	Description	Retail	Wholesale
MH500PT	Torch kit		Please Login
72602M	Hose assembly w/POL		Please Login



Sure Flame Torches

- 200,000 - 375,000 BTU
- Ergonomic design
- Steel head for lower temp. & quick cool down
- Adjustable flame control
- Comes with 10’ hose and pol fitting
- 30” torch is individually boxed

Item No.	Description	Retail	Wholesale
ST2P	50,000 - 200,000 BTU		Please Login
ST3P	90,000 - 375,000 BTU		Please Login
72603	Striker		Please Login
30S07P	POL fitting for ST2P/ST3P		Please Login
2510	LH hose, 10’		Please Login
2525	LH hose, 25’		Please Login



Spandex Synth. Leather Insulated Gloves

- Padded synthetic leather palm
- Comfortable and warm winter lining
- Quality hi-vis materials and reflectives
- Convenient slip-on style
- Sold by individual pair

Tagged for Hanging

Item No.	Size	Retail	Wholesale
15HV	L-XL		Please Login



Torch Hoses

Item No.	Description	Retail	Wholesale
2510LH	10’ hose for ST2 & ST3		Please Login
2525LH	25’ hose for ST2 & ST3		Please Login



Waterproof Polar Fleece Insulated Gloves

- Ultra-comfortable construction
- Warm acrylic polar fleece back
- Resilient grain pigskin
- Sold by individual pair

Item No.	Size	Retail	Wholesale
15MAX2	M-XL		Please Login

Tagged for Hanging



Adjustable High Pressure Torch Regulator

- Capacity: 820,000 BTU/HR
- Propane outlet pressure range: 10-30 PSIG
- 1/4" Female NPT inlet & outlet
- Color: Red
- Used on propane torches and high pressure gas heaters under 1,000,000 BTU's

Item No.	Retail	Wholesale
597FB		Please Login

WHILE SUPPLIES LAST

Hot Seller!



24’ Telescoping Wand

- 4000 PSI Max Pressure
- 8.0 GPM Max Flow
- 1/4” hose
- (3) 7’ sections

Item No.	Retail	Wholesale
85206424		Please Login



Telescoping Wand Belt Kit

Item No.	Retail	Wholesale
85400019		Please Login



Pressure Washing Cleaner - 1 Gal.

Heavy duty butyl cleaner and degreaser for use in all type of pressures washers. Safe on all hard surfaces. USDA-A1 rating

Item No.	Retail	Wholesale
C123		Please Login



Sandblaster Heavy-duty Wet

- Max Flow 10 GPM
- Max Pressure 5,500 PSI
- P/N 85200040 -0º Meg Nozzle up to 4,000 PSI, 4.0 GPM
- ***MEG NOZZLE REQUIRED FOR USE!***

Item No.	Description	Retail	Wholesale
90019	Sandblaster		Please Login
85200040	Meg Nozzle		Please Login



Strap-N-Stride™ Aluminum Drywall Stilts

- Lightweight stilts are perfect for handling walls and overheads
- Adjusts quickly and easily without tools
- Features dual-spring action to make walking more natural
- Cotton straps with heavy-duty spring clips permanently installed
- Adjustable sole and heel plates with rubber sole bottoms
- Features side pole security pocket for additional safety
- Protective plate over straps for extended wear life
- Taller heel support giving more stability and accommodation for work boots
- Accommodates 230 pounds

Item No.	Description	Retail	Wholesale
10770	18”-30”, Pair		Please Login



Earlex Wallpaper Steamer Accessories

WHILE SUPPLIES LAST

Item No.	Description	Retail	Wholesale
PPF1	Perforating tool		Please Login
PS0253	Large steam pan		Please Login
PS0303	Threaded cap		Please Login
PS0038	Hose		Please Login
Large pan-10”x13”			

Keep your work area tidy with the help of this magnetic sweeper.



Magnetic Floor Sweeper

- 30” wide
- Collects up to 50 lbs. of ferrous materials
- Oversized rubber wheels
- Telescopic handle - 35-1/2” to 50”
- Easy to clean out

SHIPS via UPS

Item No.	Retail	Wholesale
53420		Please Login



Magnetic Parts Tray

- Heavy-duty stainless steel
- Holds tight to any ferrous surface
- 9-1/2” x 10” x 1-1/4” D

Item No.	Retail	Wholesale
67442		Please Login



WHILE SUPPLIES LAST

Wide Mouth Magnetic Parts Bowl

- Holds tight to any ferrous surface
- Holds small parts, nuts & bolts
- 6” diameter and 1” deep

Item No.	Retail	Wholesale
67440		Please Login



Hand Pump

- Fits 15-55 gal. drums with 2” bung
- For light oils, ATF, kerosene
- Dispenses approx. one pint per stroke

Item No.	Retail	Wholesale
381HP		Please Login



Professional Grease Gun

- Heavy-duty with a cast steel head
- HD 4 jaw chuck coupler
- 12” wire braided whip hose & #80 loader nipple
- Can be filled by standard 14.5 oz. cartridge, bulk suction & filler pump

Item No.	Retail	Wholesale
HD4A		Please Login



WHILE SUPPLIES LAST

Watertight Roof Sealant

- High performance, asphalt-based sealant
- Roof gaps and joints, spotting shingles and repairing minor roof leaks
- 10.1 oz.

Item No.	Retail	Wholesale
18268		Please Login



WHILE SUPPLIES LAST

Sub-floor Construction Adhesive

- For bonding wood, metal, concrete/masonry and FRP panels
- Structural & Sub-Floor
- Interior/Exterior
- VOC Compliant
- 28 oz.

Item No.	Retail	Wholesale
1602142		Please Login



490040



490118

WD-40 Lubricant

Item No.	Description	Retail	Wholesale
490040	11 oz. - aerosol		Please Login
490118	1 Gallon		Please Login

FIX YOUR THINGS™

PC-CONCRETE Anchoring & Crack Filling Epoxy

- Repair cracks in warehouse and factory floors
- Apply using a standard size caulking gun
- Cures hard enough to drive over within 3 hours
- Apply to wet or dry surfaces and will accept paint or concrete stain
- 8.6 oz.





Item No.	Description	Retail	Wholesale
072561	Single tube		Please Login
072568	Case of 10		Please Login
900550	Heavy-duty gun		Please Login



Waterless Cleaning Towels

- 10” x 12” size
- 72 wipers per bucket
- Heavy-duty, premoistened, textured towels
- Citrus-based cleaner quickly dissolves dirt, paint, grease & grime
- Towels lock in dirt and will not transfer soils back onto hands

Item No.	Retail	Wholesale
42274		Please Login





Workshop Wipes with Scrubbing Beads

- 8” x 12” Cloths, 60 Wipes/pack
- Double cleansing action with a rough side for tough scrubbing action and a smooth side for a clean finishing touch
- Cut through grease, grime, oil, adhesives, marker, caulk and latex paint
- Safe for hands, tools and hard non porous surfaces like wood, plastic, glass and steel
- Dermatologist tested, hypoallergenic, and aloe-enriched to help soothe skin
- Light citrus scent

Item No.	Retail	Wholesale
VENWP60		Please Login

WHILE SUPPLIES LAST

Kimberly-Clark



Scott Blue Shop Towels

- Super strong even when wet
- Easily absorbs grease, liquids, and oils
- Easy dispensing
- Each towel is 10-2/5 in. x 11 in.
- Sold as each
- Case count: 30

Item No.	Retail	Wholesale
75130		Please Login



X80 Jumbo Roll

- 12.5” x 13.4” red wipers
- 475 WypAll X80 wipers per roll
- Guaranteed more cost-effective then rental shop towels or rags
- Ideal for HEAVY Wiping and Cleaning rough surfaces
- Softer and more absorbent than ever!

Item No.	Retail	Wholesale
41055		Please Login



Waterless Cleaning Towels

- 10” x 12” size
- 72 wipers per bucket
- Citrus-based cleaner quickly dissolves dirt, paint, grease & grime

Item No.	Retail	Wholesale
42274		Please Login



Foaming Glass Cleaner

- Convenient, aerosol delivery provides premium glass and mirror cleaning.
- 19 oz.

Item No.	Retail	Wholesale
ZUFGC19		Please Login



Cleaner/Degreaser

- Quickly cleans virtually any hard or soft surface
- Powers out stains and grease
- Safe on granite, upholstery and more
- No harsh fumes
- 32 oz.

Item No.	Retail	Wholesale
ZUAOCD32		Please Login



Simple Green All-Purpose Cleaner

- Strong enough to degrease an engine, gentle enough to remove stains from fabrics
- Non-toxic, biodegradable, non-abrasive
- Concentrated - 1 gallon

Item No.	Retail	Wholesale
2710200613005		Please Login



Tent Cleaner

- Removes mildew stains and penetrates dirt film
- Use with the pressure washer

Item No.	Retail	Wholesale
TC789		Please Login



Quick Clean Disinfectant

- Kills 99.9% of bacteria in 5 sec.
- Cleans, disinfects, deodorizes in one easy step
- 32 oz.

WHILE SUPPLIES LAST

Item No.	Retail	Wholesale
ZUQCD32		Please Login



Drive Belt Dressing

- Prevents belt slippage and glazing
- USDA P-1
- Increases pulling power up to 50%
- Reduces squeaks and slippage
- Works great on generators, fans and pressure washers
- Container size: 16 oz. (12-oz. fill)

Item No.	Retail	Wholesale
DB8079		Please Login



Pressure Washing Cleaner - 1 Gal.

Heavy duty butyl cleaner and degreaser for use in all type of pressures washers. USDA-A1 rating

Item No.	Retail	Wholesale
C123		Please Login



Carb & Choke Cleaner

- Eliminates rough idling, stalling, engine run-on, and starting hesitation
- Quick and easy to use, fast drying, and leaves no film or residue
- Container size: 16-oz. (12-oz. fill)

Item No.	Retail	Wholesale
CC590		Please Login



WHILE SUPPLIES LAST

Rain-X

- Dramatically improves wet weather driving visibility
- 7 oz.

Item No.	Retail	Wholesale
RX11212		Please Login



Headlight Restoration

WHILE SUPPLIES LAST

- Helps restore clear plastic by removing haze and discoloration
- Multi-step kit provides a deeper cleaning process than single step products

Item No.	Retail	Wholesale
800001809		Please Login



Transport Tow & Binder Chains

- Grade 70 transport
- Working load limit: 6,600 lbs. - 3/8”
  4,700 lbs. - 5/16”
- Clevis type hook

Item No.	Description	Retail	Wholesale
3583520	3/8" x 20'		Please Login
3524623	3/8" x 16'		Please Login
H3226-5220	5/16" x 20'		Please Login



CargoLoc

Tow Strap

- Extra long - 2” x 20’
- 17,000 lb. rated capacity
- Reinforced loop
- Yellow

Item No.	Retail	Wholesale
82497		Please Login



Booster Cables

- Tangle free, twin line construction
- Fits all top and side post
- Stays flexible to -30°F

D1110420YL-Yellow
- 20’ length, 4 Gauge, 400 Amps

D1110130OR-Orange
- 30’ length, 1 Gauge, 600 Amps

D1111025RD-Orange
- 25’ length, 1 Gauge, 900 Amps

Item No.	Color	Retail	Wholesale
D1110420YL	Yellow		Please Login
D1110130OR	Orange		Please Login
D1111025RD	Red		Please Login



Heavy-duty CargoBar™

- Retracts to 48”
- Adjusts continuously to a maximum extension of 108”
- Greater holding power than conventional loadlocks
- Harder to bend and damage

Item No.	Retail	Wholesale
CC5010		Please Login



Wheel Chock

Think safety

- Durable fiber-reinforced rubber compound
- Black
- 9”L x 8”W x 5-3/4”H - 9 lbs.

Item No.	Retail	Wholesale
68-9		Please Login



21514



21512

Trailer Hitch Ball Mounts

- 200/2,000 TW/GTW capacity for 1-7/8” ball hitches, 600/6,000 for 2”, and 1,000/10,000 for 2-5/16”

Item No.	Color	Retail	Wholesale
21514	Chrome		Please Login
21512	Black		Please Login



18MM Plastic Snap Off Knife

- Steel knife blade with plastic body
- Ergonomic grip
- 13 pt. blade that can be snapped off for a new sharp edge

Item No.	Description	Retail	Wholesale
JL-54306-D	Box of 100		Please Login
JL-54306-EACH	Individual		Please Login



Rebar Cutter and Bender

- High strength steel jaws
- Mountable on a board or floor
- Cuts/bends up to 5/8", grade 60 rebar
- 52" handle length
- Max Material Hardness-HRC-48

Item No.	Description	Retail	Wholesale
RCB-25	Bender		Please Login
RCH-26	Repl. head		Please Login



4-Wheel Furniture Dolly

- Carpeting on both ends
- Solid wood frame finished with clear varnish
- Four rubber swivel casters
- Max. load 800 lbs.
- 30"L x 18"W x 5.6"H

Item No.	Retail	Wholesale
52030		Please Login



Masonry Diamond Blade - Dry Cutting

- Designed for general purpose rental fleets
- 5500 maximum RPM
- 14"x.110"x1" DP

Item No.	Retail	Wholesale
425-03031		Please Login

WHILE SUPPLIES LAST



7" Contractor Diamond Blade

- Circular saw blade
- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Item No.	Retail	Wholesale
167022		Please Login


WHILE SUPPLIES LAST



Bi-Metal Reciprocating Saw Blade

- Cuts composition materials, plastic, pipe, carbon steel and stainless steel
- Use with materials 1/8" and thicker
- Electronic beam weld
- Bi-metal construction

Item No.	Retail	Wholesale
372810BB		Please Login



ATV Vise (All Terrain Vise)

- Fits standard 2" hitches and includes a locking hitch pin
- Mount it on a bench or hook it to a trailer
- Lightweight design with integrated carrying handle
- Patented locking handle secures vice jaws
- Water resistant for all weather protection during transport or while hitched
- Large striking anvil for forming and shaping materials
- Replaceable jaws with v-grooves for vertical clamping

VIDEO DEMO

Item No.	Retail	Wholesale
10010		Please Login



Tradesman Bench Vises

- Wider jaws provide greater clamping surface
- Fully enclosed spindle and nut increases the life of the vise
- Large anvil work surface
- Precision turned sidebar
- 360° swivel base with double lockdowns

Item No.	Jaw Width	Jaw Opening	Throat Depth	Shp. Weight	Retail	Wholesale
28806	5-1/2"	5"	3-3/4"	53 lbs.		Please Login
28807	6-1/2"	6-1/2"	4"	73 lbs.		Please Login



B.A.S.H Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Safety plate locks head firmly to handle, eliminating dislodging
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards



Item No.	Head Size	Handle	Retail	Wholesale
20212	2-1/2 lb.	12″		Please Login
20412	4 lb.	12″		Please Login
20416	4 lb.	16″		Please Login
20630	6 lb.	30″		Please Login
20816	8 lb.	16″		Please Login
20824	8 lb.	24″		Please Login
20830	8 lb.	30″		Please Login
20836	8 lb.	36″		Please Login
21016	10 lb.	16″		Please Login
21036	10 lb.	36″		Please Login
21236	12 lb.	36″		Please Login
21430	14 lb.	30″		Please Login
21436	14 lb.	36″		Please Login
22036	20 lb.	36″		Please Login



B.A.S.H Mechanics Hammer Kit

Includes:

(1) 4 lb. Head 12 in. Sledge Hammer
(1) 32 oz. Head 14 in. Ball Pein Hammer
(1) 2 lb. Head 16 in. Cross Pein Hammer

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking

Item No.	Retail	Wholesale
11111		Please Login



B.A.S.H Splitting Mauls

- Unbreakable Technology: Steel core design prevents breaking during overstrikes
- Safety Plate: Locks head firmly to handle eliminating dislodging
- No-Slip Grip
- Anti-Vibe Neck

VIDEO DEMO

Item No.	Head Size	Handle	Retail	Wholesale
50636	6 lb.	36″		Please Login
50836	8 lb.	36″		Please Login



Short Tape Measures

- Nylon Coated Steel Blade
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- 3 Rivet Hook

Item No.	Description	Retail	Wholesale
PGPRO1825V	25′ - High Vis		Please Login
PGPRO1830V	30′ - High Vis		Please Login
PGPRO1835V	35′ - High Vis		Please Login



Post Pulling Tool

- Effortlessly pulls out wooden or metal fence posts, even those with concrete plugs attached
- Versatile landscaping tool, removing small trees, shrubs and bushes

Item No.	Retail	Wholesale
QP001		Please Login







1-3/16" x 25' Command Control Series™ Black Clad Tape Measure

- Protected lock button and 6-point dual material case
- Anti-pinch, finger tip control feature for increased control when retracting the tape
- 360° end hook and 12' standout make it easy for one person use
- Tether hole for safely working at heights
- Matte clear protective blade coating for better visibility and durability of the blade
- Black blade for enhanced visibility in all light applications
- Rugged rubber over mold housing

Item No.	Retail	Wholesale
L1025CB-02		Please Login

WHILE SUPPLIES LAST



D12500515BL



ProLock Extension Cord Lock

Your extension cords will lock together and not pull apart! Simply push your plug into the ProLock Connector, and the plug and connector instantly lock together.

- Delivers 80 lbs. of pull strength
- Lighted amber power check indicator
- Impact resistant polycarbonate body
- Fitted strain relief for both 10 AWG and 12 AWG cord

CENTURY WIRE AND CABLE

Item No.	Description	Retail	Wholesale
Extension cord with cord lock connector			
D14412050YL	50' 12/3 Yellow jacket Pro Lock extension cord		Please Login
Connector Only - replaces existing female end on cord			
D12500515BL	ProLock connector - Blue		Please Login

They instantly lock together!!



Push plug into the ProLock™ Connector



Pull down on the collar to release

Ground Fault Circuit Interrupters (GFCI)

- 9" Pigtail - Just plug it in
- Grounded neutral protection
- Open neutral protection
- 4-6 mA fault current protection
- Mechanical trip indicator
- 120v/15 amp
- Individually boxed for hanging

Item No.	Retail	Wholesale
30434-007		Please Login



TOWER

GFCI Protected Quad (4) Outlet Box

- 125V/15A rated. UL/CUL listed
- Right angle GFCI plug, NEMA-15 P
- 6 feet of 12/3 gauge SJTW cord
- Lighted On/Off switch

Item No.	Retail	Wholesale
30336		Please Login



TOWER



TOWER

3-Wire Single Outlet GFCI Adapter Plug

- 120V/15 amp
- Individually boxed for hanging
- For indoor use

Item No.	Retail	Wholesale
30439-005		Please Login



TOWER

In-line GFCI (20 amp)

- Rated for 125 volt, 20 amp use
- LED Power "ON" indicator
- Open neutral and ground neutral ' protection
- Rated for indoor and outdoor use

Item No.	Retail	Wholesale
30396500-08		Please Login



TOWER

User Attachable GFCI (15 amp)

- 2.5 mA Fault detection
- Grounded neutral protection
- Mechanical trip indicator
- Individually boxed for hanging

Item No.	Retail	Wholesale
30434-010		Please Login



Rental Equipment Cord

- Thermal vinyl plastic rated to -40ºF
- 10/3 AWG super heavy-duty cord
- "For Rental Equipment Use" imprinted on cord every 18"
- Highly resistant to abrasion wear
- Maintains superior flexibility
- Jacket type - SJTW-A
- Sold individually

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D117100500R	10/3 50' Orange, lighted	6		Please Login
D117101000R	10/3 100' Orange, lighted	4		Please Login



Heavy-duty White Multi-Outlet Cord 6 outlets

- 12/3 50' cord with 600 volt jacket
- The outlets are every 10'
- Lighted ends
- Individually boxed

12 Gauge 3 Wire 50'

Item No.	Retail	Wholesale
D1242		Please Login

Extension Cords

- Jacket type SJTW-A





Yellow 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D11712100YL	100', lighted	4		Please Login
D11712050YL	50', lighted	6		Please Login
12350YN	50' lighted	4		Please Login



Orange 10 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D132100500R	50', lighted, triple tap	6		Please Login

All Sold Individually Or By The Case Your Choice!



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login

Standard Nylon Cable Ties (clear)

Sold by the bag

Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV200S	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login



"W" Adapter Part

15A/125V

- One male plug and three female connectors, 12/3, STW-A, Vinyl, 18"
- Indoor use only
- Polarized cord

Item No.	Retail	Wholesale
1479		Please Login



Power Cord Adapter

- Converts a Twist-to-Lock 20 amp receptacle to a standard 15 amp grounded receptacle.

Item No.	Description	Retail	Wholesale
09020	Converts Standard U Ground to Twist-to-Lock		Please Login



5965P 05984 05985

Plugs and Receptacles

Item No.	Description	Retail	Wholesale
5965P	15 Amp 10 gauge plug, male		Please Login
05984	3-Wire,15 amp, 12 gauge, male		Please Login
05985	3-Wire, 15 amp, 12 gauge, female		Please Login
LV5259VY	15 Amp 10 gauge, female		Please Login



Yellow Jacket 5 Outlet In-Line Tap

- Outdoor rated with cord lock feature to prevent cords from being accidentally disconnected
- Accommodates 16/3 - 10/3 SJT (300V) up to 12/3ST (600V)
- Connect extension cords together for long power runs
- Durable, yellow overmolded vinyl

Item No.	Retail	Wholesale
997362		Please Login

Standard Nylon Cable Ties (clear)



Item No.	Qty Per Bag	Tensile Strength	Overall Length	Retail	Wholesale
33NCT4	100	18 lbs.	4"		Please Login
CV200S	100	40 lbs.	7"		Please Login
CV292	100	50 lbs.	11"		Please Login
CV432	100	50 lbs.	14"		Please Login
36-175	50	50 lbs.	36"		Please Login

Sold by the bag

Don't starve your power tool motor to death! Determine the ampere rating which is shown on the tool nameplate. Apply this value to the following chart to determine the proper AWG and length of cord.

12/3 AWG Cable	10/3 AWG Cable
50' 15 AMPS	50' 15 AMPS
100' 15 AMPS	100' 15 AMPS
150' 13 AMPS	150' 15 AMPS
200' 10 AMPS	200' 15 AMPS
250' 7 AMPS	250' 13 AMPS



6506UGSX

8706UGCX
Roll Cage



Portable Power Distribution Centers

- Portable, flexible, rugged, and reliable power distribution center designed to withstand harsh jobsite conditions.
- It is an economical solution for electrical hook up on the worksite.
- Made in the USA
- Provide economical, durable temporary jobsite power
- Complies with OSHA and NEC specifications

Portable Distribution Center - 01970 & 01972

Power Inlet
- 50A 125/250V
- California style flanged covered w/ cover inlet

Power Outlet
- (1) 50A 125/250V California style receptacle w/ cover
- (1) NEMA L6-30R 30A 250V Locking receptacle w/ cover
- (6) NEMA 5-20R 20A 125V Straight blade receptacles w/ cover

Item No.	Description	Retail	Wholesale
6506UGSX	Power Box - straight blades		Please Login
8706UGCX	Power Box - roll cage		Please Login
01918	50' Cord SEOW W/California Ends		Please Login
01919	100' Cord SEOW W/California Ends		Please Login

X-TREME BOX

Southwire



Extension Cords for Distribution Centers

Item No.	Description	Retail	Wholesale
01939	100' SEOW w Hubbell Ends		Please Login
Hubbell = 3 prong, curved			



Part #	NEMA Plug	Connector
01915	L5-30P	(2) 5-20R
01924	L14-20P	(2) 5-20R
01934	L14-30P	(2) 5-20R
09084	L5-20P	(3) 5-15R

Generator Adapters & Cord Sets

- Increase the number of useable 20 amp connectors
- Clear lighted female ends provide power indication
- Job-site tough, flexible STOW and SJTOW cord jackets provide excellent durability.
- Oil and chemical resistant vinyl jacket
- New Hand Pack boxes
  - allow customers to freely view all cord ends in the box
  - offer immediate counter/store displays

Item No.	Description	Retail	Wholesale
01915	3' - 10/3 STOW L5-30P to (2) Lighted 5-20R		Please Login
01924	3' - 12/4 STOW L14-20P to (2) Lighted 5-20R		Please Login
01934	3' - 10/4 STOW L14-30P to (2) Lighted 5-20R		Please Login

WHILE SUPPLIES LAST



Tarp/Visqueen/ Sidewall Tape

- Heavy-duty poly tape
- Repair tarps, visqueen or sidewalls
- Resists cracking or peeling
- 24 per carton

Item No.	Size	Retail	Wholesale
82736	2" x 36 yards		Please Login

WHILE SUPPLIES LAST



Carton Seal Cleartape

- 2.0 Mil
- Exceptional strength and flexibility with excellent adhesion
- Best for carton sealing, bundling and securing loose objects during shipment
- Temperature, tear and impact resistant
- Polypropylene Film

Item No.	Size	Retail	Wholesale
9852	2" x 55 yards		Please Login



Thread Sealing Tape

- Pipe thread connections
- Air, propane or natural gas
- 200 per carton

Item No.	Size	Retail	Wholesale
UT11-520	1/2" X 520"		Please Login



7 Mil Vinyl Electrical Tape



- UL approved
- Indoor & outdoor
- Sold in sleeves of 10
- 20 sleeves per case

Item No.	Size	Retail	Wholesale
VE75	3/4" x 60'		Please Login



Nifty® Hand Tear ClearTape

- 3.2 Mil
- Uses serrated edges for simple hand tearing
- Works in cold weather and outdoors
- 36 rolls per carton

Item No.	Size	Retail	Wholesale
T3761	2" x 55 yards		Please Login

WHILE SUPPLIES LAST



Painters Tape

- Removes cleanly and easily for up to 14 days without leaving adhesive residue
- Use with water-based and solvent-based coatings
- Medium Adhesion

Item No.	Size	Retail	Wholesale
2090-48A	1.88" x 60 yards		Please Login



Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine or sign marking
- 700 candle power brightness
- Alternating 6" red and 6" silver s
- Withstands brushing, dirt, grime, and high-pressure steam sprayers

Item No.	Retail	Wholesale
RE2110		Please Login



Utility Grade Duct Tape

- Conforms well to irregular surfaces
- Easy unwind
- Industrial strength
- 24 per carton


Item No.	Size	Retail	Wholesale
493	1-7/8" x 60 yards		Please Login



Blue Poly Tarps


- 8 x 8 Scrim
- 3' grommet spacing
- Roped Hem
- 30 micron coating
- 5-6 mil
- Sold individually

Item No.	Ctn Qty	Size	Retail	Wholesale
B1010-810	25	8' x 10'		Please Login
B1010-1012	18	10' x 12'		Please Login
B1010-1216	10	12' x 16'		Please Login
B1010-1620	5	16' x 20'		Please Login
B1010-2020	5	20' x 20'		Please Login
B1010-2030	3	20' x 30'		Please Login
B1010-2040	3	20' x 40'		Please Login
B1010-3040	2	30' x 40'		Please Login



NEW !
Biolet grommet.
Stronger and
Rust Proof!!!

Sold Individually



Rubber Tarp Straps

- Molded of 100% EPDM Rubber
- Guaranteed elasticity for up to one year

Item No.	Strap Lgth	Retail	Wholesale
STR9	9"		Please Login
STR15	15"		Please Login
STR21	21"		Please Login
STR31	31"		Please Login
STR41	41"		Please Login



Dispenser and roll
are sold separately

Each Roll Is 1/4 Mile Long!



Large Stretch Wrap

- 18" x 1500'
- Extra wide

Item No.	Description	Retail	Wholesale
80183	Large stretch wrap		Please Login
12018	Metal dispenser(as in photo)		Please Login
4 per carton			

Small Stretch Wrap

- Fits in the glovebox or toolbox
- 15 in a case

Item No.	Size	Retail	Wholesale
51000	5" x 1000'		Please Login



WHILE SUPPLIES LAST

Elastic Tie Down

- Elastic design provides constant tension and a firm hold
- Use for quick load binding
- Includes: 2 each of 12", 18", 24"
- Blister package for hanging

Item No.	Retail	Wholesale
28380		Please Login



6 Piece Flat Bungee Pack

- Molded steel hooks with protective coating
- 3/4" wide cords for added surface contact
- Includes: 2 each of 15", 25" 1 each of 35", 45"

Up to 4x Stronger

Item No.	Retail	Wholesale
32403		Please Login



WHILE SUPPLIES LAST

All Little Giant Ladders Ship Factory Direct and Are Excluded From Freight Program

RevolutionXE Aluminum Multi-Position Ladders



- Rated to hold up to 300 lbs. (Type 1A duty rating)
- Convenient Rock Lock push button adjustment
- Limited Lifetime Warranty
- OSHA & ANSI A14.2 standards
- Use as different configurations, including A-frame, extension

Ratcheting Levelers
- ***Work safely on uneven terrain***
- ***Hands-free adjustments***

Item No.	Leveler	Height	Weight	Retail	Wholesale
12017	No	15′	32 lbs.		Please Login
13117-801	Yes	15′	38 lbs.		Please Login
12022	No	19′	38 lbs.		Please Login
12022-801	Yes	19′	44 lbs.		Please Login
12026	No	26′	49.5 lbs.		Please Login
12026-801	Yes	26′	53 lbs.		Please Login

Adjustable Safety Cage Fiberglass Ladders



- Rated to hold up to 375 lbs. (Type 1AA duty rating)
- Adjustable enclosed platform to be a versatile, safe alternative to tying off
- Protects operators in a fully enclosed working platform
- Works on uneven surfaces, stairs, and upper floors
- Includes a one year warranty
- Tip & glide wheels

Call For Other Options

Item No.	Height	Weight	Retail	Wholesale
18503-240	3′-5′	98 lbs.		Please Login
18509-240	5′-9′	126 lbs.		Please Login

Defender Ladder Type 1A



- Built in tipping, gliding wheels
- Wide-flared extension ladder
- Capable of dozens of configurations, including A-frame, extension, & 90°
- Exceeds all OSHA & ANSI standards
- Rated to 300 lbs

Item No.	Model	Height	Weight	Retail	Wholesale
15187-882	17	7′-15′	31.5 lbs		Please Login
15182-882	22	19′	46.5 lbs.		Please Login

Safety Step Stepladder Type 1A



- Rugged, corrosion-resistant aluminum alloy construction
- Ultra-slim 5" folded depth
- Wide, slip-resistant step treads
- Fold-up safety bar for extra security
- Lightweight and portable
- Integrated work tray
- 300 lbs. capacity

Item No.	Steps	Height	Weight	Load Cap.	Retail	Wholesale
10210BA	2	31.5″	15 lbs.	300 lbs.		Please Login
10310BA	3	44″	20 lbs.	300 lbs.		Please Login
10410BA	4	56″	25 lbs.	300 lbs.		Please Login

All Little Giant Ladders Ship Factory Direct and Are Excluded From Freight Program

Skyscraper Telescoping A-Frame Ladders



- Heavy-wall aircraft-grade aluminum construction
- Rated to hold up to 300 lbs. Type 1A
- Adjustable for use on stairs, curbs, docks and more
- Complies with OSHA ANSI A14.2 standards
- Includes a full 5-year Warranty

Item No.	Model	Height	Weight	Retail	Wholesale
10109	M15	8′-15′	60 lbs.		Please Login
10110	M17	9′-17′	79 lbs.		Please Login
10121	M21	11′-21′	103 lbs.		Please Login

Firemans Overhaul Ladder Type 1AA



- Designed by firefighters for firefighters
- Ratchet™ Levelers
- Roof and rafter hooks
- Heat sensing technology
- Meets the requirements of NFPA1901-2009, standards for Automotive Fire Apparatus, section 5.7.1.3 for pumpers, section 8.7.5 for ladder trucks, & section 9.7.1.3 for quints
- Rated to 375 lbs

Item No.	Model	Height	Weight	Retail	Wholesale
15197-303	17	7′-15′	52.3 lbs		Please Login

Combicut Wet Tile Saw

- Cuts tile, stone or masonry
- Powerful 1.75 hp 110v 15amp motor turns the blade at 2800rpm
- 28" cutting length extends to 31" with plunge cut
- Super light at 72lbs for this length of cutting ability
- Accurate 45 degree miter cuts with tilting head and rail system



Specifications

- Blade Diameter: 10"
- Blade Shaft Diameter: 5/8"
- Max. Cutting Length: 28"
- Max. Cutting Depth: 4.75"
- Motor Rating: 1.75HP, 110v, 15 amp
- Blade Speed: 2,800 RPM
- Weight: 72lbs
- Water Pan Capacity: 10 Gallons
- Water Pump Flow: 3 GPM
- Noise Level: 78 dB(A)
- Length: 40"
- Height: 22"
- Width: 18"
- Accuracy of 1/32" allows for seamless cutting
- ABS water tub

Includes

- High quality miter gauge
- Built in laser for accurate long piece cutting
- Removable side table to increase width for large tile
- 10" CR continuous rim blade for tile, stone, and porcelain
- Square steel folding stand







10" Continuous Rim Wet Cut Tile, Stone & Porcelain Diamond Blade

Item No.	Description	Retail	Wholesale
1188164	Tile Saw		Please Login
B000006	10" Wet cut blade		Please Login



Textured Latex Concrete/Brick Gloves

- Textured blue latex palm coated
- Gray string knit shell
- 10 Gauge
- Elastic knit wrist
- Seamless knitted

Tagged for Hanging

Item No.	Size	Retail	Wholesale
4729G	L-XL		Please Login



Brown Jersey Gloves

- Comfortable jersey construction
- Multi-purpose hand protection
- Size L
- 9 oz.
- 12 per package

Tagged for Hanging

Item No.	Size	Retail	Wholesale
3401T	L		Please Login





Purity Series

Kimberly-Clark

- Wraparound lens for better eye protection
- Comfortable, padded temples
- 99.9% UVA/UVB protection
- CSA Z94.3 compliant

Item No.	Frame	Lens	Retail	Wholesale
25652	Smoke	Smoke		Please Login
25654	Clear	Clear AF		Please Login



16 Gal. Wet/Dry Vac

- Reinforced barrel and lid (3x stronger)
- Durable rubber wheels for mobility
- Primary and secondary filters may be cleaned without removing the lid
- Large capacity barrel easily holds 40 pounds of dust
- Filters are washable (just throw them in your washing machine)
- Patented double filter system
- We use a powerful 23,000 RPM 11.5 amp electric motor
- Quiet operation at only 81 dB
- INCLUDES:(1) 16-gallon DustlessVac, (2) extension wands, (1) outer filter, (1) inner filter, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 Durable rubber casters

16 Gal. HEPA Wet Dry Dustless Vac

- Certified to meet EPA Lead Safe standards
- Can be used for hazardous materials like lead, silica, asbestos
- Large capacity barrel easily holds 40 pounds of dust
- Powerful 11.5 amp motor provides strong suction
- Switch between dry and wet pickup instantly
- Worry-free wet or dry vacuuming-HEPA filter stays dry
- Wunderbag works in wet and/or dry applications
- INCLUDES:(1) 16-gallon HEPA DustlessVac, (2) extension wands, (1) certified HEPA filter, (1) HEPA filter cover, (2) WunderBag micro pre-filter, (1) crevice tool, (1) floor tool, (1) 1.5" x 12' crush-resistant hose, 4 durable rubber casters


Flexible Hose


Micro Pre Filter


HEPA Dustless Filter

Item No.	Description	Retail	Wholesale
D1603	Dustless Wet/Dry Vac		Please Login
D1606	HEPA Dustless Vac		Please Login
DT13141	Micro Pre Filter Package, .5 Microns, 2-pk		Please Login
DT13201	HEPA Dustless Filter, .3 Microns		Please Login
D14251	12' Flexible Hose		Please Login
D14291	25' Flexible Hose		Please Login

MADE IN USA

DustBuddie® with Universal Adapter & 18" hose



- Fits most hand grinders
- Polycarbinate for improved visibility
- Removable front edge of shroud for grinding close to edge

Item No.	Size	Retail	Wholesale
D1835	5"		Please Login
D1850	7"		Please Login



Dustie™


Hose sold separately

- Fits 4" - 9" grinders
- Meet OSHA guidelines
- No separate universal adapter to hassle with

Item No.	Description	Retail	Wholesale
D1836	5" Dustie		Please Login
D1854	7" Dustie		Please Login



BitBuddie™ Bit Shroud

- Use with drills, hammer drills & core drills
- Vacuum pressure holds it in place

Item No.	Retail	Wholesale
D1900		Please Login



10-Gallon Wet/Dry Vacuum with Detachable Blower

- 10-Gallon Rugged Polypropylene Tank
- Powerful 4 Peak HP Motor
- 210 MPH Blowing Speed
- Integrated Accessory Storage
- 10' Power Cord with Cord Storage
- 17' Reach with Hose and Power Cord

Included Accessories:
- 7' x 2-1/2" Hose
- (2) Extension Wands
- Utility Nozzle
- Crevice Tool
- Car Nozzle
- Blower Adapter
- Concentrator Nozzle
- Standard Cartridge Filter
- Foam Wet Filter

Item No.	Retail	Wholesale
VBVA1010PF		Please Login



Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Item No.	Retail	Wholesale
800P		Please Login



Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10" diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)



Item No.	Description	Retail	Wholesale
801P	Striper		Please Login
790P	White athletic paint		Please Login

Paint will cover 800 linear ft. with a 4-inch stripe!



Spot Marker

- 14" overall length
- Rubberized grip
- Single-hand operation



Marking Stick

- Wheel has a rubber over mold to reduce vibration
- Flag holder
- Rubberized grip

Item No.	Description	Retail	Wholesale
1244	Spot Marker		Please Login
1245	Marking Stick 34"		Please Login
1745	Marking Stick 36"		Please Login



Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually



Item No.	Description	Retail	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login



Invert-A-Cap Marking Paint

- Best positive delivery cut-off
- 12 oz. cans - net weight
- Sold individually



Item No.	Description	Retail	Wholesale
261P	Red		Please Login
262P	Yellow		Please Login
263P	Blue		Please Login
265P	Orange		Please Login
267P	White		Please Login
270P	Fl. Red		Please Login
272P	Fl. Orange		Please Login
274P	Fl. Green		Please Login
279P	Fl. Hot Pink		Please Login

*12 cans per case



Survey Marking Paint

- Upside-down marking paint
- Lasting mark of up to six months
- 17 oz. cans - net weight
- Sold individually



Item No.	Description	Retail	Wholesale
203P	Blue		Please Login
205P	Orange		Please Login
207P	White		Please Login
222P	Fl. Orange		Please Login
226P	Fl. Yellow		Please Login
229P	Fl. Pink		Please Login
281P	H.D. Red		Please Login

*12 cans per case
H.D.= (High Delivery) 30% greater than other colors



Construction Marking Paint

- Lasting mark of up to three months
- 20 oz. cans - net weight
- Sold individually



Due to steel storage supplies are limited. Checkout Invert-A-Cap Marking Paint listed above.

Item No.	Description	Retail	Wholesale
252P	Yellow		Please Login
254P	Blue		Please Login
251P	Black		Please Login
255P	White		Please Login
246P	Fl. Red		Please Login
247P	Fl. Orange		Please Login
139P	Fl. Yellow		Please Login
249P	Fl. Pink		Please Login
200P	Clear		Please Login

*12 cans per case



Superfast 3 x 1 Rewind

Open Reel Long Tape

- Metal, planetary gearing for super-fast rewind & no more stripped gears!
- High-visibility, double riveted housing
- Tough, double nylon-coated steel
- Double coated PVC fiberglass blades with blade shield
- Metal reinforced crank handle for increased strength

OTRS = Fiberglass **NRS = Nylon Steel**

Item No.	Length	Unit of Measure	Retail	Wholesale
OTRS18100	100′	Ft., In., 1/8		Please Login
OTRS18200	200′	Ft., In., 1/8		Please Login
NRS18300	300′	Ft., In., 1/8		Please Login
OTRS18300	300′	Ft., In., 1/8		Please Login

*Engineer's & Metric also available. Please call for details.



Best Buy!

RR112 RR182 RR318N

Contractor Grade Measuring Wheels

- 5-digit magnified counter subtracts in reverse
- RR318N features a 3-pc. collapsible handle with cam-locks and pistol grip handle
- RR112 telescopes from 17" up to 38" without bending
- RR182 offers dual wheel for greater stability

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
RR112	1 ft.	Ft. & In.		Please Login
RR182	1 Ft. Dual	Ft. & In.		Please Login
RR318N	3 Ft.	Ft. & In.		Please Login

Superfast 3 x 1 Rewind



Closed Reel Long Tape

- Nylon coated blade for superior durability and rust resistance
- High-impact resistant case with rubber grip

Item No.	Length	Unit of Measure	Retail	Wholesale
ST18503X	50′	Ft., In., 1/8		Please Login
ST181003X	100′	Ft., In., 1/8		Please Login

Professional Measuring Wheel

- Center aligned design for better wheel balance
- Handle brake and reset for ease of use
- Enhanced pistol grip handle increases control

Handle Reset!



Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
RRT12	3 ft.	Ft. & In.		Please Login

*Engineer's & Metric also available. Please call for details.

Short Tape Measures

- Nylon Coated Steel Blade
- Easy-to-Read Graduations
- True Zero Hook
- Positive Locking Button
- Bumper Cushion
- Heavy-Duty End Hook
- Belt Clip
- 3 Rivet Hook



PGPRO1825V



PGPRO1835V

Item No.	Description	Retail	Wholesale
PGPRO1825V	25′ - High Vis		Please Login
PGPRO1830V	30′ - High Vis		Please Login
PGPRO1835V	35′ - High Vis		Please Login



Metal Professional Measuring Wheel

- Rugged 3/4" tubing—Tough enough to handle any terrain
- Innovative, center aligned design for better wheel balance
- Huge numbers make for easy reading
- 5-digit counter reads up to 99,999

Item No.	Wheel Circ.	Unit of Measure	Retail	Wholesale
MP401	4 ft.	Ft.		Please Login

*Engineer's & Metric also available. Please call for details.

Little Giant 100' Chalk Line Reel



- Holds almost 1 lb. of chalk
- One-piece steel crank for extra long life

Item No.	Retail	Wholesale
G100		Please Login

Giant Chalk Line Reel



- Holds 24 oz. of chalk for less refills
- Easy fill opening with no-leak stopper
- 1-piece steel crank for extra-long life

Item No.	Description	Retail	Wholesale
G130	130' - holds 24oz. chalk		Please Login
G150	150' - holds 24oz. chalk		Please Login

Lumber Crayons



- Smear, water, and fade resistant
- Outlast wax or chalk crayons
- Sold by box of 12

Lumber Crayon Holder

- Advance crayon to any designed length then retract to prevent breakage
- Aluminum barrel includes a leather strap
- Sold individually

Item No.	Color	Retail	Wholesale
LCRED	Red		Please Login
LCYELLOW	Yellow		Please Login
PS100	Holder		Please Login

Quick Fill Chalk Line Reels



- Metal case for rugged use
- 100' line
- Locking action with hook ring doubles as a plumb bob

Item No.	Retail	Wholesale
K1		Please Login

Carpenter Pencils



- 5/8" x 7" long
- #3 lead assures more durability
- Sold by box of 72

Item No.	Retail	Wholesale
LP72		Please Login

Marking Chalk Refill



- 5 lb. container
- Ultrafine

Item No.	Color	Retail	Wholesale
105B	Blue		Please Login
105R	Red		Please Login

Plastic Marking Flags

These bright plastic marking flags are hard to miss. The stake is a 21" wire with a 4" x 5" flag. **Sold in bundles of 100.**



Item No.	Color	Retail	Wholesale
900-OG	Orange		Please Login
900-PG	Pink		Please Login
900-LG	Lime Green		Please Login
900-RD	Red		Please Login
900-YL	Yellow		Please Login
900-GR	Green		Please Login

WHILE SUPPLIES LAST

Surveyors/ Flagging Tape



- Priced individually
- Sleeves contain 12

Item No.	Color	Size	Retail	Wholesale
SP771-R	Day Glo Red	1-3/16" x 150'		Please Login
SP771-P	Day Glo Pink	1-3/16" x 150'		Please Login
SP771-O	Day Glo Orange	1-3/16" x 150'		Please Login
SP771-LG	Day Glo Green	1-3/16" x 150'		Please Login
SP771-B	Blue	1-3/16" x 300'		Please Login
SP771-Y	Yellow	1" x 300'		Please Login

BOSCH



Includes Everything Shown

REVOLVE900 Self-Leveling Horizontal/Vertical Rotary Laser Kit

- Provides a vertical beam and 90° point for layout, squaring and plumb applications
- Allows for easy setup and use on the job
- Indicates if tool position changes, ensuring consistent leveling accuracy
- Delivers ±1/8 In. accuracy at 100 Ft. for confidence in the job setup
- Robust design – features two large easy-to-grip carrying handles for convenience and additional drop protection

Item No.	Retail	Wholesale
GRL900-20HVK		Please Login



Includes Tripod & Measuring Rod

Laser Level LL100

- Complete system is contained in a single hard-shelled, portable carrying case containing the laser, receiver, clamp, tripod, and grade rod
- Automatic electronic self-leveling
- Simple one-button operation for quick start up
- Unit stops rotating when jarred
- Job site durable and tough - withstands a 3' drop on concrete or a 5' tip over without breakage

Item No.	Retail	Wholesale
LL100N-2		Please Login

BOSCH

Includes Everything Shown



Self-Leveling Horizontal/Vertical Rotary Laser Kit

- Complete kit
- All-in-one hard carrying case
- Electronic self-leveling
- Disturbance monitor
- Delivers ±1/16 In. accuracy at 100 Ft.
- Provides up to 2,000 Ft. working range
- Lightweight aluminum tripod
- Robust design

Item No.	Description	Retail	Wholesale
GRL2000-40HVK	Horizonal/Vertical		Please Login



#1 In The World

Laser Level LL300

- Rugged design
- Built to withstand drops up to 3' directly onto concrete
- Fully automatic self-leveling capability
- Single cross-axis manual slope mode with cross-axis self-leveling allows grade matching for basic slope work, while maintaining accuracy in the cross-slope

Item No.	Retail	Wholesale
LL300N-2		Please Login

Includes Tripod & Measuring Rod



Aluminum Tripod

- Sturdy and lightweight
- Telescopic legs to setup at various heights
- 5/8 x 11 threaded post accommodates standard instruments and lasers
- Heavy-duty poly-webbing shoulder strap

Item No.	Retail	Wholesale
Q104025		Please Login



Construction Tripod

- Lightweight and durable aluminum hinge, clamp and shoe castings
- Hinges are attached with screws, not rivets
- Adjusts from 3'6" to 6'1"
- 5/8" - 11" threaded device

Item No.	Retail	Wholesale
2161		Please Login



Lime Safety Vest

- Lightweight, comfortable polyester mesh
- 1-1/2" orange/silver vertical stripes
- Elastic side straps
- Velcro® front closure
- One size fits most

Item No.	Retail	Wholesale
1265		Please Login



ANSI Class 2 Vest

- ANSI/ISEA 107-2004 Class 2 compliant
- 100% polyester with zipper closure
- 2" wide reflectives on front and back
- 4 outside front pockets
- Size: L-4XL

Item No.	Size	Description	Retail	Wholesale
SV110	L-4XL	Lime w/gray stripes		Please Login



Traffic Cones

- Rugged base keeps cone upright
- Dayglow orange or lime PVC

Item No.	Description	Retail	Wholesale
TC18	18" - 2.5 lbs. - orange		Please Login
TC28	28" - 7 lbs. - orange		Please Login
3004286	28" - 7 lbs. - lime		Please Login
Other styles can be special ordered			

Reflective Collar

Item No.	Description	Retail	Wholesale
19930	28" - Lime green		Please Login
16519	28" - Orange		Please Login

KENWOOD



2 Watt, 64 Channels Two-way Radio

- Analog only transmissions
- UHF frequency bands
- 7-color LED notification light
- 15 hours of battery life
- IP54/55 - weatherproof
- Upgradeable to DMR or NXDN digital operations

Item No.	Retail	Wholesale
NX-P1302AUK		Please Login



5 Watt, 64 Channels Two-way Radio

- Analog only transmissions
- UHF frequency bands
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 - weatherproof
- Upgradeable to DMR or NXDN digital operations

Item No.	Retail	Wholesale
NX-P1300AUK		Please Login



5 Watt, 64 Channels Digital & Analog Two-way Radio

- UHF frequency bands
- NXDN® Digital Mode
- Cloning Capable
- Pre-stored UHF frequencies and
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 - weatherproof

Item No.	Retail	Wholesale
NX-P1300NUK		Please Login



RIP-R-STRIPPER Handheld Floor Stripper

- Ideal for closets, bathrooms and other difficult to access locations
- 1400W, 115 VAC, 60 HZ electric motor; manually operated
- 5 inch maximum blade cutting width
- Two position handle for easy maneuvering
- Heavy-duty, sealed ball bearings
- Integral current interruption protection
- Includes heavy-duty case and two FCS5-1500 5" self-scoring blades
- Weighs 9 lbs.

Item No.	Retail	Wholesale
FCS5AC		Please Login



RIP-R-STRIPPER Generation 2 Floor Stripper

- For small to mid-size rooms
- 2300W, 115 VAC, 60 HZ electric motor; manually propelled
- 10 inch maximum blade cutting width
- Anti-Vibe™ caster wheels
- Quik-A-Tach™ composite handle
- Heavy-duty, sealed ball bearings
- Easy transport in today's small vehicles
- Includes FCS16-1100 4" x 6" and FCS16-1300 3" x 10" straight blades
- Weighs 27 lbs.

Item No.	Retail	Wholesale
FCS10GEN2		Please Login





Folding handle makes it easy to transport.

RIP-R-STRIPPER Generation 3 Floor Stripper

- For projects up to 10,000 square feet
- .75 HP, 115 VAC, 60 HZ electric motor; manually propelled
- 16 inch maximum blade cutting width
- Unitized, welded steel frame
- Back-Saver™ Blade Control System
- Single point bearing lubrication
- Magnetic-type ON/OFF switch
- 37 foot extension cord w/GFI
- Includes FCS16-1100 4" x 6" and FCS16-1300 3" x 10" straight blades
- Weighs 132 lbs.

Item No.	Retail	Wholesale
FCS16GEN3		Please Login



Scoring



Straight



Angled

RIP-R-STRIPPER Blades

Item No.	Machine	Description	Retail	Wholesale
FCS5-1500	FCS5AC	Scoring, 5" W, For removing carpet, linoleum and VCT, 1 PK		Please Login
FCS16-1050PAK2	FCS10 & FCS16	Scoring, 3" W, For high bond materials from concrete only, 2 PK		Please Login
FCS16-1100PAK3	FCS10 & FCS16	Straight, 6" W, For removing VCT type materials from concrete floors bevel up/fromwood floors bevel down, 3 PK		Please Login
FCS16-1200PAK2	FCS10 & FCS16	Angled, 6" W, For mastics from concrete floors only, 2 PK		Please Login
FCS16-1300PAK3	FCS10 & FCS16	Straight, 10" W, For removing VCT type materials from concrete floors bevel up/fromwood floors bevel down, 3 PK		Please Login
FCS16-1500PAK2	FCS10 & FCS16	Scoring, 8" W, For removing glued carpet, sheet linoleum rubberand PVC materials from concrete floors only, 2 PK		Please Login
FCS16-1600PAK2	FCS10 & FCS16	Scoring, 8" W, For removing glued carpet, sheet linoleum rubberand PVC materials from wood floors only, 2 PK		Please Login



KIT INCLUDES
- Pointed Chisel
- Articulating Auxiliary Handle
- Carrying Case with Wheels
- Grease tube
- Cleaning rag

BOSCH

Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Item No.	Retail	Wholesale
11335K		Please Login

Floor Removal Cart

BOSCH

NEW!



- Robust cart design
- Ergonomic 5 angle adjustment options
- Works With 35lb to 40lb Breaker Hammers - 11355K
- Star knob mounting system
- Large, sturdy wheels
- Versatile application options – allow for fast and efficient removal of vinyl, floor tiles, and cork from concrete, wooden surfaces and more

Item No.	Retail	Wholesale
GHT130		Please Login


Rip-R-Stripper Cart

General

- Removes ceramic tile, hardwood floor and other tough coverings
- Acts as a tool carrier for electric-powered breakers with ratings between 30 and 45 ft.-lbs.
- Quick adjustment provides 5 breaker tool angles relative to floor

Item No.	Breaker Model	Availability	Retail	Wholesale
CTS10-1000A	Makita HM1500B Makita HM1307C	Drop Ship		Please Login
CTS10-1100A	Makita HM1317CB Makita HM1307C	Drop Ship		Please Login
CTS10-1200A	Bosch 11335K Bosch GSH 16-28	Drop Ship		Please Login
CTS10-1300A	Hilti TE905-AVR	Drop Ship		Please Login
CTS10-1410A	Hilti TE1000-AVR	Drop Ship		Please Login
CTS10-1600A	Hitachi H65DS2	Drop Ship		Please Login
CTS10-2100A	DeWalt D25941K DeWalt D25951K	Drop Ship		Please Login

Please Note: The carts listed below come with one mounting kit.



*Breaker Not Included

Includes One Mounting Kit!!

Mounting Kits



- Use these different mounting kits to attach the Rip-R-Stripper to different 35 lb. electric powered, hand-held breaker hammers.

The Rip-R-Stripper Cart comes with one mounting kit at no additional charge.

If you need an additional mounting kit, please specify which one when ordering.

Item No.	Breaker Model	Retail	Wholesale
1000A	Makita HM1500B Makita HM1307C		Please Login
1100A	Makita HM1317CB Makita HM1307C		Please Login
1200A	Bosch 11335K Bosch GSH 16-28		Please Login
1300A	Hilti TE905-AVR		Please Login
1410A	Hilti TE1000		Please Login
1600A	Hitachi H65DS2		Please Login
2100A	DeWalt D25941		Please Login

Floor Scrapers

Champion







Heavy-duty Scraper

Item No.	Description	Retail	Wholesale
FSHD-905-100S	Scraper Hilti 805/905/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDRKIT-L	Repl. Hardware		Please Login

Sure Lock Scraper

Item No.	Description	Retail	Wholesale
FSA-MAX-100	Scraper SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login

FSP Scraper System

Item No.	Description	Retail	Wholesale
FSP-2MM-4	4" Scraper SDS Plus Shank		Please Login
FSP-2MM-8	8" Scraper SDS Plus Shank		Please Login
FSPB-2MM-4	4" Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login





Multi-Undercut Saw Kit

- Undercuts along walls, door jambs, under toe spaces
- Base prevents tipping and assures accurate, level cutting
- "Dual angle" precision depth gauge
- 120 Volt AC, AMP 7.0, RPM 11,000
- Max Cutting Height: 1", Max Cutting Depth: 1-1/4"

GRAIN

Includes:
- 575 Multi-Undercut Saw
- Carbide-Tipped Blade (#556)
- Hex wrench
- Carrying Case



Carbide-tipped blade (#556) included

Item No.	Description	Retail	Wholesale
575	Saw		Please Login
556	Blade		Please Login





Toe-Kit Saw Kit

- Cuts flush to the inner wall of a toe space in a cabinet or counter area to remove old underlayment
- Fixed cutting depth for perfect flush cuts
- Will fit under toe-kicks as low as 3" in height
- 120 Volt AC, AMP 11.0, HP 2-1/2, RPM 4,500

GRAIN

Includes:
- 775 Toe-Kick Saw
- 3-3/8" Saw Blade(#787)
- Carrying Case
- Hex wrench



Carbide-tipped blade (#787) included

Item No.	Description	Retail	Wholesale
777	Saw		Please Login
787	Blade		Please Login



Sahara Pro X4 TurboDryer

- Versatile 3-speed, 3-position operation
- GFCI outlets to connect up to 6 units
- Built-in carpet clamp for under-carpet drying
- Lightweight, easy-carry design
- Secure stacking vertically for storage

DRIEAZ

Item No.	CFM	Volts	Amps	Retail	Wholesale
124315	867	115	1.9		Please Login



Velo Slimline Blower

- Broad-path airflow
- Low profile
- Daisy-chain with GFCI outlet
- Tough rotomolded housing
- Cord wrap and easy-carry handle
- Multiple position versatility
- **F504**

DRIEAZ

Item No.	CFM	Volts	Amps	Retail	Wholesale
125470	885	115	1.9		Please Login



Carpet Blower

- Rotomolded polyethylene housing
- Powerful 1/3 HP induction motor
- Low weight and can be stacked up to as high as 5 units securely for easy storage.
- Three speeds
- GFCI daisy chain feature
- 25' power cord

WINMORE Cool Heat

Item No.	CFM	Volts	HP	Retail	Wholesale
WMAMFC3	1900	120	1/3		Please Login



Low Profile Air Mover

- Rotomolded polyethylene housing
- Powerful 1/4 HP induction motor
- Low weight and can be stacked up to as high as 5 units securely for easy storage.
- Two speeds
- GFCI daisy chain feature
- 25' power cord

WINMORE Cool Heat

Item No.	CFM	Volts	HP	Retail	Wholesale
WMAMLO	1000	120	1/4		Please Login

Carpet Cleaning Chemicals

SHIPP

All Chemicals Are Sold By The Bottle



Marvel Steam Cleaner
The ideal product for top quality, one step, convenient carpet cleaning.

Item No.	Description	Ctn.	Retail	Wholesale
S00562	32 oz.	12		Please Login
S00563	64 oz.	6		Please Login
S00564	128 oz.	6		Please Login



Traffic Lane Pre-Cleaner 12 per carton
Loosens tough spots

Item No.	Description	Retail	Wholesale
S00531	32 oz.		Please Login



UrineRx - 12 per carton
Specially engineered to remove urine odor.

Item No.	Description	Retail	Wholesale
URINERX	32 oz.		Please Login



Linoleum Roller

- All steel trouble free construction
- Detachable handle
- Use on: linoleum, vinyl sheet goods, rubber tile, vinyl tile, cork tile, wood block tile, and roofing systems
- 100 lbs.

Item No.	Retail	Wholesale
GU100LR		Please Login



Carpet Knee Kicker

- Recessed trigger for length adjustment in five settings from 17¾" to 21¾"
- Nine different depth settings
- Gripping head includes three nap grips and a pin plate with 16 hardened steel pins
- Bumper is made from rubber for durability and provides a firm feel and impact that is preferred by many installers
- Comes with gripper cap
- Bumper, nap grips, and pin plate are replaceable
- Net weight: 3 lbs.

Item No.	Retail	Wholesale
445		Please Login



Carpet Knee Kicker

- Adjustable depth setting
- Pin plate with four rows of four hardened steel pins
- Nine depth adjustments in 1/32" increments
- Each pin plate also includes two 'Power Rods' for best force transfer
- Pins can be completely retracted to permit use of the three nap grip inserts on lightweight or low pile carpet
- Snap on plastic cover to protect the pins when not in use and a
- Seamless foam filled bumper that can be rotated for even wear
- Black powder coat finish
- Net weight: 5 lbs.

Item No.	Retail	Wholesale
505		Please Login



Jr Power Carpet Stretcher

- Head assembly is made of a lightweight cast aluminum
- 14-1/2" wide metal pin plate holds 59 rust resistant nickel plated pins
- 14-1/4" wide tail block assembly has a non-marring rubber pad and glides on each of the 1" ball type casters
- Minimum operating length is 34-1/2", and opens to 22' with four tubing sections

Includes: Adjustable 14" Transfer Tube, Head Assembly, Tail Block Assembly, Steel carrying case, (4) Steel Stretcher Tubes

Item No.	Retail	Wholesale
400-CS		Please Login



24" Tile Cutter with Casters

- Makes precise cuts on large tile with ease
- Use on rubber, vinyl comp. and solid vinyl tiles
- Can also cut carpet tiles and other flooring materials
- Makes straight cuts up to 24" tile
- Full diagonal cuts on 12" tile
- Dual measuring scale
- Alloy steel blades

Item No.	Retail	Wholesale
H-24		Please Login



12" Tile Cutter with Casters

- Fantastic, high performance tile cutter
- Clean cuts for all types of resilient floor tile
- Cuts solid vinyl tile, asphalt, rubber, cork, linoleum, felt-backed vinyl, marble translucent vinyl, and more
- Expertly designed for a fast, convenient, and durable work experience

Item No.	Retail	Wholesale
H-76-1		Please Login



Electrical Orbital Sander

- Totally enclosed, fan cooled motor
- Heavy-duty cast aluminum main frame and pad driver plate
- Durable independent dust pickup fan
- Molded dust skirt included
- Transparent molded plug has an internal light
- 1.0 HP, 115V, 60 Hz
- Sanding Path: 18”
- Power Cord: 50’
- Sanding Pad Size: 12” x 18”
- 3,600 orbits per minute
- Sound Level: 74 dBA
- 18”L x 20”W x 45”H
- Machine Weight 125 lbs.
- Formerly American Sanders brand
- 208-OS

DEWALT

Qualifies For FREIGHT ALLOWED

Item No.	Retail	Wholesale
DXAS07081B		Please Login

Orbital Floor Sanding Sheets

- Pressure Sensitive Adhesive "Sticky-Back" Backing
- Sold individually

VIRGINIA ABRASIVES



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12″ x 18″ 100	20		Please Login
206-34080	B1880	12″ x 18″ 80	20		Please Login
206-34060	B1860	12″ x 18″ 60	20		Please Login
206-34036	B1836	12″ x 18″ 36	20		Please Login
206-34020	B1820C	12″ x 18″ 20	20		Please Login

Orbital Floor Maintenance Thick Pads

- Sold individually

VIRGINIA ABRASIVES



Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
416-54187	J182W	12″ x 18″x1″ White	5		Please Login
416-54186	J182T	12″ x 18″x1″ Tan	5		Please Login
416-54185	J182G	12″ x 18″x1″ Green	5		Please Login
416-54184	J182B	12″ x 18″x1″ Black	5		Please Login
416-54180	J182R	12″ x 18″x1″ Red	5		Please Login



Drum Sander

- Heavy-duty 1.5 hp dual capacitor motor
- Totally enclosed motor
- Easy release latch allows the machine to break down
- 40 ft. black, non-marking rubber power cord
- Quick release dust bag
- Transparent molded plug has an internal light
- Rugged cast aluminum construction
- Drum lowering lever allows for feathering
- 1.5 HP, 60 Hz
- Power Cord: 40’
- Sandpaper Size: 8” x 9” belt
- Drum Speed: 1,800 RPM
- 39”L x 15”W x 32”H
- Machine Weight 105 lbs.
- Formerly American Sanders brand
- 208-DS

DEWALT

Qualifies For FREIGHT ALLOWED

Item No.	Retail	Wholesale
DXAS07058A		Please Login

Silicon Carbide Sandpaper

Model 7057A only (clamp type)

- 8” x 19-1/2”



Virg. Abr. Item No.	Abmast Part#	Description	Pkg. Qty.	Retail	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login

Sandpaper

Model 7058A (expandable type)



Virg. Abr. Item No.	Abmast Part#	Description	Retail	Wholesale
Sandpaper is for Expandable Sander				
018-81996	C8912	120 Grit		Please Login
018-81994	C8910	100 Grit		Please Login
018-81980	C8980	80 Grit		Please Login
018-81960	C8960	60 Grit		Please Login
018-81940	C8940	40 Grit		Please Login
018-81936	C8936	36 Grit		Please Login
018-81924	C8924	24 Grit		Please Login
10 per carton				



FG10
10" Electric Concrete Floor Grinder

- 1,730 RPM / 1.5 HP Electric Motor
- 15 Amps, 120V
- Plate Type: Standard 250MM
- Plate Bolt Type: M 12x25 Counter Socket
- Weight: 106 lbs.
- Direct Drive to the Plate
- Automatically Adjusting Shroud
- Removable Shroud Sections
- Water Connection for Wet Grinding
- Foldable Handle for Easy Transportation
- Adjustable Wheels for Level Grinding
- Easily accessible vacuum port
- Speed is fixed, no changes required
- Self-adjusting floating shroud creates a tight seal
- 433-50000

Item No.	Retail	Wholesale
FG10		Please Login

Includes
- 10" Electric Grinder
- 50' 10-Ga. Electric Cord



FG11
11" Electric Concrete Floor Grinder

- 800 RPM / 1.5 HP Electric Motor
- 20 Amps, 120V
- Belt Drive
- Weight: 106 lbs.
- Removable Shroud Bubble
- Level for Head Adjustment
- Water Connection for Wet Grinding
- Adjustable Wheels for Level Grinding
- Twist Locking Cord
- Sealed Bearings
- The removable shroud allows for adjustments to be made to ensure proper dust collection
- Easily accessible vacuum port
- A water connection is optimally positioned for wet grinding
- Foldable handle for easy transportation
- 433-51000

Item No.	Retail	Wholesale
FG11		Please Login

Includes
- 11" Electric Grinder
- 50' 10-Ga. Twist Locking Electric Cord
- 11" Magnetic Grinding Head



Equipment Compatibility: EDCO® Magna-Trap, Virginia Abrasives® FG10, Lavina® by SuperAbrasive, Virginia Abrasives® FG11

Grinder Tooling

Item No.	Description	Color	Retail	Wholesale
425-07999	Single Dot - 40/50 grit - Medium Bond	Grey		Please Login
425-08395	Double Bar - 18 grit - Medium Bond	Orange		Please Login
425-08622	Double Dot - 120 grit - Medium Bond	Green		Please Login
425-08638	Single Bar - 40/50 grit - Medium Bond	Grey		Please Login
425-08661	Double Bar - 30/40 grit - Medium Bond	Grey		Please Login
425-08662	Double Bar - 60/80 grit - Medium Bond	Gold		Please Login
425-08663	Double Dot - 30/40 grit - Medium Bond	Grey		Please Login
425-08664	Double Dot - 60/80 grit - Medium Bond	Gold		Please Login
421-82000	Carbide Magnetic Scraper with Carbide Insert	Blue		Please Login
421-80001	Carbide Inserts - Box of 6 - Priced each piece			Please Login
425-07849	PCD with Diamond Bar	Blue		Please Login

Wood Floor Edger

- Powerful 1 HP motor
- 2,800 RPM
- Aluminum alloy housing
- Precision balanced 7” sanding disc
- Quick-release dust bag with zipper
- Carrying case included
- Adjustable dust skirt prevents airborne dust
- Formerly American Sanders brand
- 207-FE



Item No.	Retail	Wholesale
DXAS07127A		Please Login

Super 7R Edger Sandpaper
Model 7075A

Virg. Abr. Item No.	Abmast Part#	Description	Retail	Wholesale
006-70894	B0710	100 Grit		Please Login
006-70880	B0780	80 Grit		Please Login
006-70860	B0760	60 Grit		Please Login
006-70840	B0740	40 Grit		Please Login
006-70836	B0736	36 Grit		Please Login
006-70820	B0720C	20 Grit		Please Login

50 per carton



Pul-krete

- Blade of 12-gauge cold rolled steel
- Comes with 54" hardwood handle
- Size: 19" x 54" with hook

Item No.	Retail	Wholesale
13877		Please Login



Bull Float

- Magnesium blade
- Double rib construction for added strength
- Long wearing and properly balanced
- Size: 48" x 7-1/4"

Item No.	Retail	Wholesale
14704		Please Login



Aluminum Handle Section

- Lightweight, yet rigid tubular design
- Large threads can be combined with similar handles
- Size: 6'x 1-3/4" diameter


Item No.	Retail	Wholesale
14804		Please Login

Power Trowel Blades


- Used in conjunction with power trowels for finishing large areas of concrete or for concrete that is too stiff to handle otherwise
- Some available in two mounting styles: bar or channel mount



Float



Combination



Finish

Item No.	Type	Model#	Mach. Size	Size	Retail	Wholesale
17436	Float	A4172	36	10" x 14"		Please Login
17236	Combo	M6092	36	8" x 14"		Please Login
17336	Finish	M6093	36	6" x 14"		Please Login
17244	Combo	M6094	42-48	8" x 18"		Please Login


Power Trowel Blade Conversion Chart (all size references reflect inches)

Machine Model#	Blade Type	Blade Size	Mfr. Part#	Model Part#
BARTELL				
B336/B-436	Finish	6 x 14	TA414	M6093
	Comb.	8 x 14	TA414	M6092
	Float	10 x 14	TA414F	A4172
CEMENTCO-WESTERN				
3CT-34G3-G4	Finish	6 x 14	3CT-146F	M6093
3CT-34E3-E4	Comb.	8 x 14	3CT-148C	M6092
	Float	10 x 14	3CT-148C	A4172
CHALLENGE-CLIPPER EVEREADY-BRIKSAW				
F-34-3-4	Finish	6 x 14	5530065	M6093
	Comb.	8 x 14	5530064	M6092
	Float	10 x 14	5530066	A4172
CHAMPION-DESA CORBIT NORTHRUP				
360-370-G-G4	Finish	6 x 14	441140	M6093
	Comb.	8 x 14	441128	M6092
	Float	10 x 14	441143	A4172
DART				
DTF-36	Finish	6 x 14	DT7082	M6093
	Comb.	8 x 14	DT7080	M6092
ESSICK				
LB34-3-4	Finish	6 x 14	LB34-120	M6093
	Comb.	8 x 14	LB34-107	M6092
	Float	10 x 14	LB34-121	A4172
KELLEY				
360TNew	Finish	6 x 14	23674	M6093
	Comb.	8 x 14	23673	M6092
	Float	10 x 14	23675	A4172
KRAFT				
36"	Finish	6 x 14	SK100	M6093
	Comb.	8 x 14	SK101	M6092
	Float	10 x 14	SK102	A4172
MBW				
36"	Finish	6 x 14	5347	M6093
	Comb.	8 x 14	5402	M6092
	Float	10 x 14	5403	A4172
MORRISON				
36"	Finish	6 x 14		M6093
	Comb.	8 x 14		M6092
	Float	10 x 14		A4172
MULLER				
36-3G & E	Comb.	8 x 14	G1951	M6092
36-4G & E	Comb.	8 x 14	G1951	M6092
STONE				
T-36	Finish	6 x 14	34578	M6093
	Comb.	8 x 14	34583	M6092
	Float	10 x 14	34586	A4172
STOW				
36"	Finish	6 x 14	22027-501	M6093
	Comb.	8 x 14	22029-501	M6092
	Float	10 x 14	22028-501	A4172
WAGMAN				
	Finish	6 x 14	WX614F	M6093
	Comb.	8 x 14	WX8140	M6092
	Float	10 x 14	WX914F0	A4172
WHITEMAN				
J3 & E 34"	Finish	6 x 14	900	M6093
	Comb.	8 x 14	840	M6092
	Float	10 x 14	900F	A4172
J4 & E 34"	Finish	6 x 14	F900	M6093
& 36"	Comb.	8 x 14	C844	M6092
	Float	10 x 14	CL954F	A4172

Wheelman II Concrete Mixers

IMER GROUP

- Easy to clean poly drum.
- Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- Easy to move around, construction duty 14" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components



	WHEELMAN II GAS	WHEELMAN II E
Drum capacity	5 cu ft	5 cu ft
Batch output	2.5 cu ft	2.5 cu. ft
Motor rating	n/a	1/2 hp 110v/6amp
Gas engine	Honda 3 hp	n/a
Drum diameter	24 in	24in
Discharge outlet height	8 in 21 in w/stand	8 in 21 in w/stand
Wheel size	14 in pneumatic tires	14 in pneumatic tires
Weight*	gas 115 lbs	elec. 101 lbs
Length*	30 (28) in	30 (28) in
Height*	20-½ (28) in	20-½ (28) in
Width*	14 (29) in	14 (29) in

(*) Operating Dimensions (pulled/used)


1105490

Item No.	Description	Retail	Wholesale
1105421	Electric mixer		Please Login
1105426	Gas mixer		Please Login
L000015	EZEE Cleaner 22 oz.		Please Login
1105490	Stand		Please Login

Minuteman II Concrete Mixers

IMER GROUP

- Mix 275 lbs. of mortar, stucco, grout and concrete in less than 4 minutes
- Easy to move around, construction duty 10" tires make it a breeze to roll around the job site or home
- Can be "knocked down" into 3 easy to load components
- These mixers truly are Contractor duty!



	MINUTEMAN II E
Drum capacity	5 cu ft
Batch output	2.5 cu ft
Motor rating	1/2 hp 110v/6amp
Gas engine	n/a
Drum diameter	24 in
Discharge outlet height	21 in
Wheel size	10 in tires
Weight*	120 lbs
Length*	52 (26) in
Height*	57 (27) in
Width*	28 (26) in

(*) Operating Dimensions (pulled/used)

Item No.	Description	Retail	Wholesale
1126608	Steel drum		Please Login
1126632	Poly drum		Please Login
L000015	EZEE Cleaner 22 oz.		Please Login

BOSCH



BULLDOG™

SDS-plus® Bulldog™ Hammer Steel

Item No.	Description	Retail	Wholesale
HS1415	10" point		Please Login
HS1420	3/4" × 10" chisel		Please Login
HS1475	10" gouging chisel		Please Login
HS1485	1-1/2" × 5-3/4" stubby scaling chisel		Please Login
HS1490	5-3/4" stubby point		Please Login

BULLDOG™ Xtreme

SDS-plus® Bulldog™ Xtreme Hammer Steel

Bosch offers a full assortment of SDS-plus® hammer steel points and chisels.

- HS1465 removes material up to 40% quicker than conventional tile chisels. Ideal for smaller grout joints and specially shaped for prying and removing tiles in one piece
- HS1470 viper flat chisel and HS1472 pointed chisel provide 30% longer life and 15% more material removal

Item No.	Description	Retail	Wholesale
HS1425	1-1/2" × 10" wide chisel (self-sharpening)		Please Login
HS1427	2-1/2" × 10" wide chisel (self-sharpening)		Please Login
HS1465	1-1/2" × 10" tile chisel		Please Login
HS1470	3/4" × 10" viper flat chisel (long life)		Please Login
HS1472	10" point (long life)		Please Login

Spline Rotary Hammer Core Bits with Wave Design (1 Pc.)



Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC8070	5"	7"	12"		Please Login
HC8026	2-5/8"	17"	22"		Please Login
HC8017	2-1/4"	12"	22"		Please Login
HC8021	2-5/8"	7"	12"		Please Login
HC8006	1-3/4"	17"	22"		Please Login
HC8015	2"	17"	22"		Please Login
HC8040	3-9/16"	7"	12"		Please Login
HC8010	2"	7"	12"		Please Login
HC8055	4"	17"	22"		Please Login
HC8075	5"	17"	22"		Please Login
HC8036	3-1/4"	12"	22"		Please Login
HC8085	6"	17"	22"		Please Login
HC8045	3-9/16"	17"	22"		Please Login
HC8050	4"	7"	12"		Please Login
HCRR001	Rubber ring & pin				Please Login
HC88	Pilot Bit		5-5/16		Please Login



BOSCH



Spline SpeedX™ Rotary Hammer Bits

Bosch spline rotary hammer bits are carbide tipped, fit Bosch and other spline hammers. Manufactured to ANSI specification B212.15.

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC4501*	3/8"	8"	13"		Please Login
HC4511*	1/2"	8"	13"		Please Login
HC4512*	1/2"	16"	21"		Please Login
HC4513*	1/2"	24"	29"		Please Login
HC4021	5/8"	8"	13"		Please Login
HC4022	5/8"	16"	21"		Please Login
HC4031	3/4"	8"	13"		Please Login
HC4032	3/4"	16"	21"		Please Login
HC4040	7/8"	8"	13"		Please Login

*Two cutter

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC4041	7/8"	16"	21"		Please Login
HC4050	1"	8"	13"		Please Login
HC4051	1"	16"	21"		Please Login
HC4053	1"	31"	36"		Please Login
HC4060	1-1/8"	8"	13"		Please Login
HC4061	1-1/8"	16"	21"		Please Login
HC4071	1-1/4"	16"	21"		Please Login
HC4081	1-3/8"	16"	21"		Please Login
HC4091	1-1/2"	16"	21"		Please Login
CAS008	Core Bit 8" Extension				Please Login

BOSCH


Scaling Chisel


Flat Chisel

Round Hex / Spline Hammer Steel

ROUND HEX

Bosch offers a full assortment of round hex/spline hammer steel points and chisels.

Item No.	Description	Retail	Wholesale
HS1811	1" × 12" Flat chisel		Please Login
HS1817	2" × 12" Scaling chisel		Please Login

SDS-plus® Rebar Cutters



Item No.	Dia.	Length	Retail	Wholesale
RC2064	3/8"	12"		Please Login
RC2084	1/2"	12"		Please Login
RC2094	9/16"	12"		Please Login
RC2124	3/4"	12"		Please Login
RC2144	7/8"	12"		Please Login
RC2164	1"	12"		Please Login
RC2168	1-1/8"	12"		Please Login
RC2172	1-1/4"	12"		Please Login
RC2176	1-1/2"	12"		Please Login



BULLDOG™

SDS-plus® Bulldog™ Hex Drive Rotary Hammer Bits

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

• Manufactured to ANSI specification B212.15

Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC2302	5/32"	4"	7"		Please Login
HC2312	3/16"	4"	7"		Please Login

SDS-plus® Bulldog™ Hex Drive Accessory and Kit

For use with masonry fastening systems/hex sleeve drive tools. Hex drive on bit fits into driver sleeve.

• 1/4" hex shoulder for drive sleeve used to set masonry screws

Item No.	Includes	Retail	Wholesale
HC2309	7 pc anchor drive installation kit: 5/32" × 6-1/2" and 3/16" × 6-1/2" hex bits, #2 and #3 Phillips® power bits, 5-3/4" sleeve, 1/4" and 5/16" sockets		Please Login

NOTE: Drill bits (or extension + drill bit) in excess of 8" should never exceed 600 RPM

BOSCH

SPEEDCORE™ **Thin-Wall Core Bits**


Core Bit Assembly:
Screw core bit onto shank


One-piece SDS-plus® Extension

Thin-Wall Core Bit

SDS-plus® SPEEDCORE™ Thin-Wall Core Bits

Bosch SDS-plus® thin-wall core bits are designed for drilling with smaller hammers; core body range is 1" up to 4-3/8" with a usable cutting depth of 3".


T3924-Pilot Bit



T3922 / T3923SC
(No pilot bit)


T3925SC / T3926SC / T3927SC
(Includes pilot bit)

Item No.	Dia.	Retail	Wholesale
T3910SC	1"		Please Login
T3911SC	1-3/16"		Please Login
T3912SC	1-3/8"		Please Login
T3913SC	1-9/16"		Please Login
T3914SC	1-7/8"		Please Login
T3915SC	2-9/16"		Please Login

Item No.	Dia.	Retail	Wholesale
T3916SC	2-11/16"		Please Login
T3917SC	3-1/8"		Please Login
T3918SC	3-3/16"		Please Login
T3919SC	3-1/2"		Please Login
T3920SC	3-7/8"		Please Login
T3921SC	4-3/8"		Please Login

Item No.	Description	Retail	Wholesale
T3922	3" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3923SC	4" extension SDS-plus®-doesn't include pilot bit (T3924)		Please Login
T3924	SpeedCoreTM pilot bit		Please Login
T3925SC	7" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3926SC	13" extension SDS-plus®-does include pilot bit (T3924)		Please Login
T3927SC	17" extension SDS-plus®-does include pilot bit (T3924)		Please Login



SDS-max® Hammer Steel

BOSCH

Item No.	Description	Retail	Wholesale
HS1934	16" R-Tec star point chisel-self-sharpening		Please Login
HS1935	1" × 16" R-Tec flat chisel-self-sharpening		Please Login
HS1903	1" × 16" R-Tec flat chisel		Please Login
HS1906	5" × 15" Asphalt cutter		Please Login
HS1909	1-3/4" × 9-1/4" Bushing tool		Please Login
HS1910	3" × 12" Scaling chisel		Please Login
HS1916	1-1/2" × 12" Scaling chisel		Please Login
HS1917	2" × 14" Scaling chisel		Please Login
HS1911	1" × 12" Flat chisel		Please Login
HS1912	1"×18" Flat chisel		Please Login
HS1913	12" Bull point		Please Login
HS1914	18" Bull point		Please Login
HS1915	2"×12" Tile chisel		Please Login
HS1918	6"×25" Floor scraper		Please Login
HS1922	4-1/2" × 16" Clay spade		Please Login
HS1924	Ground rod driver		Please Login
HS1927	12" Tamper plate shank		Please Login
HS1828	5" × 5" Tamper plate		Please Login
HS1929	1" x 12" gouge		Please Login

SDS-max® Rotary Hammer Core Bits (One Piece Bits)

BOSCH

Bosch SDS-max® carbide-tipped rotary hammer core bits offer an integral shank for better power transmission. Maximum core size is 2-5/8" deep.

Item No.	Dimensions	Retail	Wholesale
HC8501	1-3/4"x 7" x 12"		Please Login
HC8506	1-3/4" x 17" x 22"		Please Login
HC8510	2" x 7" x 12"		Please Login
HC8515	2" x 17" x 22"		Please Login
HC8521	2-3/4" x 7" x 12"		Please Login
HC8526	2-3/4" x 17" x 22"		Please Login
HC8531	3-1/4" x 7" x 12"		Please Login
HC8536	3-1/4" x 17" x 22"		Please Login
HC8540	3-1/2" x 7" x 12"		Please Login
HC8545	3-1/2" x 17" x 22"		Please Login
HC8550	4" x 7" x 12"		Please Login
HC8555	4" x 17" x 22"		Please Login
HC8575	5" x 17" x 22"		Please Login
HC8595	6" x 17" x 22"		Please Login
HC88	Centering bit		Please Login



SDS-max® SpeedX™ Rotary Hammer Bits

- Manufactured to ANSI specification B212.15
- SDS-max® rotary hammer bits fit Bosch SDS-max® hammers, but also competitive SDS-max® drive hammers and Hilti® hammers using TE-Y and TE-FY shanks



Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC5005*	3/8"	8"	13"		Please Login
HC5010*	1/2"	8"	13"		Please Login
HC5011*	1/2"	16"	21"		Please Login
HC5015*	9/16"	8"	13"		Please Login
HC5020	5/8"	8"	13"		Please Login
HC5021	5/8"	16"	21"		Please Login
HC5024	5/8"	24"	29"		Please Login
HC5030	3/4"	8"	13"		Please Login
HC5031	3/4"	16"	21"		Please Login
HC5033	3/4"	31"	36"		Please Login
HC5034	3/4"	24"	29"		Please Login
HC5041	7/8"	16"	21"		Please Login
HC5050	1"	8"	13"		Please Login
HC5051	1"	16"	21"		Please Login
HC5061	1-1/8"	16"	21"		Please Login
HC5062	1-1/8"	24"	29"		Please Login
HC5071	1-1/4"	16"	21"		Please Login
HC5081	1-3/8"	16"	21"		Please Login
HC5091	1-1/2"	16"	21"		Please Login
HC5099	2"	16"	21"		Please Login

*Two cutter

SDS-plus® Bulldog™ Rotary Hammer Bits

- 15% faster in concrete (compared to S4L)
- Manufactured to ANSI specification B212.15
- Optimized flute design to reduce bit stress
- Centric tip for optimal hole geometry
- Some items are special order only; non-stock item



Item No.	Bit Dia.	Usable Length	Overall Length	Retail	Wholesale
HC2000	5/32"	2"	4"		Please Login
HC2001	5/32"	4"	6"		Please Login
HC2009	5/32"	6"	8"		Please Login
HC2010	3/16"	2"	4"		Please Login
HC2011	3/16"	4"	6"		Please Login
HC2012	3/16"	6"	8"		Please Login
HC2014	3/16"	10"	12"		Please Login
HC2031	7/32"	4"	6"		Please Login
HC2040	1/4"	2"	4"		Please Login
HC2041	1/4"	4"	6"		Please Login
HC2042	1/4"	6"	8"		Please Login
HC2044	1/4"	10"	12"		Please Login
HC2051	5/16"	4"	6"		Please Login
HC2054	5/16"	10"	12"		Please Login
HC2061	3/8"	4"	6"		Please Login
HC2064	3/8"	10"	12"		Please Login
HC2067	3/8"	16"	18"		Please Login
HC2081	1/2"	4"	6"		Please Login
HC2084	1/2"	10"	12"		Please Login
HC2087	1/2"	16"	18"		Please Login
HC2088	1/2"	22"	24"		Please Login
HC2094	9/16"	10"	12"		Please Login
HC2102	5/8"	6"	8"		Please Login
HC2104	5/8"	10"	12"		Please Login
HC2107	5/8"	16"	18"		Please Login
HC2124	3/4"	10"	12"		Please Login
HC2127	3/4"	16"	18"		Please Login



SDS-plus® Bulldog™ Rotary Hammer Bit Sets

BULLDOG™

Item No.	Includes	Retail	Wholesale
HCK005	(1) 3/16" × 4" × 6", (1) 1/4" Type ×2"×4", (1) 1/4"×4"×6", Tube (1) 3/8"×4"×6", (1) 1/2"× 4"×6"		Please Login
HCST006	(1) 5/32"× 4" × 6", (1) 3/16" × 4" × 6", (1) 1/4" × 2"Brute ×4", (1)3/8"×4"×6", (1) ToughTM flat chisel, (1) point chisel		Please Login

Bosch 1” SDS-plus® Rotary Hammer



Specifications

Amperage	7.5
Rating	120V
No Load RPM	0-1,300
No Load BPM	0-5,800
Length	17-1/4”
Weight (lbs.)	6.7

- 3 modes of operation, rotation, rotary hammer & hammer
- Variable-speed reversing trigger for accurate bit starting, as well as removing fasteners or bound bits
- Integral clutch helps minimize torque reaction
- Double insulated, UL listed, complies with OSHA standards

Item No.	Retail	Wholesale
11255VSR		Please Login

Bosch 1-9/16” Combination Hammers





- Tool-free bit changes with automatic bit locking
- Best in class Impact Energy
- Combination Dual Mode Selector Knob
- Varo-Lock Positioning: Rotates and locks chisel into 12 different positions

Specifications

Amperage	12
Rating	120V
No Load RPM	170-340
No Load BPM	2,900
Length	19”
Weight (lbs.)	15.2

Item No.	Description	Retail	Wholesale
RH540M	SDS-Max		Please Login
RH540S	Spline		Please Login

Bosch 2” SDS-max® Rotary Hammer

Includes
Auxiliary handle
Carrying case



Specifications

Amperage	15
Rating	120V
No Load RPM	100-220
No Load BPM	1,000-2,150
Length	23-1/2”
Weight (lbs.)	26.2

- Turbo™ Power for torque & speed boost in hammer mode
- Best power-to-weight ratio of 14.1 ft.-lbs. of impact energy
- Vibration Control™ for comfort in all-day applications
- Constant Response™ for soft start, constant speed under load
- Vario-Lock™ positioning for precise chiseling location
- Two drilling speeds to match speed to application

Item No.	Retail	Wholesale
RH1255VC		Please Login

Bosch 1-5/8” Spline Combination Hammer

Includes
Auxiliary handle
Carrying case



Specifications

Amperage	13
Rating	120V
No Load RPM	340
No Load BPM	2,900
Length	19.25”
Weight (lbs.)	15

- Vibration Control™ – vibration reduction in the hammer mechanism and the grip area
- Combination dual mode selector
- Vario-Lock™ positioning — rotates and locks chisel into 12 different positions to optimize working angle
- Service Minder™ light

Item No.	Retail	Wholesale
11265EVS		Please Login

Bosch SDS-Max® Demolition Hammer

Includes
Auxiliary handle
Carrying case



Specifications

Amperage	14.0
Rating	120V
No Load BPM	900-1,890
Length	22-1/2”
Weight (lbs.)	22.5
Cord length	12’

- SDS-max® bit system
- Soft-start and maintains constant speed under load
- Variable-speed dial - for controlled chipping applications
- Hammer rotates and locks chisel into 12 different positions
- Double insulated, UL listed, complies with OSHA standards

Item No.	Retail	Wholesale
11316EVS		Please Login

Concrete Surfacing Grinder



Includes
(1) - Auxiliary Handle Flange Kit
(1) - Spanner Wrench
(1) - 5" Diamond Cup Wheel
(1) - Surface Guard with Vacuum Connection
(1) - Carrying Case

- 12.5 AMPs and up to 9,300 RPM
- Comprehensive guard/shroud system – with exclusive guard-opening system that allows flush grinding
- Sealed switch, double-sealed ball bearings
- 5/8-In. to 11 spindle
- Auxiliary handle — for easy handling
- Spindle lock — for quick wheel changes

Item No.	Retail	Wholesale
CSG15		Please Login

Bosch Brute Breaker Hammer - Basic Kit

- Active Vibration Control™: Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort
- Ergonomic Handles - New ergonomic shock absorbing handles provide additional user comfort in all day applications
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor



BOSCH MIP

Electric

Specifications

Amperage	15.0
Tool Shank	1-1/8”
Impact Energy (ft. lbs.):	35
Rating	120V
No Load BPM	1000
Length	30.75”
Weight (lbs.)	65



INCLUDES FREE
- Basic Cart-T1657
- 1 Points-HS2161
- 1 Chisels-HS2164



Tent Stake Driver #HS2126

The tent stake driver and tamper shank must be used together to work.



Tamper Shank #HS2173



Item No.	Description	Retail	Wholesale
BH2760VCB	Hammer		Please Login
T1657	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
HS2161	1-1/8” shank point		Please Login
HS2164	1-1/8” shank chisel		Please Login

Bosch Brute Turbo Breaker Hammer

- Best in class impact energy - 47.0 ft. lbs.
- Best in class anti-vibration system in the hammer mechanism
- Anti-slip rubber cover-Helps prevent tool from accidental fall over
- Ergonomic shock absorbing handles
- Hammer Tube Design-Hammer Tube Flutes help dissipate heat,
- Reinforced Hammer Tube Collar / Springs-Maximizes tool holder lifetime by reducing the hammer's impact from blank beats
- Total portability — Operates on 115/120V AC/DC, 15 amp. outlet or 2500 watt portable generator
- ServiceMinder™ brush system —Shuts the Brute off when brush replacement or preventative maintenance is needed
- The plug-in-anywhere hammer — Does not need a compressor



BOSCH

Electric

Specifications

Amperage	15.0
Tool Shank	1-1/8”
Impact Energy (ft. lbs.):	43
Rating	120V
No Load BPM	1000
Length	30.5”
Weight (lbs.)	65



INCLUDES FREE
- Basic Cart-T1757
- 2 Points-HS2161
- 2 Chisels-HS2164



Tent Stake Driver #HS2126


The tent stake driver and tamper shank must be used together to work.



Tamper Shank #HS2173



Item No.	Description	Retail	Wholesale
BH2770VCD	Hammer		Please Login
T1757	Hammer hauler		Please Login
HS2126	Tent stake driver		Please Login
HS2173	Tamper shank		Please Login
1617014113	Brush set		Please Login
HS2161	1-1/8” shank point		Please Login
HS2164	1-1/8” shank chisel		Please Login



1-1/8” Jackhammer Steel

- Some items are special order only; non-stock item

Item No.	Description	Retail	Wholesale
P10318	18” Moil point		Please Login
C10318	18” Narrow chisel		Please Login
CC11318	3” x 18” Wide chisel		Please Login
AC103-10	4-1/2” x 20” Asphalt cutter		Please Login

Bosch Breaker Hammer

- Unmatched power to weight ratio; 34-feet-per-pound of impact force; fastest removal rate in its class by far
- Active vibration control handle--a unique flexible 2-handed design that reduces vibration
- Versatile bit retention--accepts Bosch 1-1/8-inch hex steel as well as standard 1-1/8-inch air steel
- Total comfort and control--articulating auxiliary handle to maintain the best working posture possible
- Rugged durability--metal tube and case design handles tough jobsite use and abuse

Item No.	Retail	Wholesale
11335K		Please Login

Specifications

Amperage	15.0
Certifications	cULus
Impact Energy (ft. lbs.)	34
Length	30”
No Load BPM	1,300
Rating	120V
Weight (lbs.)	38

KIT INCLUDES
- Pointed Chisel
- Articulating Auxiliary Handle
- Carrying Case with Wheels
- Grease tube
- Cleaning rag

BOSCH



Electric

Floor Removal Cart

- Robust cart design – supports the weight of the jackhammer, reducing strain and fatigue
- Ergonomic angle adjustment options – allows the hammer to be positioned at five different angles, maximizing efficiency
- Combined with the 11335K hammer (1-1/8" shank breaker; not included) – this cart transforms floor demolition jobs by reducing fatigue and increasing productivity
- Star knob mounting system – allows for the hammer to be easily installed and removed to save time on the job
- Large, sturdy wheels – provide for maximum mobility around large, commercial job sites
- Versatile application options – allow for fast and efficient removal of vinyl, floor tiles, and cork from concrete, wooden surfaces and more

Item No.	Retail	Wholesale
GHT130		Please Login

NEW!



BOSCH

Works With 35lb to 40lb Breaker Hammer 11355K

Floor Scrapers

Champion



Heavy-duty Scraper

Item No.	Description	Retail	Wholesale
FSHD-905-100S	Scraper Hilti 805/905/1000 Shank		Please Login
FSHDB-2MM	Repl. Blade		Please Login
FSHDRKIT-L	Repl. Hardware		Please Login



Sure Lock Scraper

Item No.	Description	Retail	Wholesale
FSA-MAX-100	Scraper SDS Max Shank		Please Login
FSA-ROTARY-100	Scraper Spline/Rotary Shank		Please Login
FSAB-2MM	Repl. Blade		Please Login



FSP Scraper System

Item No.	Description	Retail	Wholesale
FSP-2MM-4	4” Scraper SDS Plus Shank		Please Login
FSP-2MM-8	8” Scraper SDS Plus Shank		Please Login
FSPB-2MM-4	4” Repl. Blade		Please Login
FSPRKIT-L	Repl. Hardware		Please Login

Pneumatic Breaker Hammers

Pneumatic breaker hammers are the demolition tool of choice when power and durability are necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, asphalt, boulders and pavement.

- Alloy steel forgings - excellent durability
- Four-bolt backhead - for rugged use
- Integral oiler - continuous lubrication
- Heavy-duty front head springs
- Reversible piston - reduces maintenance cost

Item No.	Model	Description	Retail	Wholesale
8900003029	CP1260	60 lb., 1-1/8" chuck		Please Login
8900003028	CP1260	60 lb., 1-1/4" chuck		Please Login
8900003031	CP1260S	60 lb., 1-1/8" chuck, w/silencer		Please Login
8900003030	CP1260S	60 lb., 1-1/4" chuck, w/silencer		Please Login
8900003038	CP1290	90 lb., 1-1/8" chuck		Please Login
8900003037	CP1290	90 lb., 1-1/4" chuck		Please Login
8900003040	CP1290S	90 lb., 1-1/8" chuck, w/silencer		Please Login
8900003039	CP1290S	90 lb., 1-1/4" chuck, w/silencer		Please Login




CP1260S and CP1290S are equipped with silencers

CP 1260 (60 lb. Class)

Weight (lbs.)	65
Length (in.)	26-1/2
Air consumption l/s	29
Air inlet inch	3/4 Swivel
Blows per minute	1300
Retainer type	Latch

CP 1290 (90 lb. Class)

Weight (lbs.)	83
Length (in.)	28-3/4
Air consumption l/s	38
Air inlet inch	3/4 Swivel
Blows per minute	1200
Retainer type	Latch



1-1/8" Jackhammer Steel


- Some items are special order only; non-stock item

Item No.	Description	Retail	Wholesale
P10318	18" Moil point		Please Login
C10318	18" Narrow chisel		Please Login
CC11318	3" x 18" Wide chisel		Please Login
AC103-10	4-1/2" x 20" Asphalt cutter		Please Login

Jackhammer Steel (Shank 7/8"x4-1/4")

- Some items are special order only; non-stock item

Item No.	Description	Length	Retail	Wholesale
30833241	Ground rod driver	7-3/4"		Please Login
30833235	Clay spade	14"		Please Login
30833236	Wedge chisel	15"		Please Login
30833238	Shank for pad	7-1/4"		Please Login
30833252	Tamping pad, round	7"		Please Login
30833239	Tamping pad, square	6"		Please Login
30833240	Tamper sq., compl.	7-1/2"		Please Login
92452817	Driver pad, round	4"		Please Login
92460201	Shank for stake driver			Please Login
92460211	Stake driver 2-1/2" head			Please Login
92382814	Carrying harness			Please Login
7140833	Drill steel	31"		Please Login
7140434	Drill steel	16"		Please Login
5753108	Pilot drill rod	31"		Please Login
30833229	Moil point	19"		Please Login
30833231	Wide chisel	9-1/2"		Please Login
30833230	Wide chisel	13-1/2"		Please Login
30833232	Wide chisel	15"		Please Login
30834071	Wide chisel	18"		Please Login
92452812	Asphalt cutter	14"		Please Login
30833233	Digging chisel	15"		Please Login
30833234	Digging spade	12"		Please Login



One-Man Hole Digger



- Engine 1.3 HP (1000 W) Honda GX35, all-position, 4 Stroke
- Starter Hand rewind
- Fuel-Gasoline
- Transmission Totally enclosed, spur gear, grease lubricated
- Maximum Digging Torque 51 ft. lbs.
- Auger Rotation Speed 166 RPM, no load
- Auger Drive Connection 1" round
- Available Auger Diameter Range 2" to 8"
- Standard Auger Digging Length 30"
- Weight (less auger) 28 lbs.
- Auger sold separately

Item No.	Description	Retail	Wholesale
242H	Hole Digger		Please Login
2350-6E	6" auger		Please Login
2350-8E	8" auger		Please Login



Two-Man Hole Digger

- 5.5 HP Honda GXV160, 4-cycle engine
- Totally-enclosed, oil-lubricated spur gear reduction
- All-metal centrifugal clutch
- Approximately 190' lbs. drilling torque
- 1-3/8" hexagon drive shaft connection
- Weight (less auger) 71 lbs.
- Auger sold separately

Item No.	Description	Retail	Wholesale
332H	Hole Digger		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
5500-15X	15" extension w/o flighting		Please Login
*Special Order Only; non-cancelable			



One-Man Towable Hole Digger

- 8 GPM fixed displacement gear type hydraulic pump, low speed, high torque hydraulic motor direct coupled to the auger
- Includes 10 micron return line filter, suction screen & return line diffuser
- 13 HP Honda GX390
- 276 lbs. at 2000 PSI Max. drilling torque
- 144 RPM auger rotation speed
- 1-3/8" hexagon standard
- Tires - 4.80-12 highway use rated
- Dimensions - 113"L x 41"W
- Weight (less auger) 400 lbs.
- Auger sold separately

Item No.	Description	Retail	Wholesale
660H	Hole Digger*		Please Login
4450-6E3	6" hex drive auger		Please Login
4450-8E3	8" hex drive auger		Please Login
4450-10E3	10" hex drive auger*		Please Login
4450-12E3	12" hex drive auger*		Please Login
*Special Order Only; non-cancelable			

Replacement Wear Parts For Augers



35PAK7
Standard dirt tooth, thin cross section for fast penetration, wears sharp. For ordinary digging conditions. Can install in all boring head sockets. Includes RUB-R-LOKTM. Pack of 7.



35HFCPAK7
Hard-faced dirt tooth for substantially increased wear life. For ordinary digging conditions. Can install in all boring head sockets with hardfacing up. Includes RUB-R-LOKTM. Pack of 7.



5T30PAK3
Chisel dirt tooth. Rips through caliche, hardpan and other formations. For install inside, boring head sockets only, rib side facing up. Not for use alone w/6 inch diameter auger. Includes RUB-R-LOKTM. Pack of 3.



AT1336
Tungsten Carbide tooth. For use in extremely abrasive and frozen soil. Extended wear life. Can install in all boring head sockets. Use in rocky soils may shatter inserts. Includes RUB-R-LOKTM. Pack of 1.



SB25PAK3
Auger screw bit. For 2-1/4, 14, 16 and 18 inch diameter augers. Includes mounting bolt and nut. Pack of 3.



P801PAK3
Auger screw bit, 2 inch auger diameter only. Pack of 3.

Item No.	Description	Use With	Retail	Wholesale
35PAK7	Standard tooth - Pkg. 7	332H		Please Login
35HFCPAK7	Hardfaced tooth - Pkg. 7	332H		Please Login
5T30PAK3	Chisel tooth - Pkg. 3	332H		Please Login
AT1336	Tungsten tooth - Pkg. 1	332H		Please Login
SB25PAK3	Screw bit - Pkg. 3	332H		Please Login
P801PAK3	Screw bit - Pkg. 3	242H		Please Login

Shingle Remover

WHILE SUPPLIES LAST

- Notched with fulcrum head
- 48" hardwood handle

Item No.	Retail	Wholesale
SG2LH		Please Login

Shingle Remover

- 36” yellow fiberglass handle
- 9” wide head
- Extra-strong steel brace

Item No.	Retail	Wholesale
SG1		Please Login



Tamper

- 8” x 8” solid cast iron
- 45” yellow fiberglass, cushion handle

Item No.	Retail	Wholesale
TP8FG		Please Login




Asphalt Lute

Sold by carton of 2

- Aluminum blades are 36” wide
- Serrated edge
- Handle is 84” long & 1” diameter non-oxidizing aluminum

Item No.	Retail	Wholesale
SA8436		Please Login



Tree Pruner

WHILE SUPPLIES LAST

- Compound action
- Cuts up to 1-1/4” limb
- 14” blade saw
- 7’ to 14’ extension fiberglass handle

Item No.	Retail	Wholesale
WP6555		Please Login



San Angelo Bar


- Forged steel - 1” dia. x 6’ long,
- Hexagonal, black head diamond point

Item No.	Retail	Wholesale
DG23		Please Login

Digger Tamper Bar

- Forged steel
- 6’ long, chisel point
- 1” diameter, round, handle


Item No.	Retail	Wholesale
DG19		Please Login



Atlas Digger

- 48” yellow fiberglass handles
- 6” point spread
- Vinyl grip

Item No.	Retail	Wholesale
DG100FG		Please Login



Metal Detector

- Sensitivity, Depth Adjustment (8 Settings)
- Battery Indicator
- Coin Depth Indicator
- Headphone Jack
- Touch-n-Go Operation
- Length: 42" to 51"
- Weight: 2.7 lbs. (1.2 kgs.)
- 4 AA battery operation (batteries included)
- 2 year warranty

Item No.	Retail	Wholesale
ACE250		Please Login



Soil Probe

- Cast metal tip head
- 0.5” x 48” yellow fiberglass shaft handle
- T-cushion grip

Item No.	Retail	Wholesale
SP48		Please Login



WHILE SUPPLIES LAST



Snow Rake

- 16’ aluminum 3-piece handle with vinyl grip
- 24” x 4-5/8” aluminum blade with solid aluminum braces riveted to blad
- Spring steel self-locking snap pins
- Flexible “Shingle Saver” protective sleeve
- ULTRA-light weight



Item No.	Description	Retail	Wholesale
96716	Snow rake		Please Login

Snow Squeegee

WHILE SUPPLIES LAST

- 66" blue aluminum handle with vinyl grip
- Great for slushy areas
- 3” deep rubber blade which is replaceable
- 36" W x 66" L x 3"D



Item No.	Retail	Wholesale
96636		Please Login

Grain Scoop

WHILE SUPPLIES LAST

- Aluminum head material, #14
- 15.5” x 20" head size
- 29” hardwood handle, steel grip

Heavy Duty Grain Scoop

- 27% thicker than our other scoops
- Aluminum head material, #14
- 15.5” x 20” head size
- 36” hardwood handle, steel grip



Item No.	Description	Retail	Wholesale
SVSDA14	Grain Scoop		Please Login
SVSDA14HM	Heavy Duty		Please Login

Snow Pusher

- Black ABS head type
- 12" x 24" head size
- 44" yellow fiberglass handle, poly D grip



Item No.	Retail	Wholesale
SN100		Please Login

Rice Shovel

- Used for irrigation
- 46” yellow fiberglass handle
- Perforated round point head style
- Square socket
- Vinyl grip



Item No.	Retail	Wholesale
SVRS40		Please Login

Long Handle Shovels

- #2 front turn step head style
- 47” yellow fiberglass handle
- PermaGrip™ collar, vinyl grip



Item No.	Description	Retail	Wholesale
SVLR40	Round Point		Please Login
SVLS41	Square Point		Please Login

Trench Cleanout Shovel

- Used for cleaning loose materials from trenches prior to laying cable or pipe
- Blade size: (SVTR403 - 3”) (SVTR45 - 5”)
- Yellow fiberglass handle (48” SVTR403) (45” SVTR45)
- PermaGrip™ collar, vinyl grip



Item No.	Length	Retail	Wholesale
SVTR403	48″		Please Login
SVTR45	45″		Please Login

B.A.S.H Splitting Mauls



- Unbreakable Technology: Steel core design prevents breaking during overstrikes
- Safety Plate: Locks head firmly to handle eliminating dislodging
- No-Slip Grip
- Anti-Vibe Neck

Item No.	Head Size	Handle	Retail	Wholesale
50636	6 lb.	36″		Please Login
50836	8 lb.	36″		Please Login

MAXIM HONDA ENGINES



Maxim Commercial Tiller

MOST POPULAR

2-year warranty on transmission

- 160CC Honda engine
- Durable, simple to operate and maintain
- Heavy-duty frames have additional reinforcement at points of stress
- Transmissions enclosed in special design double-welded case
- Extra metal shield keeps wire and vines from getting into seal
- Tillers feature heavy-duty transport wheels & hitch
- Heavy-duty replaceable slasher tines are standard
- Transmission - Roller chain and sprocket sealed and running in oil
- Handles - 11-gauge seamless tubular steel w/ braces
- Tilling Width - 14" to 26" standard
- Wheels - Heavy-duty transport wheels with spring loaded latch pin

Item No.	Description	Retail	Wholesale
RMT55H	Tiller		Please Login
130761	Set of 4 tines		Please Login

Available For Immediate Drop-Ship From Manufacturer



MAXIM HONDA ENGINES

Maxim Commercial Compact Tiller

Bolt on blades are easier to replace

- 120CC Honda OHV
- Transmission - Roller chain and sprocket, sealed and running in oil
- Tines - 11" Bolo, self-sharpening, heavy-duty non-winding, forged steel
- Tine Shaft - Case hardened carbon steel
- Tilling Width - 13" or 19" standard
- Tilling Depth - Up to 8"
- Handles - 14 gauge seamless tubular steel w/braces
- Clutch - Hand controlled belt tightener
- Frame - All steel, welded and braced
- Wheels - Adjustable or removable for tilling

Item No.	Description	Retail	Wholesale
RM4H	Tiller		Please Login
130832	Set of 4 tines		Please Login



Post Pulling Tool

- Simplifies the process of effortlessly pulling out wooden or metal fence posts, even those with concrete plugs attached
- Versatile landscaping tool, removing small trees, shrubs and bushes

Item No.	Retail	Wholesale
QP001		Please Login

WHILE SUPPLIES LAST



SEYMOUR MIDWEST

6 Cu. Ft. Wheelbarrow

- Poly tray
- 16" 2-ply tires
- Hardwood handle
- Heavy-duty channel steel front braces

Item No.	Retail	Wholesale
WB6P		Please Login



Compost Spreader

- "Sifting" action spreader
- Keep trash inside the drum
- Spread peat moss, mulch, compost, etc.
- 24" wide x 18" diameter
- All steel construction

SEYMOUR MIDWEST

Item No.	Retail	Wholesale
85755		Please Login



Paint Striper

800P Vers-A-Striper (pavement)

- Stripe widths from 2" to 4"
- Heavy-duty metal construction
- Holds 1 case of paint
- Paint radius curves with ease
- Curb and edge attachment included

Item No.	Retail	Wholesale
800P		Please Login



Solvent-Based Striping Paint

- Perfect for concrete and asphalt
- Fast drying, one coat coverage
- 18 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
710P	White		Please Login
720P	Yellow		Please Login
740P	Orange		Please Login
750P	Blue		Please Login

More Paint Available on Page 79



Athletic Paint Striper

801P Vers-A-Striper (turf and dirt)

- Stripe widths from 2" to 4"
- Larger 10” diameter wheels
- Metal construction - heavy-duty
- Holds 1 case of paint (12 per case)

Item No.	Retail	Wholesale
801P		Please Login



Water-Based Athletic Striping Paint

- Will not burn grass
- Fast drying, long lasting
- 18 oz. cans - net weight
- Sold individually

Item No.	Description	Retail	Wholesale
790P	White		Please Login
Will cover 800 linear ft. with a 4-inch stripe!			



36" Plug Aerator with Wheels

- Loosen soil
- Increase water filtration
- Increase oxygen
- Release carbon dioxide
- Encourage root growth
- 200 lb. capacity/24 gallons
- Overall width 52"
- Rolls on 1" grease-able pillow block bearings
- Wheels are 2 ply, 4.10x 3.50x 4 (for off-road use only)
- Bolt in sod pluggers

Item No.	Retail	Wholesale
MSP36		Please Login



48" Spike Aerator with Wheels

- Tank can be filled with water for added weight
- Unit is heavy to begin with
- Wheels are bolted in place with no pins or latches to rotate the tow bar 180º while lowering or lifting the drum
- Loosen soil
- Increase water filtration
- Increase oxygen
- Release carbon dioxide
- Encourage root growth
- Rolls on 1" grease-able pillow block bearings

Item No.	Retail	Wholesale
MSAT48		Please Login

Cut-off Wheels



- Reinforced Type 1
- Sold individually

VIRGINIA ABRASIVES





Item No.	Size	Application	Retail	Wholesale
Portable Saws				
424-10814	14" x 1/8" x 20mm	Concrete		Please Login
424-15714	14" x 1/8" x 20mm	Metal		Please Login
424-11214	14" x 1/8" x 1"	Concrete		Please Login
424-16114	14" x 1/8" x 1"	Metal		Please Login
Road Construction Saws				
424-20414	14" x 3/16" x 1"	Concrete		Please Login
424-21214	14" x 3/16" x 1"	Green Concrete/Asphalt		Please Login

Diamond Turbo Cup Wheel



- Professional grade

VIRGINIA ABRASIVES



Item No.	Size	Application	Retail	Wholesale
425-04087	7" x 5/8"-11	GP Concrete Finishing		Please Login

Cutting/Grinding Wheels

BOSCH



- Snap-on mounting that's up to five times faster
- Backward compatible with standard 7/8" arbor mounts
- 60 Grit

Item No.	Application	Dia.	Retail	Wholesale
TCWX15500	Metal / stainless steel	5" x .045"		Please Login

X-LOCK
SNAP-ON MOUNTING

Works on any Bosch 7/8" arbor angle grinder

Drive Pins



WHILE SUPPLIES LAST

Item No.	Description	Retail	Wholesale
R00780	.300x2 Dr Pin, 1514, 100pk		Please Login
R00786	.300x2-1/2 Dr Pin,1516, 100 pk		Please Login
R00794	.300x3 Dr Pin, 1524, 100 pk		Please Login

Drive Pins w/Washers



WHILE SUPPLIES LAST

Item No.	Description	Retail	Wholesale
R09173	.300x2-1/2 Pin w/washer, 100 pk		Please Login

.22 cal Powder Loads



WHILE SUPPLIES LAST

Item No.	Description	Retail	Wholesale
R50077	.22 Cal Yel Powder Load, 25 pk		Please Login



Bolt Remover & Left Hand Spiral Jobber Length Drill Set-10 Pieces






Drills
- Sizes: 3/32, 1/8, 3/16, 1/4 & 5/16
- Special Hi-Molybdenum tool steel
- 135º split point for fast penetration

Taps
- Sizes: EX 1, 2, 3, 4, & 5
- Hi-carbon steel bolt remover used to remove broken screws, bolts, threaded parts

Item No.	Retail	Wholesale
58510		Please Login





Even "Grade 8 Bolts" Aren't Tough Enough For These Drill Bits!

Heavy Duty Jobber Length Drill Set-29 Pieces

- Sizes: 1/16 thru 1/2 by 64ths
- 135º split point drills are self centering and perform well in harder metals
- Waterproof and unbreakable case included

Item No.	Retail	Wholesale
44170		Please Login



Premium Segmented Grinding Diamond Head for Concrete

- Professional grade



Item No.	Size	Application	Max RPM	Retail	Wholesale
425-04252	10" x 5/8", 10 Segments	Hard Concrete	6100		Please Login
425-04253	10" x 5/8", 20 Segments	Hard Concrete	6100		Please Login
425-04254	10" x 5/8", 10 Segments	Soft Concrete	6100		Please Login
425-04255	10" x 5/8", 20 Segments	Soft Concrete	6100		Please Login





Masonry Diamond Blade - Dry Cutting

- Designed for general purpose rental fleets

Item No.	Size	Max RPM	Retail	Wholesale
425-03031	14" x .110" x 1" DP	5500		Please Login



High Speed Diamond Blade



Item No.	Size	Application	Max RPM	Retail	Wholesale
Ultra Value					
425-04177	14"x.125"x1"/20mm DP	Concrete	5500		Please Login
Supreme					
425-06321	14"x.125"x1"/20mm DP	Con./Asph.	5500		Please Login



7" Contractor Diamond Blade

- Turbo rim for fast, smooth cuts
- Ideal for cutting concrete, bricks, sandstone, stucco and roof tiles
- 8,700 maximum RPM
- DM 7/8" to 5/8" arbor

Item No.	Retail	Wholesale
167022		Please Login



Floor Maintenance Thick Pads

Item No.	Size	Pkg. Qty.	Retail	Wholesale
416-50170	17" x 1" Red Buffer	5		Please Login
416-50174	17" x 1" Black Stripper	5		Please Login
416-50175	17" x 1" Green Scrubber	5		Please Login
416-50176	17" x 1" Tan Scrubber	5		Please Login
416-50177	17" x 1" White Polish	5		Please Login
416-50178	17" x 1" White Gold	5		Please Login



Tungsten Carbide Abrasive Disc

Item No.	Size	Pkg. Qty.	Retail	Wholesale
421-80016	16" x 2"	1		Please Login
421-80017	17" x 2"	1		Please Login



Floor Grinding Blocks

- Wooden wedges included
- Sold individually

Item No.	Size	Application	Grit	Pkg. Qty.	Retail	Wholesale
426-38002	2" x 2" x 4"	Concrete	80	6		Please Login
426-32402	2" x 2" x 4"	Concrete	24	6		Please Login
426-31202	2" x 2" x 4"	Concrete	10	6		Please Login
426-30802	2" x 2" x 4"	Concrete	8	6		Please Login



Standard Diamond Grinding Blocks

- Holder included
- Segments are premounted

Item No.	Size	Application	Retail	Wholesale
425-05235	2"x2"x4" grinding heads	Soft Concrete		Please Login
999-00007		Wooden Wedges		Please Login

EZ Edger Discs



- Fits all 7" Edge Sanders & 3 Head Orbital 6-3/4" Sanders, Clark® EZ-Sand
- Sold individually

Item No.	Size	Pkg. Qty.	Retail	Wholesale
003-67894	6-7/8" x NH 100	50		Please Login
003-67880	6-7/8" x NH 80	50		Please Login
003-67860	6-7/8" x NH 60	50		Please Login
003-67836	6-7/8" x NH 36	50		Please Login
003-67820	6-7/8" x NH 20	50		Please Login
003-27820	6" Conversion Disc	10		Please Login

Floor Sanding Edger Discs



- Fits Clark® Super 7
- Sold individually

Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
006-70894	B0710	7" x 7/8" 100	50		Please Login
006-70880	B0780	7" x 7/8" 80	50		Please Login
006-70860	B0760	7" x 7/8" 60	50		Please Login
006-70840	B0740	7" x 7/8" 40	50		Please Login
006-70836	B0736	7" x 7/8" 36	50		Please Login
006-70824		7" x 7/8" 24	50		Please Login
006-70820	B0720C	7" x 7/8" 20	50		Please Login
006-70816		7" x 7/8" 16	25		Please Login


Orbital Floor Sanding Sheets



- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually

Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
PSA Abrasive Sheets - "Sticky-Back" Backing					
206-34100	B1810	12" x 18" 100	20		Please Login
206-34080	B1880	12" x 18" 80	20		Please Login
206-34060	B1860	12" x 18" 60	20		Please Login
206-34036	B1836	12" x 18" 36	20		Please Login
206-34020	B1820C	12" x 18" 20	20		Please Login
20 per carton					
Item No.		Size	Pkg. Qty.		
Quicksand Abrasive Sheets - "Non-Stick" Backing					
202-34100		12" x 18" 100	20		Please Login
202-34080		12" x 18" 80	20		Please Login
202-34060		12" x 18" 60	20		Please Login
202-34036		12" x 18" 36	20		Please Login
202-34020		12" x 18" 20	20		Please Login.

Orbital Floor Maintenance Thick Pads



- Fits Essex®, Squarebuff, Orbitec, Starbuff and Clark® OBS18DC
- Sold individually

Virg. Abr. Item No.	Abmast Part#	Size	Pkg. Qty.	Retail	Wholesale
416-54187	J182W	12" x 18"x1" White	5		Please Login
416-54186	J182T	12" x 18"x1" Tan	5		Please Login
416-54185	J182G	12" x 18"x1" Green	5		Please Login
416-54184	J182B	12" x 18"x1" Black	5		Please Login
416-54180	J182R	12" x 18"x1" Red	5		Please Login

Floor Sanding Sheets



- Fits Clarke® DU-8 or EZ-8 with Notches and Rentlink® and HT8
- 8" X 19-1/2" VA8
- Sold individually

Virg. Abr. Item No.	Abmast Part#	Description	Pkg. Qty.	Retail	Wholesale
002-08100	B5210	100 Grit	50		Please Login
002-08080	B5280	80 Grit	50		Please Login
002-08060	B5260	60 Grit	50		Please Login
002-08050		50 Grit	50		Please Login
002-08040		40 Grit	50		Please Login
002-08036	B5236	36 Grit	50		Please Login
002-08024	B5224C	24 Grit	50		Please Login
002-08020	B5220C	20 Grit	50		Please Login
002-08016	B5216C	16 Grit	50		Please Login
002-08012		12 Grit	50		Please Login

Expanding Drum Belts - Cloth



- Fits Clarke® EZ-8 Expandable Drum
- 8" x 19" VAEZ8
- Sold individually

Virg. Abr. Item No.	Abmast Part#	Description	Pkg. Qty.	Retail	Wholesale
018-81996	C8912	120 Grit	10		Please Login
018-81994	C8910	100 Grit	10		Please Login
018-81980	C8980	80 Grit	10		Please Login
018-81960	C8960	60 Grit	10		Please Login
018-81940	C8940	40 Grit	10		Please Login
018-81936	C8936	36 Grit	10		Please Login
018-81924	C8924	24 Grit	10		Please Login



25 Person First Aid Kit

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
8"x10" Large Wound Dressing	1
4"x4" Gauze Pads	5
4"x5yd Gauze Bandage, 4"	1
1⁄2"x5ydAdhesive Tape	1
40" Triangular Bandage	1
Antiseptic Wipes	30
First Aid Cream Packets	6
Cold Pack	1
Latex Exam Gloves	2
Scissors	1
Forceps	1
First Aid Instructions	1

- Great for shops, jobsites, vehicles, hunters, camping

Item No.	Retail	Wholesale
6080		Please Login




50 Person First Aid Kit

CONTENTS	QTY.
1" x 3" Adhesive Strips	100
4"x4" Sterile Gauze Pads	10
8"x10" Sterile Combine Pad	2
1⁄2"x5yd Adhesive Tape	1
4"x5yd Non-Sterile Gauze	2
40" Triangular Bandage	2
Antiseptic Wipes/Burn Cream	1
Antiseptic Wipes	30
First Aid Burn Cream Packets	6
Instant Cold Pack	2
Latex Exam Gloves	2
Scissors	1
Forceps	1
First Aid Instructions	1

- Great for shops, jobsites, sporting events

Item No.	Retail	Wholesale
6088		Please Login





Double Bottle 16oz. Eye Wash Station

Includes 2 eye cups

- 2 each
- Bottles of sterile isotonic buffered solution for flushing or irrigating the eyes on a dual wall mount ready station
- Includes eye cups for easily focusing the fluid stream

Item No.	Description	Retail	Wholesale
24102	Complete station		Please Login
24101	Replacement bottle		Please Login
24 replacement bottles in a case			

phpdistribution.com

ORDER ONLINE!

- Secure Site
- Check Account Status
- Look Up Individual Parts

Portable Eyewash Station

- Compliance - ANSI Z358.1
- 1-hand operation
- Gravity fed
- No plumbing required
- Size: 25-1/2” x 20” x 9-1/2”
- Eyewash preservative #5136
- 15 minute flow time



Item No.	Retail	Wholesale
5134-00		Please Login

Supply Refills for all First Aid Kits



Item No.	Description	Retail	Wholesale
1-200	1″x3″ adhesive strips(100)		Please Login
1-100	3/4″x3″ adhesive strips(100)		Please Login
G167	1″x3″ heavy woven fabric strips(50)		Please Login
1-825	Heavy woven knuckle bandage(25)		Please Login



SAFETY WORKS

Adjustable Suspension

- Comfortable pin lock adjustment suspension
- 4-Point nylon suspension
- Sleek & attractive design high density polyethylene shell
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Color	Retail	Wholesale
SWX00344	White		Please Login
SWX00345	Yellow		Please Login

WHILE SUPPLIES LAST



For Men or Women

Quick Adjusting Ratchet Hard Hat

- Exclusive ratchet adjustment suspensions
- Comfortable 4-point nylon suspension
- High-density polyethylene (HDPE) shell designed for strength
- Shell has rain trough for extra convenience
- Meets ANSI Z89.1 and CSA Z94.1 requirements for Class E, Type I head protection

Item No.	Retail	Wholesale
SWX00348		Please Login

Full Brim

- Full brim provides protection from UV rays on ears and back of neck
- Shorter in the front, allowing the wearer to look upward
- Ratchet suspension
- Meets ANSI Z89.1-2003
- Meets OSHA Type I, Class G & E



Item No.	Color	Retail	Wholesale
SWX00358	White		Please Login
SWX00359	Yellow		Please Login

WHILE SUPPLIES LAST

V-Gard® Protective Hats

SAFETY WORKS

Sentry III Ratchet Hard Hats

- Squared-off nape strap
- 6 point nylon web suspension system
- Hearing, welding and face shield accessories can be snapped into universal slots
- Meets ANSI Z89.1 and CSA Z94.1
- Meets OSHA Type I, Class C,G, & E
- SEI certified



Item No.	Color	Retail	Wholesale
14024	White		Please Login
14011	Yellow		Please Login

MAKE SURE YOU CHECK OUT THE BARGAIN BUYS ON PAGE 145



Woodsman™ Forestry System

- Perfect solution for chain saw, sandblasting or woodworking
- Gladiator® six point ratchet hard hat
- Earmuffs with cushions
- Molded steel mesh face screen

TASCO

Item No.	Description	Retail	Wholesale
6001	Entire System		Please Login
1000-5	Replacement suspension		Please Login
2293-1	Foam ear cups		Please Login
4000P	Face shield - clear		Please Login
4000W	Face screen - mesh		Please Login



Nuisance Dust Masks

- Soft, flexible nosepiece
- Compact design easily worn with glasses and goggles
- One size fits all
- Pack of 5

Item No.	Retail	Wholesale
2986		Please Login



N95 Particulate Respirators

- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved
- Box of 20

Item No.	Retail	Wholesale
8610P		Please Login



N95 Valved Particulate Respirators

- Exhalation valve for extra comfort
- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved
- Box of 10

Item No.	Retail	Wholesale
8611P		Please Login

Hearing Protectors



*NRR=24

Tagged for Hanging

- Ultra-light & comfortable
- Contoured headband with "No-Snag" design
- Extra-wide, soft cushions

Item No.	Retail	Wholesale
2408		Please Login



*NRR=27

Tagged for Hanging

- Dielectric, three-position earmuff
- Soft-Seal™ ear cushions provide exceptional comfort
- Special foam head pad

Item No.	Retail	Wholesale
S2700		Please Login



*NRR=29

- Rated #1 by the USAF
- Soft-Seal™ ear cushions provide exceptional comfort
- Ultra-soft head pad

Item No.	Retail	Wholesale
2950		Please Login

*NRR-Noise Reduction Rating

Toxic Dust Respirator

- Flexible facepiece
- Long-life cartridges are approved NIOSH P100 Class
- Included P100 low-profile cartridges
- Headband swivels on hinges
- Two-piece neck strap
- Latex free

Item No.	Retail	Wholesale
SWX00319		Please Login





Ear Plugs

- Reusable molded plug

Item No.	Description	Ctn Qty	Retail	Wholesale
9300	Foam w/o cord, NRR 32	200		Please Login
SP31C	Foam w/cord, NRR 32	100		Please Login
9010	Tri-Grip reusable earplugs w/cord	100		Please Login

Sold by carton



Traffic Cones

- Rugged base keeps cone upright
- Dayglow orange or lime PVC

Item No.	Description	Retail	Wholesale
TC18	18" - 2.5 lbs. - orange		Please Login
TC28	28" - 7 lbs. - orange		Please Login
3004286	28" - 7 lbs. - lime		Please Login
Other styles can be special ordered			

Reflective Collar

Item No.	Description	Retail	Wholesale
19930	28" - Lime green		Please Login
16519	28" - Orange		Please Login

Cortina



Rock Island
Valparaiso, IN

DisposaCone®

- Equip vehicles for roadside emergencies, maintenance, or leave on the job-site
- Stands 18" high
- Folds flat for easy storage
- Sticks to almost anything - concrete, asphalt, glass, metal
- Stands up to 4 days of heavy wind & rain
- 3 cones per package

Item No.	Retail	Wholesale
1836R		Please Login

WHILE SUPPLIES LAST






Orange Safety Fence

- Heavy-duty
- Strong, but lightweight
- Flat safety edge on top and bottom
- Rectangular hole size is 2" x 3-3/4"

Item No.	Description	Retail	Wholesale
FE50N	4' x 50', 8 lbs.		Please Login
FE100N	4' x 100', 16 lbs.		Please Login





Contractors Grade Silt Fence Pallet of 65

- Economical 36" tall silt fabric
- 1-1/2" x 1-1/2" hardwood stakes
- Stakes spaced every 10'
- 11 stakes per 100' fabric

Item No.	Description	Retail	Wholesale
14987-65	Pallet of 65		Please Login





Sand Bags (Woven Polypropylene)



- Comes complete with heavy poly-twine ties
- Bright orange (100 hr. UV protection) for increased visibility
- 14" x 26" weigh 50 lbs. when filled
- Sold by carton of 1,000
- Quick Fill Stand folds flat for easy storage


Item No.	Description	Retail	Wholesale
14981-W	Sand bags-white		Please Login

Red/Silver 2" x 10' High Visibility Reflective Safety Tape

- For automotive, recreational vehicles, trailers, farm machinery, marine or sign marking
- Minimum of 700 candle power brightness
- Alternating 6" red and 6" silver segments
- Withstands brushing, dirt, grime, and high-pressure steam sprayers

Item No.	Retail	Wholesale
RE2110		Please Login





Plastic Type I and Type II Barricades

- NCHRP-350 Certified with and without lights
- Meets MUTCD standards
- Weighs only 15 lbs
- Low profile -- Folded dimensions are 2.5"H x 24"W x 45.5"L
- 24" x 12" top panels and 24" x 8" bottom panels
- Built-in bracket accommodates barricade light
- Optional plastic Sand Ballast Bar for additional weight
- 2 per carton

Item No.	Description	Retail	Wholesale
Type I			
3001783	24" x 8" x 8"		Please Login
3007829	24" x 12" x 8"		Please Login
Type II			
3007832	24" x 8" x 8"		Please Login
3007834	24" x 12" x 8"		Please Login



Stop/Slow Paddles

- Meets all MUTCD requirements
- Letter Size: 8" for 24", 6" for 18" paddle
- Engineer grade sheeting
- 24" meets DOT Standards

Item No.	Description	Retail	Wholesale
03-822P	24" w/ 81" plastic handle		Please Login
03-852	18" w/ 9" polygrip handle		Please Login



OSHA Rebar Caps (Impalement Protection)

- Made of space age high density polymer
- These high quality caps are bright orange and fit rebar #4 - #8

Item No.	Retail	Wholesale
14640-4		Please Login

Overall Height 49.8"

Top Diameter: 4"
Base Diameter: 7.56"

High-intensity sheeting units have (2) reflective collars

Shown with recycled rubber base (3007532) not included



Grip & Go Channelizer Cone

- Meets MUTCD and NCHRP-350 requirements
- Large grip on the handle allows workers to easily pick up
- Large channelizer cone handle accommodates one or two Type A or C lights
- Recycled rubber bases provide stability and support
- 42" tiered cone design allows for easy stackability
- Low density polyethylene with UV inhibitors
- Available with or without sheeting (stripes)

Item No.	Description	Retail	Wholesale	
3014081	Channelizer-no sheeting		Please Login	
3014082	Channelizer w/hi-intensity sheeting		Please Login	IN STOCK
3007532	16 lb. base		Please Login	IN STOCK
3009066	10 lb. base		Please Login	

Fits barricades on this page!



LED Flashing Barricade Light

- MUTCD & ITE compliant
- 7" polycarbonate lens with advanced optics
- Available in standard yellow case only
- Uses four D-Cell Ray-O-Vac batteries

Includes Wrench and Wire Key

Item No.	Description	Retail	Wholesale
03-10-WAYDC	Light		Please Login
3019498	Wire key		Please Login



Lime Safety Vest

- Lightweight, polyester mesh
- 1-1/2” orange/silver vertical stripes
- Elastic side straps
- Velcro® front closure
- One size fits most

Item No.	Retail	Wholesale
1265		Please Login



ANSI Class 2 Vest

- ANSI/ISEA 107-2004 Class 2 compliant
- 100% polyester with zipper closure
- 2" wide reflectives on front and back
- 4 outside front pockets

Item No.	Size	Description	Retail	Wholesale
SV110	L-4XL	Lime w/gray stripes		Please Login

RADIANS

Surveyor Breakaway Class 2 Safety Vest





- Closure: zipper
- 5-point breakaway
- Tape: 2” silver reflective
- 7 pockets
- Mic tab on both shoulders
- 100% polyester solid knit front and mesh back
- Ideal for extreme work environments around moving machinery

Item No.	Description	Retail	Wholesale
SV46G-L	Lime		Please Login
SV46G-XL	Lime		Please Login
SV46G-XXL	Lime		Please Login
SV46O-L	Orange		Please Login
SV46O-XL	Orange		Please Login
SV46O-XXL	Orange		Please Login

KENWOOD



2 Watt, 64 Channels Two-way Radio

- Analog only transmissions
- UHF frequency bands
- 7-color LED notification light
- 15 hours of battery life
- IP54/55 - weatherproof
- Upgradeable to DMR or NXDN digital operations

Item No.	Retail	Wholesale
NX-P1302AUK		Please Login



5 Watt, 64 Channels Two-way Radio

- Analog only transmissions
- UHF frequency bands
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 - weatherproof
- Upgradeable to DMR or NXDN digital operations

Item No.	Retail	Wholesale
NX-P1300AUK		Please Login



5 Watt, 64 Channels Digital & Analog Two-way Radio

- UHF frequency bands
- NXDN® Digital Mode
- Cloning Capable
- Pre-stored UHF frequencies and
- 7-color LED notification light
- 11.5 hours of battery life
- IP54/55 - weatherproof

Item No.	Retail	Wholesale
NX-P1300NUK		Please Login



KMB-28AK



KHS-31C



KHS-10D-BH



KNB-45L



KBH-10



KSC-35SK



KRA-4SM

Accessories

Item No.	Description	Retail	Wholesale
KMB-28AK	6 unit multi-charger		Please Login
KHS-31C	C-ring headset with clip on mic/ptt button		Please Login
KHS-10D-BH	Noise-Reduction Headset (can be used with hardhats)		Please Login
KNB-45L	Replacement 2000mah li-ion battery		Please Login
KBH-10	Replacement belt clip		Please Login
KSC-35SK	Replacement charging dock		Please Login
KRA-42M	2' UHF Stubby Antenna		Please Login



PANELIFT

PARAGON PRO MANUFACTURING SOLUTIONS

Hot Seller!

Drywall Lifter

- Load rating - 150 lbs.
- Loading height - 34”
- Requires no tools
- Adjustable cradle accomodates boards up to 4’ x 16’
- Reaches height of 11’
- Weighs 115 lbs.
- 6’ extension - Part# 186-00

MADE IN USA

SHIPS UPS

Item No.	Description	Retail	Wholesale
138-2	Lifter		Please Login
186-00	6’ extension		Please Login
117	Storage stand		Please Login



#1 CHOICE For Rental

Its patented multi-stage chain lift mechanism combined with the patented 2-way overload protection system make the Model 439 the safest, longest lasting, most versa-tile drywall lift available to the rental industry and serious contractor.

Chain Drive Drywall Panellift

- Chain lift with overload protections
- Reaches 14’ 5”
- Standard loading height: 37”
- Handles up to 200 lbs
- Six inch casters makes rolling over clutter easier

MADE IN USA

Item No.	Height	Retail	Wholesale
439	14’ 5”		Please Login
117	Storage stand		Please Login

SHIPS BY TRUCK



#117 - Storage Stand

PARAGON PRO MANUFACTURING SOLUTIONS



Tele-Tower

- Safer than ladders and far more versatile than common scaffolding
- Assembles in about 10 minutes
- Rolls through a standard 32” doorway
- Working height of 18’
- Platform height range 2’ to 11’
- 6’ L x 19” W deck
- Easy assembly – no tools required
- Heavy-duty 5” casters
- Max load rating 550 lbs.

Item No.	Retail	Wholesale
1101		Please Login



DRILLRITE

Overhead Drill Press

- Chain mechanism for simplicity, long life and low maintenance
- Includes secondary flat base for use on work plaforms
- Flex base available for uneven floors (ie; parking garages)
- Reduces operator fatigue
- Integrated dust extraction system
- Drill and vacuum sold separately
- Reaches: 140”
- Travel: 59”
- Cradle Height: 81”

MADE IN USA

Item No.	Retail	Wholesale
350		Please Login

Stacker Lift



Model EL-405

- 4’5” in height
- 400 lb. lifting capacity
- 53" lifting height
- Two speed winch handle position
- Quick action wheel brake
- Large lifting surfaces
- Special order only; non-stock item; non-cancelable

Item No.	Retail	Wholesale
EL-405		Please Login

SHIPS BY TRUCK

SUMNER



Ideal, adjustable work platform for repair shops!



Great for loading customer vehicles!

Contractor Lift



SERIES 2200 LIL’ HOISTER LIFTS

Model 2210

SUMNER

Ships Assembled



With the highest reach in the 2200 Series, this double masted lift offers the capability of lifting light fixtures or AC units in low ceiling buildings. Its forks fit between most acoustical ceiling tiles.

- 11’ height
- 300 lb. capacity
- High speed reversing winch with automatic braking action
- 1” nylon strap - no more cable kinks
- 106 lbs.

Item No.	Retail	Wholesale
787310		Please Login

SHIPS BY TRUCK

Compact Storage remove forks and reposition legs for space saving storage.



Reversing handle for convenient, out-of-the-way storage

Roust-A-Bout



Model R-150 R-180 R-250

Ships Assembled

SHIPS BY TRUCK



Enables one man to lift and place loads in tight locations that would be impossible with other lifts. The Roust-A-Bout eliminates the need for many other tools such as come alongs, scaffolds, monorails, and swing booms.

- Lifts 1,500 lbs.
- 15' height
- Moves vertically and horizontally
- Separate load and mast winches
- Infinite load adjustment
- Mast and base separate quickly for EASY transport
- 780301 - 311 lbs.
  780302 - 337 lbs. • Special order only; non-stock item; non-cancelable
  780303 - 381 lbs. • Special order only; non-stock item; non-cancelable

Item No.	Max Height	Retail	Wholesale
780301	15’		Please Login
780302	18’		Please Login
780303	25’		Please Login

Qualifies For FREIGHT ALLOWED

SUMNER

SERIES 2000 MATERIAL LIFTS

Model 2015

Shown with optional outrigger kit and 10” wheel kit



Ships Assembled

Ships By Truck



Built for heavy material such as steel beams and/or continuous work

Material Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 15'2” heights
- 800 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 315 lbs.

Item No.	Max Height/Desc.	Retail	Wholesale
783701	15’ 2”		Please Login
783736	10” Wheel Kit		Please Login
783691	Carriage Fork Ext.		Please Login

SERIES 2100 CONTRACTOR LIFTS

Model 2118 2124

Comes standard with outrigger kit and 10” wheel kit



Ships Assembled

Ships By Truck



18’ is MOST POPULAR

Contractor Lift

This compact lift offers stronger mast design and a superior cabling system. The shorter mast sections allow the lift to travel through doorways without tipping and to fit nicely into vehicles with small storage space.

- 18'6” or 23’11” heights
- 650 lb. capacity
- Rolls through standard doorways & tail gates
- Loading Bar - great for overhead cranes
- Plunger pins for quick readjustment and compact storage
- No tools needed - no loose parts
- Large 7/32" load cable
- 783651 - 360 lbs.
  783652 - 399 lbs.

Item No.	Max Height/Desc.	Retail	Wholesale
783651	18’ 6”		Please Login
783652	23’ 11”		Please Login
783691	Carriage Fork Ext.		Please Login

SUMNER

Model 2412

Pipe Cradle Optional



Ships Assembled

Ships By Truck




Contractor Lift

This super compact lift has handy roller wheels which enable ease of rolling into vehicles for transportation. Features 8” non-marking wheels.

- 12’ height
- 400 lb. capacity
- Easily portable for one person
- fits most SUVs and vans
- Forks remove and legs reposition for compact storage
- No tools needed or loose parts
- 195 lbs.
- Special order only; non-stock item; non-cancelable

Item No.	Description	Retail	Wholesale
784750	Lift		Please Login
783705	Pipe Cradle		Please Login

Choosing The Right Machine For The Job



NEW!



EELVision VIEW Inspection Camera

- 1.3" dia. self-leveling color camera
- Large 7" monitor for easy viewing
- Sunshield for outdoor viewing and protects the monitor in transport
- For inspecting 3"-10" diameter lines
- On screen footage counter and continuous display odometer
- Heavy duty metal frame and wheels
- Reel brake
- Dual power sources - AC and battery
- Makita battery port (battery not included)
- Provided adapter also accepts Milwaukee and Dewalt batteries

Item No.	Retail	Wholesale
EELVISION VIEW		Please Login

NEW!



EELVision ELITE Inspection Camera

- 1.3" dia. self-leveling color camera
- Large 7" monitor for easy viewing
- Sunshield for outdoor viewing and protects the monitor in transport
- For inspecting 3"-10" diameter lines
- One touch recording to USB and screen shot capability
- User friendly control panel
- Quick start guide tutorial prompts
- On screen footage counter and continuous display odometer
- Heavy duty metal frame and wheels
- Reel brake
- Dual power sources - AC and battery
- Makita battery port (battery not included)
- Provided adapter also accepts Milwaukee and Dewalt batteries

Item No.	Retail	Wholesale
EELVISION ELITE		Please Login



HE1425

MADE IN USA

Hande Drain Cleaner

- HE-1/4E25
- Opens clogged sinks, lavatories, bathtubs, and shower stall drains
- 1/4" or 5/16" music wire cable for maximum flexibility and durability
- Convenient thumb screw locks cable securely

Item No.	Descripion	Retail	Wholesale
HE1425	Hande Drain Cleaner w/1/4" x 25' cable		Please Login
14E25	1/4" x 25' replacement cable - Hande		Please Login
516E25	5/16" x 25' replacement cable - Hande		Please Login

Electric Eel Accessories

	Part#	Descripion	MODEL HE1425	S	CT	K	E	Z5	R	RF	C	Retail	Wholesale
	14E25	1/4" x 25' replacement cable - Hande	X	X	X								Please Login
	516E25	5/16" x 25' replacement cable - Hande	X	X	X								Please Login
	38C25	3/8" x 25' expanded end replacement cable		X	X								Please Login
	516C25	5/16" x 25' expanded end replacement cable		X	X								Please Login
	CS-10	Carry case S-10		X									Please Login
	EG1A	2 wheel cart w/folding handle					X						Please Login
	12C50	1/2" x 50' IC replacement cable					X						Please Login
	12C75	1/2" x 75' IC replacement cable					X	X					Please Login
	DNTS	3 piece tool set				X	X						Please Login
	DNTS5	5 piece tool set						X					Please Login
	58C100	5/8" x 100' Tri-Max replacement cable							X	X			Please Login
	34C100	3/4" x 100' Tri-Max replacement cable							X	X			Please Login
	RTS	4 piece tool set							X	X			Please Login
Included in Tool Set #RTS	A1DC	Spear head							X	X	X		Please Login
	HDD3S	Root saw							X	X			Please Login
	U3H	Grease tool							X	X			Please Login
	HDD7	Retriever tool							X	X	X		Please Login
	SW18	Spanner wrench for disconnecting tool SC-18							X	X	X		Please Login
	FL12	12" Flex leader 1-FLSC1SC2							X	X			Please Login
	8TRS	8' TRS reg. dual cables									X		Please Login
	10TRS	10' TRS reg. dual cables									X		Please Login
	SC13	Feeding tool									X		Please Login
	CTSR	5 piece tool set									X		Please Login
	A14DC	Root saw									X		Please Login
	HDD2A	Retriever tool									X		Please Login
	U4H	Grease tool									X		Please Login
	SP30	Tool adapter		X	X	X	X	X	X	X	X		Please Login

View Our Complete Line of
Electric Eel Accessories on Page 117



Counter-Top Drain Cleaner - Model CT

- CTK-5/16EIC35-AF
- 1/5 HP, 90 Volt DC motor
- Heavy-duty housing protects motor and internal wiring
- Cable guide hose eliminates cable whipping
- Stainless steel cable drum will not rust
- Built-in GFCI on 20‘ line cord
- Air operated foot switch and cord assembly for ease of operation
- 5/16” x 35’ cable

Item No.	Description	Retail	Wholesale
CT51635	Electric cleaner		Please Login

Electric Eel

MADE IN USA



Tool Set Included

Manual Powered Drain Cleaner - Model K

- KK-1/2IC50
- Cleans 1-1/4” - 3” diameter lines up to 100’
- Lightweight, less expensive alternative to electric powered models
- Ideal for rooftop work in downspouts
- Runs up to 100’ of 1/2” galvanized aircraft wire inner core cable
- Self-aligning bearings
- Thumbscrew locks cable at front of cage
- Heavy-duty steel frame is reinforced on both sides with steel braces

Item No.	Description	Retail	Wholesale
KK1250	Manual cleaner w/1/2” x 50’ IC cable & tool set		Please Login

Electric Eel



Tool Set Included

MOST POPULAR

Electric Drain Cleaner - Model E

- EK-R-1/2IC50
- Cleans 1-1/4” – 3” dia. lines up to 50’
- Manual feed
- A common and widely rented machine popular with homeowners
- Rugged 1/3 H.P. Baldor motor
- Inner drum to eliminate cable buckling in cage
- Built-in drum shaft slip clutch
- GFCI with 20’ power cord

Item No.	Description	Retail	Wholesale
EKR1250	Electric cleaner w/1/2” x 50’ IC cable & tool set		Please Login

MADE IN USA

Electric Eel



Tool Set Included

Electric Drain Cleaner - Model Z5

- Z5K-1/2IC75
- Cleans 1 1/4” – 3” dia. lines up to 100’
- Unit built on heavy duty steel frame with folding handle for easy storage and transport
- Totally open cable cage for easy inspection and cleaning of cable
- Wheel break stabilizes unit while in operation
- Easy-to-use air operated foot switch allows the use of both hands when working with cable
- Unique inner drum design eliminates cable tangling in cage
- Rugged 1/3 H.P. Baldor motor



Item No.	Description	Retail	Wholesale
Z5K1275	Electric cleaner w/1/2” x 75’ IC cable & tool set		Please Login

SECOND CHOICE

Electric Eel



Model R

MADE IN USA

Electric Drain Cleaner - Model R

- RK-5/8IC100
- RK-3/4IC100
- Cleans 3” – 6” dia. lines up to 100’
- Runs the industries toughest TRI-MAX cable in 5/8” x 3/4” diameter
- Ideal in situations with limited working space
- Heavy duty 1/3 H.P. Baldor capacitor start motor
- Rugged 1-1/4” steel frame
- Snap lock tool connectors hold tools firmly in place
- Large 10” wheels for easy maneuvering
- Built-in GFCI w/20’ power cord
- RK58 - Special order only; non-stock item; non-cancelable

Item No.	Description	Retail	Wholesale
RK58	Cleaner w/5/8” x 100’ IC cable & tool set		Please Login
RK34	Cleaner w/3/4” x 100’ IC cable & tool set		Please Login



2-way Auto Cable Feed

Model RF

Electric Drain Cleaner w/Auto Feed Cable - Model RF

- RFK-3/4IC100
- Same features as Model R
- Added Safety - cable guide spring keeps hands off rotating cable
- Auto Feed - customer does not have to manually pull cable out and push back in cage - 2 way auto feeder does all the work
- Totally Open Cage - for quick inspection of cable and easy cleaning
- Special order only; non-stock item; non-cancelable

Item No.	Description	Retail	Wholesale
RFK100	Cleaner w/auto cable feed		Please Login

View Our Complete Line of Electric Eel Accessories on Page 117

Electric Eel



Now with patent pending redesigned snap-lock cable coupling allows cables to connect easier and quicker than ever.
Part# 8TRS & 10TRS

MADE IN USA

Electric Drain Cleaner - Model C

- CK-R-1/2-8TRS
- Cleans 3” – 10” dia. lines up to 200’
- Ideal for tougher blockages such as tree roots and for longer runs in main sewer lines
- Spins the 8’ or 10’ cables at twice the RPM of that of a continuous cable machine for maximum cleaning power
- Safety – No handling of rotating cables
- Lower Maintenance – Cables can be quickly inspected
- Ease of Transport – Weighs only 72 lbs.
- The handle folds down for easy transport and storage

Item No.	Description	Retail	Wholesale
CK128	Cleaner w/(13) 8’ TRS reg. dual cables (5) cleaning tools, feeding tool, spanner wrench		Please Login
CDU12	Model C drive unit only, 1/2HP		Please Login
10TRS	10’ Cable sections		Please Login



Electric Eel

Drill Powered Cleaner - Model S

- SK-R-3/8EIC25
- Cleans 1-1/4” – 2-1/2” dia. lines up to 35’
- Ideal for smaller, inside lines such as sinks, tubs, and showers
- Stainless steel cable drum won’t rust, break or crack
- Cast aluminum hand guard
- Double insulated drill for shock protection
- Cables are constructed of certified music wire

Item No.	Description	Retail	Wholesale
SKR3825	Drill cleaner w/3/8” x 25’ EIC cable		Please Login
SDU	Drill cleaner unit only		Please Login
S-11A	Toilet guide tube		Please Login

QUANTITIES LIMITED

SPECIAL BUY



36" Direct Drive Drum Fan

- 3-paddle steel blade
- Powder coated 20 gauge steel housing
- 1/3 HP, 120V, ball bearing, open ventilated motor
- Rocker switch with 2-speed operation
- 10' long, 3-conductor SJT cord
- 5" rubber wheels
- 1-year warranty

Item#	Volts	HP	Amps	CFM	Retail	Wholesale
CPB36-D	120	1/3	3.6	8,200/7,000		Please Login

WHILE SUPPLIES LAST



36" Belt Drive Drum Fan

- Rotary switch
- SJT type cord - 3 conductor - 8' long
- Aluminum blade
- Spiral wire front and rear guards
- Powder coated 20 gauge steel housing
- 5" rubber wheels
- Meets OSHA standards
- 1-year warranty

Item#	Volts	HP	Amps	CFM	Retail	Wholesale
CPB36-B	120	1/3	4.8	5,400/4,600		Please Login



Belt Drive Drum Fans

- 2 Speeds
- 4-blade, oversized fan
- Heavy-duty wheels
- Machined, built-in handle
- Powerful, steel construction
- Belt-driven for ultra quiet operation
- ETL /cETL Listed
- 120 Volts

Item No.	Size	HP	Amps	CFM	Retail	Wholesale
WMDF36	36"	1/2	3.58	12500		Please Login
WMDF42	42"	1	5.75	14500		Please Login
WMDF48	48"	1-1/2	8.75	18000		Please Login



WMPF30OSC

30" Pedestal Fan

- Powder coated finish
- Industrial high velocity motor
- Balanced blades for optimal airflow
- Adjustable 58" to 74"
- Heavy-duty all metal construction
- ETL/cETL Listed
- 1-year warranty



30PFR

30" Pedestal Fan

- 2-speeds
- OSHA compliant guards
- Totally enclosed,heavy-duty ball bearing, thermally protected motor
- Two-year limited warranty
- 10' grounded cord



HD30P

30" Pedestal Fan

- Adjustable 52" - 82"
- Enclosed permanently lubricated, PSC-type ball bearing motor
- Pivot-action fan head
- 2-speed pull chain operation
- 12'L SJT type power cord
- Meets OSHA standards, UL listed

Item No.	Oscillating	Size	Volts	HP	Amps	CFM	Retail	Wholesale
WMPF30OSC	Yes	30"	120	2/5		5000 / 4120 / 3531		Please Login
30PFR	No	30"	120	1/2	5.2	9424 / 6996		Please Login
HD30P	No	30"	120	1/2		9850 / 7500		Please Login



14” & 18” Outdoor Epoxy Coated Tent Fans

- Completely sealed motor and speed control
- 3M™ Fusion bonded epoxy coating for extreme conditions
- Outdoor UL 507 rating
- 3-speed
- Fully adjustable wall mount
- 8’ cord on both

J&D Manufacturing

Great For Tent Rentals!

Item No.	Size	Color	Volts	HP	Amps	CFM	Retail	Wholesale
POW14	14” Wall	White	120	1/8	1.1	4,000/3,300/2,600		Please Login
POW18	18” Wall	White	120	1/8	1.8	6,600/4,800/3,800		Please Login
POW18B	18” Wall	Black	120	1/8	1.8	6,600/4,800/3,800		Please Login
POWTPB	Tent Pole Bracket	Fits 2” to 2.5” tent poles						Please Login

SHIPS UPS



12” Air Circulation Tent Fan

Standard Pole Mount Included!

- Includes bracket to mount to standard pole
- Great for tent rentals, special events, weddings, sporting events, etc.
- Totally enclosed heavy-duty white motor, thermally protected, pre-lubricated ball bearings
- Maintenance free motor with cord and on/off switch
- Aluminum fan blade

SCHAEFER

Item No.	Size	Volts	HP	Amps	CFM	Retail	Wholesale
VK12TF-SPM-W	12”	115/230	1/10	1.3/.65	1510		Please Login

867 CFM



Sahara Pro X4 TurboDryer

- Versatile 3-speed, 3-position operation
- GFCI outlets to connect up to 6 units
- Built-in carpet clamp for under-carpet drying
- Lightweight, easy-carry design
- Secure stacking vertically for storage

DRIEAZ

Item No.	CFM	Volts	Amps	Retail	Wholesale
124315	867	115	1.9		Please Login

VIDEO DEMO

885 CFM



Velo Slimline Blower

- Broad-path airflow
- Low profile
- Daisy-chain with GFCI outlet
- Tough rotomolded housing
- Cord wrap and easy-carry handle
- Multiple position versatility
- **F504**

DRIEAZ

Item No.	CFM	Volts	Amps	Retail	Wholesale
125470	885	115	1.9		Please Login

VIDEO DEMO

NEW!



1900 CFM

Carpet Blower

- Rotomolded polyethylene housing
- Powerful 1/3 HP induction motor
- Low weight and can be stacked up to as high as 5 units securely for easy storage.
- Three speeds
- GFCI daisy chain feature
- 25’ power cord

WINMORE Cool Heat

Item No.	CFM	Volts	HP	Retail	Wholesale
WMAMFC3	1900	120	1/3		Please Login

NEW!



1000 CFM

Low Profile Air Mover

- Rotomolded polyethylene housing
- Powerful 1/4 HP induction motor
- Low weight and can be stacked up to as high as 5 units securely for easy storage.
- Two speeds
- GFCI daisy chain feature
- 25’ power cord

WINMORE Cool Heat

Item No.	CFM	Volts	HP	Retail	Wholesale
WMAMLO	1000	120	1/4		Please Login

Americ Confined Space Ventilator





- Delivers both positive and negative airflow to confined spaces
- Motor rated at 100,000+ continuous-duty hours
- One-speed 115V 8/5.7 Amp 1 HP motor operates at 3,300/2,800 RPM
- Capable of connecting up to 125-ft. of straight duct
- Stackable for space-saving storage
- UL and CUL listed
- For use in non-explosive environments
- Three year warranty

MADE IN USA

Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
VAF3000A	12″	115	1	Single	2796		Please Login
AM-DS1225CB	12″x25′ Duct						Please Login

Axial Blowers



- Built-in safety screens
- Damage protected On/Off switch
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing is dent-resitant and corrosion proof
- Stackable for operation and storage

Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
EP8ACP	8″	110	1/3	Single	501		Please Login
EP12ACP	12″	115	1	Single	1825		Please Login
EP16ACP	16″	115	1	Single	4450		Please Login

Blow-R-Pac® Axial Blower



- 8” x 25’ flexible duct and integral storage canister
- Built-in safety screens
- Damage protected On/Off switch
- Multi-vane fan minimizes sound levels
- Easy-grip molded handle
- Double-walled UV-resistant polyethylene housing

Item No.	Size	Volts	HP	Speed	CFM	Retail	Wholesale
EP8AC25P	8″	115	1/3	Single	902		Please Login



Ventilation Duct

- Vinyl-coated, synthetic fabric
- Nylon ring and securing strap

Item No.	Size	Retail	Wholesale
FD1225	12″ x 25′		Please Login
FD1625	16″ x 25′		Please Login



20” Air Mover

- Built-in carrying handles
- 1/2 HP, 7 amps, 115 volts, 5500 CFM
- Rugged steel housing and screen construction
- Stand-alone unit or easily stackable
- 14 gauge cord with molded plug
- 74 lbs.

Item No.	Retail	Wholesale
FN20		Please Login



Stealth Axial Fan

- Versatile fan positions for
- Variable speed control
- Low-noise Stealth™ fan blades
- Hour meter
- Power outlet for daisy-chaining
- Circuit breaker and reset switch
- Secure, nested stacking
- Rugged carry handle
- **F568**

Item No.	CFM	Volts	Amps	Retail	Wholesale
113164	2600	115	2.7		Please Login



Vortex Axial Fan

- Powerful enough to drive air through 125 ft. of ducting
- Built-in handle
- Stackable for storage
- Powerful 1.0 hp motor
- Operate stand-alone or with stow & go ducting
- **F174**

Item No.	CFM	Volts	Amps	Retail	Wholesale
116594	2041	115	7.4		Please Login



20” Confined Space Ventilator

- Ventilate hazardous gases
- Heavy gauge aluminum housing
- 1 HP, 10 amps, 115V, 6500 CFM
- Powder coat safety guards, cord wrap & 10’ cord
- Duct sold separately
- 75 lbs.

Item No.	Description	Retail	Wholesale
CS20	Ventilator		Please Login



Sto&Go Ducting on the Go

- 12” x 25’
- Temperature range: 20° - 180°F
- Built-in bag with sturdy handle
- Semi-rigid ducting constructed with spring steel wire helix
- Black reinforcement strips

Item No.	Retail	Wholesale
F405		Please Login



Ozone Generator with 3 Ozone Plates

Perfect for deodorizing and sanitizing large spaces. It will eliminate severe odor caused by mold, mildew, tobacco, fire and smoke, water and flood damage, animals, decaying matter, body odor, cooking smells, and more.

- High quality aluminum body
- Functions: 3 Ozone plates + pre-filter + 12-hour timer
- Ozone Output: 150 mg/H up to 1400mg/H
- Fan Output: 110CFM
- 110V, 35W
- Dimensions: 7.5"H x 9.0"W x 12.5"D
- Weight: 9.75 lbs
- Area: 3,500 square feet

Item No.	Ozone Output	Retail	Wholesale
OS3500	1400 milligrams/hr		Please Login



Total Zone Ozone Generator

The most modern, technically advanced systems on the market today. Uses a patent pending corona discharge technology know as "SP-ARC", Silicate Polarized Arc. This allows the generator to produce much higher levels of ozone then any competitive model with little or no maintenance.

- Size: 12.25″ x 9″ x 6″
- Weight: 7 lbs. 9 oz.
- Timer: 12-hour with hold function
- Fan: 100 CFM
- Ozone Output: TZ-1 - 1,500 mg per hour
  TZ-2 - 3,000 mg per hour
- Treatment Area (Cu.Ft.): 50,000 – 60,000
- TZ-1 - 110V, 1 Amp
  TZ-2 - 110V, 2 Amps

Item No.	Ozone Output	Retail	Wholesale
TZ-1	1500 milligrams/hr		Please Login
TZ-2	3000 milligrams/hr		Please Login



HEPA 700 Air Scrubber

- Filters out dust, mold, odors and fumes with pre-filter, optional carbon and true HEPA filter media – passes DOP tests with no additional filters
- Quieter operation for use in any occupied spaces
- GFCI outlet enables daisy-chaining of up to 8 units
- Lightweight and stacks securely
- 24/7 remote monitoring and control using Command Center app to ensure continuous air filtration
- 700 CFM, 1.5 - 3 amps (115v, 60 Hz)
- Includes: 2" MERV 8 Pre-Filter & Primary HEPA Filter
- 42 lbs.
- (HxDxW): 23 X 17 X 26 in.
- 25 ft. power cord

Item No.	Description	Retail	Wholesale
125105	Air scrubber		Please Login
F271	Pre-Filter (1 pk.)		Please Login
F321	Filter (1 pk.)		Please Login
F397	Carbon filter (1 pk.)		Please Login
F415	DOP Pre-filter (1 pk.)		Please Login

DOP-Dispersed Oil Particulate



Pre-Filter F271



Filter F321



Carbon Filter F397



DOP Pre-Filter F415



HEPA Air Scrubber

- 1/3 hp, thermally protected motor
- 250-500 CFM
- Rotary dial switch
- Extra long 25 foot safety yellow power cord
- Stackable, roto-molded housing
- Weighs only 40 pounds
- GFCI outlet allows daisy-chaining
- 115 volt, low 3 amps
- Pre-filter and HEPA filter included
- Filter change Indicator light
- No tools required for filter change
- ETL/CE/SAA certified

Item No.	Description	Retail	Wholesale
OS500	Air scrubber		Please Login
F271	Pre-Filter (1 pk.)		Please Login
F321	Filter (1 pk.)		Please Login
F397	Carbon filter (1 pk.)		Please Login
F415	DOP Pre-filter (1 pk.)		Please Login

DOP-Dispersed Oil Particulate

DEHUMIDIFIERS



DrizAir® 1200 Refrigerant Dehumidifier

- Rugged rotomolded housing
- Electronic touch-pad controls
- Semi-pneumatic wheels
- Built-in duct attachment ring
- If power is interrupted during operation, the unit will automatically restart when power is restored
- 32”H × 20”W × 19.5”D, 80 lbs.
- 115V, 6.4 amps
- 40 ft. drain hose
- **F203-A**

VIDEO DEMO

Item No.	Description	Retail	Wholesale
104677	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



6000Li LGR Dehumidifier

- LGR technology boosts effective operating range
- Extreme Dewpoint Technology (EDT) delivers the fastest response to changing conditions
- Easily Ductable
- Time-saving i-Series control panel displays GPP, inlet and outlet temp and TH plus maintenance prompts.
- Uses all-in-one 4-PRO filter
- Unique spill-proof pump basin
- 32.1”H × 20”W × 19.8”D, 100 lbs.
- 115V, 6.6 amps
- **F600**

Item No.	Description	Retail	Wholesale
103614	Dehumidifier		Please Login
F579	4-PRO Air Filter (3 pk.)*		Please Login

*8 packs in a case



LGR 7000XLi Dehumidifier

- Self-monitoring system
- Built-in humidistat
- Sealed large-capacity pump basin
- Advanced Crossflow Technology
- Integrated cord and hose storage
- Practically indestructible housing
- If power is interrupted during operation, the unit will automatically restart when power is restored (115V models only)
- 33.5”H × 20”W × 20”D
- 107 lbs.
- 115V, 8.3 amps
- **F412**

VIDEO DEMO

Item No.	Description	Retail	Wholesale
108110	Dehumidifier		Please Login
F581	HAF Filters (3 pk.)		Please Login



Revolution™ LGR Dehumidifier

- Best low-grain performance in its class
- More water removal than other units 2–3 times its size!
- Delivers “Large” dehu performance yet fits where others don’t
- Secure, compact stacking
- Fastest access for cleaning and maintenance
- Fit more drying in the truck, make fewer trips – make more profit!
- 12.5”H × 17.6”W × 21.5”D
- 65 lbs.
- 115V, 6.2 amps
- **F413**

VIDEO DEMO

Item No.	Description	Retail	Wholesale
111995	Dehumidifier		Please Login
F583	HAF Filters (3 pk.)		Please Login



LGR Dehumidifier

- Hot Gas Valve system enable better capacity in low temp situation
- Three-Minute Automatic Delay Protection of the Compressor
- Semi-pneumatic wheels
- Humidity and Trouble Display
- With GFCI to connect air mover
- Rotomolded polyethylene housing
- 19.57”H × 24”W × 13.31”D
- 82 lbs.
- 115V, 6.9 amps, 1/10HP

Item No.	Retail	Wholesale
DH90C		Please Login



Pedestal LGR Dehumidifier

- Hot Gas Valve system enable better capacity in low temp situation
- Three-Minute Automatic Delay Protection of the Compressor
- Semi-pneumatic wheels
- Humidity and Trouble Display
- With GFCI to connect air mover
- Rotomolded polyethylene housing
- Stackable design
- 31.8”H × 21.6”W × 19”D
- 93 lbs.
- 115V, 7 amps, 1/5HP

Item No.	Retail	Wholesale
DH90P		Please Login

PARAGON

Cotton Candy Machines



Spin Magic 5

- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1636 Watts, 13.6 Amps
- 19"W x 12"D x 21"H
- 1 year warranty

Item No.	Description	Retail	Wholesale
7105200	Spin Magic machine w/metal bowl		Please Login
7150300	Spin Magic machine w/plastic bowl		Please Login
7105200QR	Spin Magic Quick Release 5		Please Login
7901	Roll-top bubble		Please Login
3060010	Cotton candy cart		Please Login
3060030	Cotton candy stand		Please Login
CC7903	Replacement aluminum bowl		Please Login

- 3060010 and 3060030 are special order only; non-stock items



Roll-Top Bubble - 7901
Shields customers from floss and protects the machine



Spoke-Wheel Cart - 3060010
Antique-style cart includes a display area and a storage area for supplies
33"W x 20"D x 56"H



Cotton Candy Stand - 3060030
Compact metal cart has casters and storage area for supplies
20"W x 20"D x 20"H



Spin Magic Quick Release 5

- Revolutionary, patented, new head design that requires NO tools to remove the head for easy cleaning. Allows the operator the ability to easily spin different flavors of floss with no downtime in production
- New high-performance head will not clog
- Heavy-Duty motor (1/12 horsepower) operates at 3400 RPM for fast delivery
- Motor is completely shielded from sugar to extend its life & easy clean-up
- Aluminum cabinet
- Voltage meter indicates the optimum settings for producing the best product
- 120V, 1370 Watts
- 19"W x 12"D x 21"H, 54 lbs.
- 1 year warranty





Great Western Sugar Floss

- 1/2 gallon carton (3.25 lbs.)
- 6 cartons in a case

One carton makes up to 60-70 cones!

Item No.	Description	Retail	Wholesale
16005	Blue raspberry sugar floss		Please Login
16015	Pink bubblegum sugar floss		Please Login
16024	Red cherry sugar floss		Please Login
16035	Purple grape sugar floss		Please Login
16085	Pink vanilla sugar floss		Please Login
16094	Strawberry sugar floss		Please Login





Plastic Bags/Cones

- 12"x18"
- Choose from plain or printed
- 1000/case

Item No.	Description	Retail	Wholesale
16190	Cotton candy cones 1,000/case		Please Login
3321	Cotton candy cones 300/case		Please Login
CC7851	Plain plastic bags 1,000/case		Please Login
CC7850	Printed plastic bags 1,000/case		Please Login

MOST POPULAR

Rent-A-Pop 8 Ounce Popcorn Machine


Sturdy cabinet construction



Presentation lamp



Old maid drawer







Heavy duty, padded "comfort-grip" handles snap flat when not in use



Polycarbonate front and side panels in place of glass to prevent breakage during transport



Cord wrap holder

Popcorn Supplies



ProStyle Warmer w/pump-PC2018
- Butter, cheese, chocolate or caramel
- Attractive stainless steel body
- Includes unheated spout domed pump easily dismantled for cleaning
- 120 Volts, 200 Watts



Butter 1 gallon-2016
- No Refrigeration required, even after opening



Popcorn Portion pack
PC10064
PC10063
- Pre-measured corn, oil & seasoning
- 2-year shelf life



Scoop Boxes
PC11086 & PC11091
- 100 per case
- Can be used to scoop popcorn out for fast serving
- Holds 2 oz. of popped corn



Paper bags
- 100 per bag
- PC11011 - 8"
  PC11024 - 10"



Butter bags-PC11320
- 100 per case
- Special-coated bags will not leak when butter is applied

Item No.	Description	Cty. Qty.	Retail	Wholesale
PC10064	Portion pack for 8 oz.	24		Please Login
PC10063	Portion pack for 6 oz.	36		Please Login
PC1042	Speed scoop	1		Please Login
PC1040	Plastic scoop	1		Please Login
PC11086	Scoop boxes .75 oz.	100		Please Login
PC11091	Scoop boxes 1.25 oz.	100		Please Login
PC11011	Paper bags 1 oz.	100		Please Login
PC11011C	Paper bags 1 oz.	1,000		Please Login
PC11024C	Paper bags 1.5 oz.	1,000		Please Login
PC11320	Butter bags 2 oz.	100		Please Login
PC2018	Butter warmer w/pump	1		Please Login
2028B	Single deluxe food pump butter warmer			Please Login



Butter Warmer & Stand Sold Separately

Auto-Serve Popcorn Machine

Paragon's Auto-Serve Popcorn Machine provides a new innovation for popcorn lovers to conveniently dispense their own popcorn in a touchless environment. Available in a front-serve and back-serve. Integration stand (sold separately) is designed specifically for the self-serve popper incorporation both form and function. The popper and stand can be paired with a butter warmer to further expand the self-service offering.

PARAGON

- 8 oz kettle
- 1420 W, 120 V
- 147 one ounce servings per hour
- Stainless steel locking cabinet, glass windows, plexigalss doors
- 20"W x 16"D
- 75 lbs.

Item No.	Description	Retail	Wholesale
1108180	Front Front Door Machine		Please Login
3070180	Stand		Please Login
2028B	Butter Warming Pump		Please Login



1911 Originals

Nostalgic styling with state-of-the-art technology! By combining attractive styling and the latest technology the 1911 Original has become the #1 commercial seller.

- 8 oz. - 68 lbs.



Theater Pop

Styled just like the poppers you see at the local movie house, these machines have a bright cabinet and classic graphics. The 4 oz. popper has become the #1 consumer seller.

- 8 oz. - 64 lbs.



Thrifty Pop

Introducing an economy line of popcorn machines.

- 8 oz. - 68 lbs.



Rent-A-Pop

Created with rental stores in mind:

- Retractable handles
- Cord wrap
- Destriction proof glass (polycarbonate panels)
- High value ROI!
- 8 oz. - 58 lbs.

MOST POPULAR

Item No.	Description	Retail	Wholesale
8 oz. Machines			
1108910	1911 Original popper		Please Login
1108110	Theater popper		Please Login
1108510	Thrifty popper		Please Login
1108150	Rent-A-Pop		Please Login
Carts & Stands			
3070010	8 oz. & 6 oz. poppers only 1911 cart		Please Login
3070510	8 oz. Thrifty popper only		Please Login
3070910	Premium popcorn stand		Please Login

8 oz. Specs & Comparison

	Ounces popped per hour	Warranty (Years)	Anodized Alum. Kettle	Stainless Steel Foodzone	Old Maid Drawer	Warming Deck
Thrifty Pop 1108510	147	1	•	Aluminum		
1911 Originals 1108910	147	1	•	•	•	•
Theater Pop 1108110	147	1	•	•	•	•
Rent-A-Pop 1108150	147	1	•	•	•	•



PARAGON

"Arctic Blast" Sno-Cone Machine

A hard-working, economical option,The Arctic Blast has tinted high-impact & polycarbonate side panels.

- Sturdy stainless steel and aluminum construction -- durable and easy to clean
- Chip resistant finish
- Slanted drain deck –– removable, food grade plastic tray drains moisture away from the ice
- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- 50 lbs.
- 3050010 Special order only; non-stock item

1 Year Warranty

SHIPS BY TRUCK

Item No.	Description	Retail	Wholesale
6133310	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login





PARAGON

"The Cooler" Sno-Cone Machine

Unique, playful design is compact but comes equipped with the same heavy-duty motor as the larger model. Made from rugged roto-cast polyethylene, The Cooler is both lighter weight and less expensive. Rear wheels give The Cooler added portability.

- 1/3 HP, 1725 RPM motor with safety rest
- 120 volt
- Chip resistant finish
- 24"W x 16"D x 24"H
- 50 lbs.
- 3050010 Special order only; non-stock item

1 Year Warranty

Same Heavy-duty Motor & Blade As Bigger Units

Item No.	Description	Retail	Wholesale
6133410	Machine		Please Login
3050010	Matching cart		Please Login
513012	Cup dispenser		Please Login





1 Quart Syrup w/flip top cap

Item No.	Description	Retail	Wholesale
15041	Blue Raspberry		Please Login
15051	Cherry		Please Login
15052	Strawberry		Please Login
15088	Grape		Please Login
15102	Lemon Lime		Please Login
15230	Blue Bubble Gum		Please Login

Syrup=12 per carton



Holder



Spoon Straws



Nylon Ladle



Pour Spouts



Sno-cone Cups

1 Gallon Syrup



Item No.	Description	Retail	Wholesale
15030	Banana 1 gal.		Please Login
15031	Green Apple		Please Login
15036	Mango		Please Login
15037	Bubble Gum Blue 1 gal.		Please Login
15044	Blue Raspberry 1 gal.		Please Login
15058	Cherry 1 gal.		Please Login
15065	Coconut 1 gal.		Please Login
15089	Grape 1 gal.		Please Login
15098	Lime 1 gal.		Please Login
15109	Orange 1 gal.		Please Login
15114	Pina Colada 1 gal.		Please Login
15120	Pineapple 1 gal.		Please Login
15123	Root Beer 1 gal.		Please Login
15151	Strawberry 1 gal.		Please Login
15155	Tigers Blood 1 gal.		Please Login
15173	Watermelon 1 gal.		Please Login

Syrup=4 per carton



Syrup Pump



Quart Bottles

Accessories

Item No.	Description	Retail	Wholesale
61225	Sno-cone holder		Please Login
SC6510	Spoon straws (Case 200) (Red)		Please Login
61220	Pump for syrup		Please Login
1060	6 oz. cups (Sleeve 200)-design		Please Login
60251	Quart bottle		Please Login
60253	Pour spout		Please Login
61214	Nylon Ladle		Please Login

Front





Back

Hot Dog Steamer

- 20 gauge stainless steel construction
- Holds up to 200 hot dogs and 42 buns
- 13.5" W x 16" D x 20" H - 120 Volts
- Removable product trays and sliding doors
- Oversized eight quart water reservoir
- Low water Indicator light and illuminated
- Top loading design for easy access
- Front drain for easy cleaning

15 - 45 minute cook time depending on number of hotdogs

PARAGON

Item No.	Description	Retail	Wholesale
8020	200 Hot Dog Steamer		Please Login
12119	Foil bags (100)		Please Login



Foil Bags

- 3.5"x1.5"x8.5"
- 1000/case



Nacho, Popcorn & Peanut Warmer

- Warming deck to keep nachos hot and fresh
- Easy cleanup
- Popcorn, nachos and peanuts decals (2 of each)
- Huge 100 quart capacity
- 120V

PARAGON

Item No.	Retail	Wholesale
2190110		Please Login

TOP Choice for Rental



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 2 gallon hopper
- Up to 64 cups per hour
- Refrigerates mix overnight
- Air Cooled
- 21-1/2"H x 11"W x 19"D
- Weight: 90 lbs.
- 115V, 10 amp

Item No.	Retail	Wholesale
113A		Please Login

Ships Direct From Factory

TOP Choice for Rental



BUNN

2 Hopper High Performance Ultra Gourmet Ice® System

- White/Stainless steel finish
- Patented reversing auger design quickens freeze time
- Two 3 gallon hoppers
- 31.9"H x 16"W x 24.5"D, 120V, 12 amps
- Sanitation listed by NSF
- Special order only; non-stock item; non-cancelable

Item No.	Retail	Wholesale
ULTRA2-HP		Please Login



Frozen Drink Machine

- Compact Size
- 1 gallon cylinder - 3 gallon hopper
- Up to 115 cups per hour
- Lighted Flavor Sign
- Refrigerates mix overnight
- Air Cooled
- 24"H x 10-1/2"W x 20-1/2"D
- Weight: 110 lbs.
- 115V, 11 amp

Item No.	Retail	Wholesale
117A		Please Login

Ships Direct From Factory

Qualifies For FREIGHT ALLOWED



Frozen Drink Machine

- Compact Size
- 2 gallon cylinder - 4 gallon hopper
- Up to 160 cups per hour
- Lighted Flavor Sign
- Refrigerates mix overnight
- Air Cooled
- 28"H x 12"W x 24"D
- Weight: 140 lbs.
- 115V, 11 amp

Item No.	Retail	Wholesale
127A		Please Login

Ships Direct From Factory

Qualifies For FREIGHT ALLOWED



Ice Hawk Cooler Merchandiser

- Comes complete with casters and dome lid
- Dimensions: 22"D x 36"H
- Can capacity - 106

Item No.	Retail	Wholesale
3801077		Please Login



Super Keg Cooler

- Can be used as a can/bottle or keg cooler
- 25.25”D x 30”H
- Efficiently cools an 8 or 16 gallon keg with only three bags of ice
- Can cool 168-12 oz. cans or bottles
- Pump not included

Item No.	Description	Retail	Wholesale
3001003	Cooler		Please Login
2750109	Wheel kit		Please Login
2151135	Keg Tap		Please Login

Optional Casters & Pump Sold Separately





8242
cup dispenser



25042
Truck rack

Igloo Coolers

Takes the abuse of the toughest job site and the most punishing work crews. HDPE hide won't chip, peel, buckle or rust. Ultratherm insulation for maximum cold retention. White FDA Grade inner liner is easy to clean and resists stains and odors. 5-year warranty. All parts are replaceable for extended life.

Item No.	Description	Retail	Wholesale
431	3 gallon cooler		Please Login
451	5 gallon cooler		Please Login
4101	10 gallon cooler		Please Login
42051	5 gallon cooler-Green		Please Login
42052	10 gallon cooler-Green		Please Login
Accessories			
24009	Spigot - 1-10 gallon		Please Login
8242	Cup dispenser 4 & 4.5 oz		Please Login
25042	Truck rack for 431, 451		Please Login
18208201	4.25 oz Rolled cups (200/sleeve) (25 sleeves/case)-priced per sleeve		Please Login

WHILE SUPPLIES LAST

CENTURY WIRE AND CABLE

White Extension Cords

- Jacket type SJTW-A



White 12 Gauge 3-wire

Item No.	Description	Ctn. Qty.	Retail	Wholesale
D14512015	15', non-lighted	15		Please Login
D14512025	25', non-lighted	12		Please Login
D14512050	50', non-lighted	6		Please Login



Heavy-duty White Multi-Outlet Cord-6 outlets

- This 12/3 50' cord has an extreme duty 600 volt jacket
- The outlets are every 10'
- -40º Coldweather Jacket
- Water & flame resistant
- Lighted ends
- Individually boxed

CENTURY WIRE AND CABLE

Item No.	Retail	Wholesale
D1242		Please Login

NEW! AVAILABLE AS A BOX OF 25!



Asphalt Tent Stake Hole Plugs

- A permanent solution
- Goes in quickly, looks natural
- Cold weather won't crack it
- Hot weather won't melt it
- No extra fill needed
- Saves money and time

PLUG-R

Item No.	Stake Size	Top Diam.	No. Per Case	Retail	Wholesale
106050-25	3/4"	1"	25		Please Login
106100-25	7/8"	1-1/4"	25		Please Login
106150-25	1-1/8"	1-1/2"	25		Please Login
106200-25	1-1/4"	1-3/4"	25		Please Login
106300-25	1-1/2"	2"	25		Please Login
106400-25	1-3/4"	2-1/4"	25		Please Login
106100	7/8"	1-1/4"	320		Please Login
106150	1-1/8"	1-1/2"	176		Please Login



1" White Tent Strap Ratchet

- 1" x 14' strap assembly
- 1" x 12' loose strap with snap hook
- Ratchet with 24" sewn strap and forged ring
- 3,000 lb. break strength
- 1,000 lb. working load limit

Item No.	Retail	Wholesale
ST400		Please Login

Protective White Chair Bags

- Durable poly bags
- Designed to individually cover your wooden chairs before you place them in their canvas bag
- Bag size is 22" x 40"



Item No.	Retail	Wholesale
14971		Please Login



Tent Caps (Rebar - White)

- Designed for the party and rental industries
- Prevents potential injury from protruding rebar
- Made of a tough ABS plastic and are white to provide visible yet unobtrusive protection
- 100 per carton

Item No.	Retail	Wholesale
14610L		Please Login

Heavy-duty Pedal Karts

PRIME KARTS



Any combination of 1 to 3 Racers ships UPS.

XS-4 RACER

The perfect pedal go-kart for ages 2 to 8. It rides like the “big kid” models with the same look and feel.

- For ages 2-8 with a 100 lb. weight limit
- Steel frame with powder coated paint
- Air filled all-terrain tires with inner tubes
- Coaster brake with reverse
- 3 position adjustable seat

Item No.	Retail	Wholesale
RACER-PRIME-KART		Please Login



XXL-4 TRACKER

The ultimate pedal kart for couples and families! The Tracker is a heavy duty side-by-side tandem with two independent sets of drives and seat adjustments. Rumble seats can be added so younger kids (1-4 years) can ride along.

- TWO independent drives
- Dual independent transmissions
- For ages 7-adult with a 500 lb. weight limit
- Hand brake/parking brake
- Heavy wall steel tubing with durable powder coating
- Sealed ball bearing for easy pedaling
- Air filled tires with innertubes
- Usable spare tire included

Item No.	Retail	Wholesale
XXL-4-TRACKER BLUE		Please Login
XXL-4-TRACKER GREEN		Please Login
XXL-4-TRACKER RED		Please Login





XL-4 CHARGER

Take on the toughest terrain with confidence in this versatile cart. Four all-terrain tires, articulated front-end design, and a patented transmission with reverse will have you tearing up the trails in record time.

- For ages 7 - adult with a 350 lb. weight limit
- Greaseable fittings on front axles
- Sealed ball bearings for easy pedaling
- Air filled all-terrain tires with inner tubes
- Coaster brake with reverse
- Hand brake/parking brake
- 6 position adjustable seat

Item No.	Frame	Retail	Wholesale
XL-4-CHARGERBLUE	Black		Please Login
XL-4-CHARGERGREEN	Black		Please Login
XL-4-CHARGERYELLOW	Black		Please Login

Nitro, Baja and Ranger decals can be special ordered. See website for details.



B.A.S.H. Sledge Hammers

- Unbreakable technology
- Hi-visibility green head
- Steel core eliminates breaking
- Drop forged 46 HRC head
- Anti-vibe neck prevents injury
- No-slip textured handle for secure grip
- Lanyard hole
- Tested for 25,000 overstrikes
- Meets ANSI standards

Item No.	Head Size	Handle	Retail	Wholesale
20212	2-1/2 lb.	12″		Please Login
20412	4 lb.	12″		Please Login
20416	4 lb.	16″		Please Login
20630	6 lb.	30″		Please Login
20816	8 lb.	16″		Please Login
20824	8 lb.	24″		Please Login
20830	8 lb.	30″		Please Login
20836	8 lb.	36″		Please Login
21016	10 lb.	16″		Please Login
21036	10 lb.	36″		Please Login
21236	12 lb.	36″		Please Login
21430	14 lb.	30″		Please Login
21436	14 lb.	36″		Please Login
22036	20 lb.	36″		Please Login



Includes:
(1) 4 lb. Head 12 in. Sledge Hammer
(1) 32 oz. Head 14 in. Ball Pein Hammer
(1) 2 lb. Head 16 in. Cross Pein Hammer

B.A.S.H Mechanics Hammer Kit

- Unbreakable technology
- Steel core eliminates breaking during overstrikes
- Drop forged 46 HRC head
- Anti-vibe neck prevents injury from repeated use
- No-slip textured handle for secure grip
- Tested for 25,000 overstrikes
- Meets ANSI standards

Item No.	Retail	Wholesale
11111		Please Login



Kwik-Can Covers

Disguise those rusty metal trash barrels and unsightly plastic drums with a Kwik-Can Cover.
Kwik-Can Covers feature tough elastic at both ends holds this durable, all-weather plastic trash can sleeve snugly in place, leaving you with a clean, pleated look.
Sold as case of 50.

Item No.	Description	Retail	Wholesale
CANCVR-33GAL-RECY	33 gal. - Recycle logo (50/case)		Please Login
CANCVR-33GAL-W	33 gal. - White (50/case)		Please Login
CANCVR-55GAL-RECY	55 gal. - Recycle logo (50/case)		Please Login
CANCVR-55GAL-W	55 gal. - White (50/case)		Please Login

Kwik-Block Covers

BLOCK202022

The Kwik Cover Tent Ballast Block Cover is the ideal solution to conceal ballast blocks during events.

- Significantly improve the appearance of the tent area
- One-size-fits-all
- White only
- Fits: 20” x 20” x 12” (350lb.)
  20” x 20” x 16” (500lb.)
  20” x 20” x 22” (750lb.)
- Sold as case of 100.





Item No.	Retail	Wholesale
BLOCK202022		Please Login



Kwik-Covers



6' x 30"
8' x 30"
Banquet
Tables



60"
30"
Round
Tables



Boxes of 100 or
Individually Packaged

Custom Fit Tablecovers

- Saves time
- Won't blow off in the wind
- No need for tape, tacks or staples
- Not biodegradeable - check local recycling laws



Item No.	Description	Retail	Wholesale
3096-W	8' table (100/box)		Please Login
60-W	60" table (100/box)		Please Login
30-W	30" table (25/pack)		Please Login
3072PK-W	Individual 6'		Please Login
3096PK-W	Individual 8'		Please Login
48PK-W	Individual 48"		Please Login
60PK-W	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3096-B	8' table (100/box)		Please Login
60-B	60" table (100/box)		Please Login
30-B	30" table (25/pack)		Please Login
3072PK-B	Individual 6'		Please Login
3096PK-B	Individual 8'		Please Login
48PK-B	Individual 48"		Please Login
60PK-B	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
30-GR	30" table (25/pack)		Please Login
3072PK-GR	Individual 6'		Please Login
3096PK-GR	Individual 8'		Please Login
48PK-GR	Individual 48"		Please Login
60PK-GR	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3096-GOLD	8' table (100/box)		Please Login
3072PK-GOLD	Individual 6'		Please Login
3096PK-GOLD	Individual 8'		Please Login
48PK-GOLD	Individual 48"		Please Login
60PK-GOLD	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
30-BLK	30" table (25/pack)		Please Login
3072PK-BLK	Individual 6'		Please Login
3096PK-BLK	Individual 8'		Please Login
48PK-BLK	Individual 48"		Please Login
60PK-BLK	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-M	Individual 6'		Please Login
3096PK-M	Individual 8'		Please Login
48PK-M	Individual 48"		Please Login
60PK-M	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-P	Individual 6'		Please Login
3096PK-P	Individual 8'		Please Login
48PK-P	Individual 48"		Please Login
60PK-P	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-O	Individual 6'		Please Login
3096PK-O	Individual 8'		Please Login
48PK-O	Individual 48"		Please Login
60PK-O	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-LB	Individual 6'		Please Login
3096PK-LB	Individual 8'		Please Login
60PK-LB	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3096-R	8' table (100/box)		Please Login
60-R	60" table (100/box)		Please Login
30-R	30" table (25/pack)		Please Login
3072PK-R	Individual 6'		Please Login
3096PK-R	Individual 8'		Please Login
48PK-R	Individual 48"		Please Login
60PK-R	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-PINK	Individual 6'		Please Login
3096PK-PINK	Individual 8'		Please Login
60PK-PINK	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3096-RW	8' table (100/box)		Please Login
60-RW	60" table (100/box)		Please Login
30-RW	30" table (25/pack)		Please Login
3072PK-RW	Individual 6'		Please Login
3096PK-RW	Individual 8'		Please Login
48PK-RW	Individual 48"		Please Login
60PK-RW	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-BW	Individual 6'		Please Login
3096PK-BW	Individual 8'		Please Login
48PK-BW	Individual 48"		Please Login
60PK-BW	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-BLKW	Individual 6'		Please Login
3096PK-BLKW	Ind. Pack. 8' cover		Please Login
48PK-BLKW	Individual 48"		Please Login
60PK-BLKW	Ind. Pack. 60" cover		Please Login



Item No.	Description	Retail	Wholesale
3072PK-CELEBRATION	Individual 6'		Please Login
3096PK-CELEBRATION	Individual 8'		Please Login
60PK-CELEBRATION	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-PATRIOTIC	Individual 6'		Please Login
3096PK-PATRIOTIC	Individual 8'		Please Login
60PK-PATRIOTIC	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-Z	Individual 6'		Please Login
3096PK-Z	Individual 8'		Please Login
60PK-Z	Individual 60"		Please Login



Item No.	Description	Retail	Wholesale
3072PK-L	Individual 6'		Please Login
3096PK-L	Individual 8'		Please Login
60PK-L	Individual 60"		Please Login

16 Teams Added

Kwik-Covers

Packaged and Sold Individually



Washington Commanders running back and Oklahoma University alumni Adrian Peterson

Official NCAA Kwik-Covers 6' x 30"





Item No.	Description	Retail	Wholesale
C3072PK-AL	Alabama-Individual 6'		Please Login
C3072PK-ARZ	Arizona 6'		Please Login
C3072PK-ARS	Arizona State 6'		Please Login
C3072PK-ARK	Arkansas 6'		Please Login
C3072PK-AUB	Auburn 6'		Please Login
C3072PK-CL	Clemson 6'		Please Login
C3072PK-CO	Colorado-Individual 6'		Please Login
C3072PK-FLA	Florida 6'		Please Login
C3072PK-FSU	Florida State 6'		Please Login
C3072PK-IL	Illinois-Individual 6'		Please Login
C3072PK-IU	Indiana-Individual 6'		Please Login
C3072PK-IA	Iowa-Individual 6'		Please Login
C3072PK-KSU	Kansas State 6'		Please Login
C3072PK-LOU	Louisville 6'		Please Login
C3072PK-LSU	LSU 6'		Please Login
C3072PK-MI	Michigan-Individual 6'		Please Login
C3072PK-MCS	Michigan State 6'		Please Login
C3072PK-MST	Mississippi State 6'		Please Login
C3072PK-MO	Missouri-Individual 6'		Please Login
C3072PK-UNC	North Carolina-Individual 6'		Please Login
C3072PK-NCS	NC State-Individual 6'		Please Login
C3072PK-OK	Oklahoma-Individual 6'		Please Login
C3072PK-PST	Penn State 6'		Please Login
C3072PK-SC	South Carolina 6'		Please Login
C3072PK-SYR	Syracuse-Individual 6'		Please Login
C3072PK-TEN	Tennessee 6'		Please Login
C3072PK-TT	Texas Tech-Individual 6'		Please Login
C3072PK-VAT	Virginia Tech-Individual 6'		Please Login
C3072PK-WV	West Virginia 6'		Please Login







Plastic Folding Chairs

- "Rhino Tough, Rhino Strong"
- Injection-molded plastic seat and back
- Seat plate attached to frame by 8 rivets
- 18-gauge, 3/4" tubular steel frame
- Baked on powder enamel, tested to be lead-free
- Ultraviolet additives for super protection
- Triple rivet brackets at the seat for better strength
- SGS Laboratory tested to 300 lbs. live load
- SGS Laboratory tested to 800 lbs. static load
- Non-marring replaceable feet
- Chairs interstack with many other brands
- Color: White
- Dimensions:
  Overall Height: 31.5"
  Overall Width: 17.5"
  Weight: 7.5 lb each
- ***Sold 10 per box***

Item No.	Description	Retail	Wholesale
2180	White - 10/Box		Please Login
2185	Black - 10/Box		Please Login
2190	Brown - 10/Box		Please Login
2167	Bone - 10/Box		Please Login



Resin Folding Chairs

- Made from 100% polypropylene resin
- Zinc coated, never-rust screws
- Load rests on two seat bars, not on screws
- Load tested by SGS Laboratories
- Heavy duty construction - supports up to 1,000 lbs
- Comfortable, flexible, padded foam seat
- Seat snaps in/out for easy cleaning
- Simple interlocking features for stacking
- Stain resistant surface - just wipe clean

* Weatherproof and UV Protected to prevent fading

- Stack up to 30 chairs on dolly
- Dimensions:
  Overall height: 30.75"
  Overall width: 17.5"
  Weight: 11 lbs. each
- ***Sold 4 per box***

Item No.	Description	Retail	Wholesale
2302	White - 4/Box		Please Login
2305	Black - 4/Box		Please Login



Banquet Plastic Blow Mold Folding Tables

- Easy, safe storage and transport
- Lightweight, strong & durable
- Poly top impervious to spills & scratches
- Easy to clean
- Auto-locking steel wishbone legs
- Weather Resistant — Great for indoor/outdoor use
- 400 lb. capacity

Item No.	Description	Retail	Wholesale
3712	6'x30" Rectangular		Please Login
3713	8'x30" Rectangular		Please Login
3716	60" Round		Please Login



Banquet Resin Folding Tables

- Rhino Tough. Rhino Strong.
- Weather Resistant and Maintenance Free
- Never Needs Sanding or Refinishing
- 3/4" Lip for Skirting
- Independently Tested and Approved
- Lightweight - Easy to Grip and Carry
- Auto-Locking Steel Wishbone Legs and Steel Frame
- Stain-Resistant Surface Won't Crack or Splinter
- Legs 15" from Ends for Extra Dining Comfort

Item No.	Description	Retail	Wholesale
3630	6'x30" Rectangular		Please Login
3635	8'x30" Rectangular		Please Login
3640	60" Round		Please Login



Sold In Multiples of 4

Premium Stackable Folding Chair

- Sold 4 per box
- Strengths of a metal folding chair with the benefits of a plastic folding chair
- Color-impregnated polypropylene plastic
- Powdercoated steel frame
- 29-3/4"H x 18-3/4"W x 20-3/4"D.
- **Ships factory direct.**

Item No.	Plastic/Frame Color	Retail	Wholesale
NPS802	Gray/Gray		Please Login
NPS805	Blue/Gray		Please Login
NPS810	Black/Black		Please Login
NPS818	Burgundy/Black		Please Login
NPS821	White/White		Please Login



Sold In Multiples of 4

Lightweight Folding Chair

- Sold 4 per box
- High-quality blow-molded resin
- Contoured seat and back for comfort
- Stain resistant
- Textured powder coated frame has two crossbraces
- **Ships factory direct.**

Holds 300 lbs.

Part#	Overall HxWxD	Retail	Wholesale
NPS602	32"x18-3/4"x21-1/2"		Please Login



Chair Dolly

- Use with 800 Series chairs
- 36 chair stack capacity
- 11-gauge steel
- 4" casters - 2 swivel & 2 fixed

Item No.	Retail	Wholesale
DY800		Please Login



Lightweight Folding Tables

These lightweight blow-molded plastic folding tables are perfect for indoor or outdoor, or any other application that calls for affordable, lightweight, weather-proof, and highly durable folding tables. **Ships factory direct.**

- Sold 2 per box
- Can withstand heat up to 212º Farenheit.
- Lightly speckled gray with matching gray textured powder coated legs 17-gauge strength

Item No.	Description	Size (WxLxD)	Capacity	Weight lbs.	Retail	Wholesale
BT3060	5' Rectangular	30"x60"x1-3/4"	1,500 lbs.	41		Please Login
BT3072	6' Rectangular	30"x72"x1-3/4"	1,500 lbs.	48		Please Login
BT3096	8' Rectangular	30"x96"x2"	1,000 lbs.	64		Please Login
BT60R	5' Round	60"dia. x 2"	1,000 lbs.	55		Please Login
BT71R	5'11" Round	71"dia. x 2"	800 lbs.	82		Please Login

Tent Cleaners

1 Gallon

SHIPP



Tent Cleaner

- Removes mildew stains and penetrates dirt film
- Use with the pressure washer

Item No.	Retail	Wholesale
TC789		Please Login



Miracle Tent Mildew Proof Treatment

- One gallon covers 2,650 sq. ft.
- Once treated, it lasts for over one year
- Can fold up tents wet and store them

Item No.	Retail	Wholesale
TMP123		Please Login



Blitz Mildew Remover

- Mildew remover penetrates and kills the spore

Item No.	Retail	Wholesale
12010T		Please Login

Dual Fuel or Propane Direct-Fired Heaters

Compact and quiet, Premier heaters in their neutral white color are perfect for tent applications. The Advanced Service Saver self-diagnostic feature makes them easy to maintain. All models are certified to CSA standards.

40,000 BTU

- 330 CFM
- 1.86 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 2.6 starting amps, 1 amps continuous operation
- 24.8"L x 14.5"W x 16.2"H
- Includes 15' gas hose, regulator & thermostat



Item No.	Description	Retail	Wholesale
TS040	40,000 BTU - Propane Only		Please Login
09454	Thermostat with 20' cord		Please Login
573812	Replacement thermostat 20' cord		Please Login
132544	Distribution duct kit, white 8"dia. x 12"L		Please Login
132540	Diffuser w/quick connect		Please Login
132541	End diffuser (fits end of 8" dia. ducting)		Please Login


80,000 BTU

- 450 CFM
- 3.7 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 5 starting amps, 2 amps continuous operation
- 30"L x 14"W x 20"H
- Includes 15' gas hose, regulator & thermostat w/ 1.4' cord



Item No.	Description	Retail	Wholesale
TS080 2.0	80,000 BTU - Propane Only		Please Login
CS080DF 2.0	80,000 BTU - Dual Fuel		Please Login
Accessories for 2.0 Heaters (Current Model)			
132902	Unit diffuser -TS080 2.0		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1.0 Heaters (Past Model)			
26349	Unit diffuser w/quick connect		Please Login
09454	Thermostat w/inline plug, 20' cord		Please Login
Accessories for all Premier 80 Heaters			
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

Diffuser and duct sold seperately



No Open Flame!

170,000 BTU

- 1200 CFM
- 7.9 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 8 starting amps, 3 amps continuous operation
- 31"L x 18"W x 28"H
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
TS170 2.0	170,000 BTU - Propane Only		Please Login
CS170DF 2.0	170,000 BTU - Dual Fuel		Please Login
Accessories for 2.0 Heaters (Current Model)			
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1.0 Heaters (Past Model)			
09454	Thermostat w/inline plug, 20' cord		Please Login
Accessories for all Premier 170 Heaters			
26351	Unit diffuser w/quick connect		Please Login
26347	Duct kit, white, 12" dia. x 12'L		Please Login
26350	Diffuser for end of duct includes ring		Please Login
09054	Clamp to hold #26617		Please Login
26617	12" duct adapter ring (flange)		Please Login

350,000 BTU

- 2400 CFM
- 16.2 lbs. per hour consumption
- Direct spark ignition
- 115 volts, 30 starting amps, 14 amps continuous operation
- 48"L x 22"W x 41"H
- LINK™ subscription ready
- Includes 15' gas hose, regulator & thermostat w/1.4' cord



Item No.	Description	Retail	Wholesale
TS350DF 2.0	350,000 BTU - Dual Fuel		Please Login
Accessories for 2.0 Heaters (Current Model)			
22835	Duct kit, white, 18" dia. x 12'L		Please Login
30125	Thermostat w/female plug, 25' cord		Please Login
Accessories for 1.0 Heaters (Past Model)			
22920	Thermostat w/inline plug, 20' cord		Please Login
Accessories for all Premier 350 Heaters			
23189	Diffuser for end of duct includes ring		Please Login
23050	18" duct adapter ring (flange)		Please Login
573761	Clamp to hold #23050		Please Login

Dual Fuel or Propane Direct-Fired Heaters

HEATSTAR by ENERCO

NOMAD

ETL LISTED

No Open Flame!

Big heat with big features. The new Nomad tent and construction heaters from HeatStar, have all the quality and durability you have come to trust from the HeatStar brand. Whether you are looking for a heater to put a lot of heat on to a job site or for a unit to quietly sit out of sight at an outdoor event, the HeatStar Nomad heaters are an ideal solution for either. Generously equipped with features to make it easy to use and cheap to operate.

- 6 Output rates on 3 separate units
- 15 ft. hose and regulator included
- Dual fuel standard (LP/NG)
- Multi-rate (High & Low Settings)
- High CFM for greater circulation
- Easy reset high limit switch
- 4 tie down connections (HS190TC, HS250TC)
- Fan-Only option for air circulation
- Remote thermostat with 20' cord
- Spark ignition
- ETL Certified

HS115 - 115,000 BTU

- 650 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 30"L x 15"W x 23-3/4"H

SHIPS BY TRUCK



Item No.	Description	Retail	Wholesale
HS115SF	115,000 BTU - Propane Only		Please Login
HS115TC	115,000 BTU - Dual Fuel		Please Login
F109105	Diffuser for HS115TC		Please Login
F109106	Duct adapter for HS115TC		Please Login
F109107	30" Short duct for HS115TC		Please Login
F109108	10' duct for HS115TC		Please Login

Includes 15' Gas Hose, Regulator, and Thermostat

HS190 - 190,000 BTU

- 1600 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H

SHIPS BY TRUCK



Item No.	Description	Retail	Wholesale
HS190SF	190,000 BTU - Propane Only		Please Login
HS190TC	190,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login

HS250 - 250,000 BTU

- 2100 CFM high-output fan
- High and low heat settings
- Easy reset high limit-switch
- Electronic spark ignition
- Requires 115V
- 34-3/4"L x 35-3/4"W x 20-1/4"H

SHIPS BY TRUCK



Item No.	Description	Retail	Wholesale
HS250SF	250,000 BTU - Propane Only		Please Login
HS250TC	250,000 BTU - Dual Fuel		Please Login
F109115	Diffuser for HS190TC or HS250TC		Please Login
F109116	Duct adapter for HS190TC or HS250TC		Please Login
F109117	30" Short duct for HS190TC or HS250TC		Please Login
F109118	10' duct for HS190TC or HS250TC		Please Login
F109119	Storage box		Please Login



F109105
F109115



F109107
F109117



F109108
F109118



F109106
F109116



F109119

Portable Oil Indirect-Fired Heaters

- 100% clean, dry heat
- High pressure operation
- Four-loop exhaust gas system™ for higher efficiency
- Temperature rise 160ºF
- Runs on #1 & #2 diesel, kerosene, JP-8 or Jet A
- Low power consumption-runs on 15 amp circuit
- Thermostat sold separately
- Fuel gauge
- Extra large capacity tanks

No Open Flame!



HVF110 - 110,000 BTU

- 22 hour run time
- 120v, 6amp
- 1,020 cfm
- Temperature rise = 160º F
- Ductable up to 25'
- 100 lbs.

Item No.	Description	Retail	Wholesale
HVF110	Heater		Please Login
WD1220G	20' Duct		Please Login
AR110	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
EF1	Raincap/Flue stack		Please Login

heat wagon



HVF210 - 205,000 BTU

- 19 hour run time
- Preheated fuel filter
- 120v, 9amp
- 1,530 cfm
- Temperature rise = 160º F
- Ductable up to 50'
- 180 lbs.

Item No.	Description	Retail	Wholesale
HVF210	Heater		Please Login
WD1425	25' Duct		Please Login
AR210	Duct ring		Please Login
26350	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR212	Two-way adapter		Please Login
WD1220	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login

heat wagon



HVF310 - 300,000 BTU

- 16 hour run time
- Preheated fuel filter
- 120v, 12amp
- 2,500 cfm
- Temperature rise = 160º F
- Ductable up to 50'
- 270 lbs.

Item No.	Description	Retail	Wholesale
HVF310	Heater		Please Login
WD1825	25' Duct		Please Login
AR310	Duct ring		Please Login
23189	Duct diffuser		Please Login
THIDF	Thermostat (50')		Please Login
AR312	Two-way adapter		Please Login
WD1220G	Duct for two-way		Please Login
EF1	Raincap/Flue stack		Please Login



Can Use L.B. White Diffusers

Note: A duct adapter ring is required to connect duct



Flue Kit - EF1

Screw clamp-SCR18



Two-way Duct Adaptor

- *Only compatible with HVF210 and HVF310. (12" outlets) PN-AR212, AR312*
- *Duct-WD1225*



Portable Propane Cabinet Heater

- 6,000, 12,000, or 18,000 BTU per hour
- Ideal for restaurant patio seating
- Lower cost than heating towers
- Heats up to 450 sq. ft.
- No electricity required
- Quiet and odorless
- Hose and regulator included
- D 14.25” x H 23.50” x W 19.75”

Item No.	Retail	Wholesale
HS18CH		Please Login



Zubri Portable Patio Heater

- 40,000 BTU’s
- 7’3” tall (Case-56.5” tall x 15” wide)
- Heats approximately 300 sq. ft.
- No tools are necessary
- Legs detach for storage and transport
- Hard-shell carrying case and carrying bag for reflector
- Tip switch
- One year warranty



Item No.	Retail	Wholesale
Z1-12CK		Please Login





Rhino Collapsible Patio Heater

- 41,000 BTU’s
- Unique ***collapsible*** design for transport & storage
- Integrated table top
- Easy start electric ignition
- Commercial grade steel with gold hammered powder coat
- Heavy-duty wheels and handle
- 1 Year limited warranty
- CSA tested and approved
- One year warranty



Item No.	Color	Retail	Wholesale
4070	Bronze		Please Login
4075	Black		Please Login

Stainless Steel

Antique Bronze

Jet Silver



Radiant Patio Heaters

- 40,000 BTUs
- Covers 10’ - 15’ diameter
- Convenient "Piezo" match free ignition
- 100% safety control
- Portable wheel kit included
- Unit meets or exceed CSA and UL
- Up to 10 hours of use with standard 20 gallon OPD Cylinder

Item No.	Color	Retail	Wholesale
PC02AB	Antique Bronze		Please Login
PC02JS	Jet Silver		Please Login
PC02SS	Stainless Steel		Please Login

INDEX

-A-

Abrasives 104-106
Adapters, Electric 72
Adhesive Caulk 64
Adhesive, Construction 64
Adhesive Strips Refill 107
Adjustable Wrenches 145
Aerator 103
Air Filters 123-124
Air Hose 55
Air Hose Couplers 54-55
Air Mover 121-122
Air Purifiers 123
Air Scrubber 123
All Purpose Cleaner 66
All Terrain Vise 68
Angle Grinder 95
Asphalt Lute 100
Asphalt Plugs 131
Atlas Digger 100
ATV Vise 68
Augers 99
Automotive 67
Axes 69
Axial Blower 122

-B-

Back Supports 49
Barricades 111
Barricade Light 111
BASH Hammers 69, 133
Batteries 145
Battery Charger 145
Beam Clamp 53
Bench Vise 68
Beverage Dispensers 129
Binders 45
Blades 68, 77, 84, 86, 90, 105
Block Covers 133
Blowers & Fans 120-123
Body Harness 48-49
Bolt Clamps 54
Booster Cables 67
Boots 34
Bosch 82, 85, 92-97
Bottle Jack 52
Breakaway Safety Vest 112
Breaker Hammers 96-98
Brute, Breaker Hammer 96
Buckle Boots 34
Buddy Heaters 12
Bull Floats 90
Bungee Cords 46

-C-

Cable Ties 46, 71
Cam & Groove Couplings 57
Can Covers 133
CARB Cans 50
Cargo Bar 45
Carpenter Pencil 81
Carpet Blowers 86, 121
Carpet Cleaning Chem. 86
Carpet Knee Kicker 87
Carpet Tools 87
Caution Tape 49
Centrifugal Pump 61
Chains 45
Chain Binder 45
Chain Hoist 53
Chair Bags 131
Chair Dolly 137
Chairs 136-137
Chalk/Chalk Lines 81
Channelizer Cones 111
Chargers, Battery 145
Chisels 92-98
Clamps 53
Clay Spades 94, 96, 98
Cleaners & Degreasers 63, 66, 86, 137
Clear Tape 74
Combination Hammer 95
Compost Spreader 102
Concession Items 125-129
Concrete Floats 90
Concrete Finishing 90
Concrete Mixers 91
Confined Space Ventilator 122
Contractor Lifts 114-115
Coolers 130
Cord Adapters 72
Cord End Replacements 72
Core Bits 92-94
Cotton Candy Machine/Supplies 125
Couplings 54-57
Crayons 81
Credit Application 146
Cut-off Wheels 104

-D-

Danger Flags 49
Danger Tape 49
Degreasers & Cleaners 63, 66, 86, 137
Dehumidifiers 124
Demolition Hammer 95
Diamond Blades 68, 104-105
Digger Tamper Bar 100
Discharge Hose 56
DisposaCone 110
Dollies 68
Drain Cleaners 116-119
Drill Bits 104
Drill Press, Overhead 113
Drink Machine 129
Drum Fans 120
Drum Sander 88
Drywall/Wallpaper Tools 63, 113
Drywall Lifter 113
Duct 8-9, 16, 18-21, 122
Duct Diffusers 9, 20-21
Duct Ring 9, 20-21
Duct Tape 74
Dust Masks 109
Dustbuddie 78
Dustless Vacuum Systems 78

-E-

Ear Plugs 109
Edger, Floor 89
Elastic Tie Downs 46
Electric Drain Cleaners 116-119
Electric Eel 116-119
Electrical Plugs 72-73
Electrical Safety 70
Electrical Tape 74
Engine Parts 145
Epoxy 65
Extension Cords 43, 70-71, 131
Extension Ladders 76
Event Supplies 125-141
Eye Flush Bottles 107
Eyewash Replacement Bottle 107
Eyewash Station 107

-F-

Fall Protection 49
Fans 120-123
Fence 110
Fill 'n Chill Party Table Accessories 145
Filter, HEPA Vac 78
First Aid Kits/Refills 107
First Aid Station 107
Flagging 49, 81
Flashlights 41
Floats 90
Floor Care 84-89
Floor Dryer 86
Floor Edger 89
Floor Installation 87
Floor Preparation 87-89
Floor Sander 88-89
Floor Scraper 84-85, 97
Floor Stripper 84-85
Folding Chairs 136-137
Folding Tables 136-137
Forearm Forklift 48
Forestry Hard Hat 108
Frozen Drink Machine 129
Fuel Containers 50
Furniture Dolly 68

-G-

Garden Hose 54
Gas Pressure Test 28
Gaskets 54, 56-57
Gauges 28
General 99, 84-85, 122
Generators 42-43
Generator Cords & Adapters 42-43
GFCI/Adapters 70
Glass Cleaner 66
Gloves 35-37
Goggles 39
Grain Shovel 101
Grease Guns 64
Grinder, Angle 95
Grinder, Floor 89
Grinding Wheels 104-105

-H-

Halogen Lights 145
Hammer (Combo & Rotary) 95
Hammer (Sledge) 69, 133
Hammer Bits/Steel 92-98
Hand Cleaner 65
Hand Pump 64
Hand Tools 68-69
Hand Wipes 65
Handles 90
Hard Hats 108
Hard Hat Liners 35
Harness 48-49
Head Protection 108
Hearing Protection 109
Heating Oil Treatment 7, 50

Heaters
- Buddy 12
- Construction 18-21
- Convection....14-15
- Cordless 11
- Direct Spark 6
- Electric 16-17
- Garage 13-14
- Heatstar 5, 8, 10, 12 14-15, 21, 23, 139
- Heat Wagon 8-9, 16-18, 140
- Indirect Fired....9
- Infrared 8, 14-15
- L.B. White 6, 13-15, 20, 22, 138
- Natural Gas....14-15, 18-21, 138-139
- Oil Fired....4-9
- Patio 23, 141
- Propane....10-15, 18-22, 138-139, 141
- Radiant 14-15
- Sureflame 19
- Tank Top....12
- Tent....20-22, 138-141

HEPA Vacs 78
Hitches 67
Hoist, Chain 53
Hoist, Lever....53
Hole Diggers 99-100
Honda Parts 145
Hoses & Accessories....54-57
Hoses, Air 55
Hoses, Discharge 56
Hoses, Propane/Natural Gas 31
Hoses, Suction 56
Hoses, Torches 62
Hoses, Water 54
Hose Fittings 54-57
Hose Menders....57
Hot Dog Steamer 129
Hot Hands....35

-I-

Ice Table, Accessories 145
Igloo 130
Ignitors 24
Inline Lubricators....54

-J-

Jackhammer Hose....54
Jackhammer Steel 96, 98
Jacks, Bottle/Screw/Pallet....52
Job Sizing 7

-K-

Karts, Pedal 132
Keg Cooler 130
Kerosene Additive....24
Knee Kicker, Carpet 87
Knee Pads 49
Knife Sharpeners 51
Knives....51
Knife, Utility....51, 68
Kwik-Covers....133-135

-L-

Ladders....76
Lanyard....49
Laser Levels 82-83
Laser Level Accessories 83
Lever Hoist 53
Lifting Straps....48
Lighting 41, 145
Linoleum Roller....87
Loads & Pins....104
Locking/Fasteners....47
Long Tapes 80
Lubricator 54
Lumber Crayons/Pencils....81
Lumber Crayon Holder 81

-M-

Magnetic Floor Sweeper....64
Magnetic Parts Holders....64
Magnifier Safety Glasses 40
Maintenance 64-65
Marking Flags 81
Marking Paint 79
Marking Stick 79
Marking Tools 79, 81
Mauls 69
Measuring Tapes....69, 80
Measuring Tools 69, 80
Measuring Wheel 80
Metal Detector....100
Mica Windows....24
Mixers, Concrete....91
Mold/Mildew Remover 137
Moving Blankets 48
Moving Harness 48
Multi-Outlet Extension Cord 71

-N-

Nacho Warmer 129
No-Spill 50
Non-Slip Tape 49
Nozzles....29

-O-

Oil Pumps 24
Orbital Sander....88
Outdoor Equipment 102-103
Overhead Drill Press....113
Ozone Generator 123

-P-

Padlock....47
Paint 79
Paint Striper 73, 79
Painters Tape 74
Pallet Truck....52
Panel Lifter 113
Paragon....125-129
Parts Tray 64
Party Supplies 125-141
Patio Heater 23
Pedel Karts 132
Pedestal Fans....120
Pencils 81
Photocell Tester 28
Pigtails 32
Pins & Loads....104
Plugs 72-73
Points & Chisels....92-98
POL Pigtails 32
Popcorn Popper/Supplies 126-127
Portable Heater Parts 24-31
Post Hole Digger....69
Post Pulling Tool 102
Powder Fasteners....104
Power Distribution Center/Cords 43, 73
Power Tools 95-98
Power Trowel Blades 90
Powercord Adapter 72
Preferred Cust. Program....IFC
Pressure Washers/Accessories 63
Pressure Washer Cleaners....63
Pressure Washer Wand Belt....63
Propane Tanks 33
Propane Tank Accessories 32-33
Pul-Krete....90
Pumps, Water 59-61

-R-

Radios....83, 112
Rainsuits....34
RainX 67
Ratchet Hardhats 108
Ratchet Straps....44-45
Rebar Bender/Cutter....68, 93
Rebar Caps 111
Receptacles 72
Recovery Strap/Tow Strap 45
Reflective Tape 74
Reflective Vests....112
Regulators....32, 62
Rental Extension Cord 71
Rep Coverage....IBC
Respirators 109
Rice Shovel....101
Roof Sealant....64
Rope 47
Rotary Hammers....95
Roust-A-Bout....114
Rubber Tarp Straps....46, 75

-S-

Safety Cans 50
Safety Fence....110
Safety Glasses....38-40
Safety Goggles 39
Safety Harness 49
Safety Vests 112
Sales Reps ....IBC
San Angelo Bar....100
Sandbags 110
Sanders 88-89
Sandpaper/Pads 88-89, 106
Saws....77, 86
Scoop Shovel 101
Screw Jack 52
Scrub Towels....65
Sealant....64-65
Sealing Tape 74
Shingle Removers....100
Shop Tools....64-65
Shop Towels 65
Shovels....101
Silt Fence 110
Simple Green Cleaner 66
Siphon Pumps....24, 50
Sledge Hammers 69, 133
Slidelocks 47
Sling, Web....53
Slush Boots....34
Small Engine Parts (HONDA)....145
Sno Cone Cart 128
Sno Cone Machine/ Supplies 128
Snow Shovel/Rake 101
Soil Probe 100
Spanner Wrench....56
Spark Plugs....25
Spline Chisels....93

-S-

Spline Shank Drills 92
Splitting Mauls....69
Sport Knives 51
Spot Marker 79

Sprayers 70
Spreader 102
Step Ladders....76
Step Stool 76
Stilts 63
Stop/Slow Paddles 111
Strainers 57
Straps & Chains....44-46
Stretch Wrap/Dispenser 75
Striping Paint....79
Striping Tools 79
Submersible Pumps....59-61
Suction Hose....56
Sugar Floss....125
Sumner....114-115
Surveyors Tri-pod 83
Surveyors Vest 83, 112

-T-

T-Block 32
Table Covers 134-135
Tables 136-137
Tamper 100
Tamper Bar 100
Tank Connectors 32-33
Tape 74
Tape Measures 69, 80
Tarps 75
Tarp Straps 46, 75
Tarp/Visqueen Tape 74
Tele-Tower....113
Telescoping Ladders....76
Tent & Party Supplies 125-141
Tensioning Tool 57
Tent Cleaners 137
Tent Fans 121
Tent Heaters 138-141
Tent Stake Caps 131
Tent Stake Hole Plugs....131
Tent Strap Ratchets 131
Terms & Conditions....58
Test Cord....31
Thermostat 31
Thread Sealing Tape....33
Tie Downs 44-46
Tile Breaker 84-85
Tile Cutter 77, 87
Tile Saw 77
Tillers 102
Tire Repair Kit....67
Toilet Auger 117
Tool Sharpener 51
Torches 62
Torch Hose 62
Torch Regulator....62
Tow Straps 45
Towels, Wipes....65
Traffic Cones....110
Traffic Safety 110-112
Trailer Hitch....67
Transformers....25
Trash Pumps 59-61
Tree Pruner....100
Trench Shovel....101
Tripod 83
Trowel Blades 90
Trowel Blade Conversion Ch 90
Tune-Up Kits 30
Twine....47
Two-Way Radio 83, 112

-U-

Universal Couplings 54
Upside Down Paint 79
Utility Knife 51, 68

-V-

Vacuums 78
Ventilator....122
Vests, Safety 83, 112
Vises 68

-W-

Wallpaper Steamer Accessories 63
Warmer, Nacho, Popcorn, Peanut 129
Water Hose 54
Water Pumps 59-61
WD-40 Lubricant....65
Web Slings 53
Wet Floor Sign 145
Wet/Dry Vac 78
Wet Tile Saw....77
Wheel Chock....67
Wheelbarrow....102
Whip Check Cable 54
Wipes 65
Wire Terminals 25
Wobblelights 41
Woodsman Hat 108
Work Platform 113
Worklights 41
Wrenches 145

-Z-

Zip Ties 46, 71

-Manufacturer Index-

3M....74
Abbott 54-57
Accusharp....51
Aervoe....66, 79, 103
AMH 53
BE Pressure 63
Black Stallion 35-37
Bosch 82, 85, 92-97
Bunn 129
Cargoloc 44-46, 75
Century 43, 71, 131
Chicago Pneumatic....98
Cortina 110-111
Crain 86
Crossfire 38, 40
DAP....64
Dewalt....4, 11-12, 15, 17, 36, 39, 42, 88-89
Dri-Eaz....86, 121-124
Dustless Technologies 78
Earlex 63
Edge 145
Electric Eel 116-119
Fill 'n Chill 145
FloTec 145
Formarm Forklift 48
Frosty Factory....129
Generac 42
General 84-85, 99, 122
Gold Medal 125
Grip 44, 46, 55, 66, 68
GripRite....75
Gundlach....87
Heat Wagon 8-9, 16-18, 140
HeatStar 5, 8, 10, 12 14-15, 21, 23, 139
Igloo 130
Imer....77, 91
IPG 74
Irwin 68
J&D Manufacturing 121-122
Jackson Safety 40
Jet 52, 68
Justrite 50
Kenwood 112
Keson....69, 80-81
Kimberly-Clark 40, 65
Koshin....59
Kwik-Covers....133-135
L.B. White 6, 13-15, 20, 22, 138
Little Giant....76
Loctite 64
Marshalltown....90
Maxim 102-103
Mr. Heater....12
Nite Ize 47
No-Spill 50
Norseman 104
NW Quik Pull....102
OdorStop....123
P.R.E. 23, 136, 141
Pac-Kit 107
Paragon 125-129
Paragon Pro 113
Patio Comfort 23
Peerless 45
Plug-R....131
Prime Karts 132
Radians....39, 112
RainX 67
Ramset 104
Ray-O-Vac 41
Safety Works 108-109
SAS Safety Corp. 107, 109
Schaefer 120-121
Seymour/Midwest 100-102
Shipp....86, 123, 137
Simple Green 66
Southwire 42-43, 71-73
Spectra 82-83
Stens....145
Sumner....114-115
Sureflame 19, 122
TPI 120
True....51
Tsurumi 60-61
Virginia Abrasives 77, 88-89, 104-106
Warner 63
WD-40....65
Wilton....68-69, 133
Winmore 17, 120-121, 124
Wobblelight 41
Zep 66

BARGAIN BUYS

Scan the QR Code to unlock the complete list of clearance items along with special pricing!

LAST CHANCE!!
Get them while you can . . . the following items listed on our Bargain Buys pages have either been discontinued or been deemed special order items.
Hurry, quantities are limited and prices are good for in-stock merchandise only.



Fill 'n Chill Accessories

Item#	Description
FNC7371	White mini accordian skirting
FNC7372	Black mini accordian skirting
10IN0309	Little Chiller white insert
10IN8309	Little Chiller black insert



Safety Glasses

Item#	Description
CK224	CK2 Series, gray frame, amber lens
K3H15G	Klondike, grey lens, 1.5 diopler
TXB236	Brazeau Series, smoke lens, black frame
XBAP139	Brazeau Series, red lens, black frame
TSKAP218	Kazbek Series, blue lens, blak frame
TSK-XL215	Kazbek Series, copper lens, black frame
DZ116VS-G2	Zorge Series, smoke lens, black frame
DZ113VS-G2	Zorge Series, blue lens, black frame
TSDKAP248-G2	Khor Series, blue lens, white frame
TSDK216-G2	Khor Series, smoke lens, black frame



Water Pumps

Item#	Description
FPOF360AC	Utility Pump



Small Engine Honda Parts

Item#	Description
430602	Stop Switch
125692	Dipstick
155300	Starter Spring
100958	Air Filter



Grinding / Pins / Loads/Sandpaper

Item#	Description
R00764	.300 x 1" Drive Pins/25 pack
54502	100 Grit Sandpaper - 25 pk.
54702	150 Grit Sandpaper - 25 pk.



Lighting

Item#	Description
PT523050GN	Portable LED Worklight
PZ-1042	Halogen Worklight



Tools

Item#	Description
21430	14 lb., 30" Handle Sledgehammer
52024	Mini Dolly
AC26VS	6" Adjustable Wrench
AC28VS	8" Adjustable Wrench



Tiedowns

Item#	Description
557-WHK	2" Ratcheting Claw Hook
42459	"S" Hook (4 Pack)



Floor Care

Item#	Description
425-05235	2 x 2 x 4 Diamond grinding block, medium
003-27820	6" conversion disc for edger



Misc.

Item#	Description
6216	Hose to Pump Extension Kit
TRA205T	Staples - 5/16", 1,000 box
MACD3	8 Quart Stainless Steel Chafer
3690000	Wet Floor Sign
1048-0375R-504MMGSG	PVC Air Hose
A70612	Wet Mop Handle
ALAA-8J	Size AA, 8 pack

PHP Credit Application

Fax Toll Free: 1-800-255-7985

PHP must have a copy of your Sales Tax Exemption Certificate on file – (the certificate should be returned with the credit application).

Company Name: _____ Phone: _____

Billing Address: _____ Fax _____

_____ Purchasing Agent _____

Shipping Address: _____ Accounts Payable _____

Email Address: _____ Can we contact you with PHP Specials?_____

Ownership Type:__Corporation __Partnership __Sole Proprietor __Other How long at location?_____yrs

TYPE OF COMPANY:
(What business are you in?)
Please circle all that apply.

1. Contractor Supply
2. Rental Store
3. Ag/Farm Supply
4. Lumber Yard
5. Concrete-Redi Mix
6. Lawn & Garden
7. Hardware
8. Small Engine Repair
9. Electric Motor
10. HVAC
11. STAFDA
12. Other_____
14. LP Dealer
15. Electric Wholesaler
16. Tent & Party
21. Golf Courses
23. New ARA Member
99. Contractor

If corporation: Legal Name _____

State of Incorporation _____ Date of Incorporation: _____

_____

BANK REFERENCES:

Name _____ Phone No. _____

Street Address _____ City,State, Zip _____

Savings Account No. _____ Checking Account No _____

State Sales Tax Exempt # _____

SUPPLIER REFERENCES: (To help expedite, please include supplier FAX number and your account number with them.)

(1) Name _____ Phone: A/C _____- _____

Address _____ Email: _____

City, State , Zip _____ Acct.#/Contact _____

(2) Name _____ Phone: A/C _____- _____

Address _____ Email: _____

City, State , Zip _____ Acct.#/Contact _____

Please sign below, so that we have permission to gather credit information about your company.

In support of this application, PHP is hereby authorized to obtain credit and/or financial information from my/our bank(s), other financial institutions or commercial firms with whom I/we have done business. It is understood that any such credit and/or financial information will be held in strict confidence and used only in consideration of this application.

Upon approval of this application, it is agreed that all purchases will be paid in full and in accordance with the terms of sale as stated on PHP invoice(s). Should I/we not pay PHP according to terms, it is understood that credit privileges may be withdrawn. Should PHP find it necessary to obtain assistance in collecting any past due balance, I/we agree to pay interest at the rate of 1.5% per month (or such other rate allowable by State law), reasonable attorney fees, collection fees, and/or court costs allowable by law. A copy of this statement and application has been received.

Company Name _____ Authorized Signature _____

Telephone _____ Title _____

Personal Guaranty of Indebtedness: If you have been in business less than 2 years, please sign this.
The undersigned Guarantor(s), in order to induce PHP to extend credit to applicant herein, and in consideration thereof, does hereby unconditionally, personally, and individually guarantee all sums which may be owed by applicant to PHP arising out of sale of products by PHP to said applicant, whether said indebtedness is due now or hereinafter occurred. This Guaranty is continuing, and shall continue to apply to all indebtedness which applicant may hereinafter incur, renew, or extend whole or in part, with PHP, all without notice to the undersigned Guarantor (s). The Guarantor(s) agrees to pay all costs and expenses, including reasonable attorney fees, which PHP incurs in the collection of any indebtedness from the Guarantor(s) covered by this agreement, or in the collection of any liability of the guarantor(s) hereunder. Notice of acceptance of this Guaranty is hereby waived; notice of any and all indebtedness guaranteed hereunder is expressly waived. The Guaranty is delivered and shall be deemed to have been made in and shall be governed and construed pursuant to the laws of the State of Indiana.

State of _____ County of _____ Signed this _____ day of _____, 20_____.

Subscribed and sworn to before me this _____ day of _____20_____

Guarantor _____

Notary Public _____

CONTACT OUR REPS



If any manufacturer reps would like to represent PHP's product line in the states marked with our logo, please send your line card to the email listed above.

CT, MA, ME, NH
Upstate NY, RI, VT
B & S Sales
Bridget Baresel
781.760.4590
bridget@bssalesrep.com

MI, OH
G. Miller Equipment Sales
Greg Miller
586.690.0041
gregmiller0041@gmail.com

IA, KS, MN, MO, ND, NE, SD
McClelland Sales Co.
Bob McClelland
314.308.1542
toolman.mcclelland@yahoo.com

AR, CO, LA, MS, NM, OK, TX
JS Performance Marketing
JMax Quenon
281.900.6122
jmax@jspmreps.com

IN, KY
McClees Equipment Sales
Jerry McClees
317.840.8355
jlmcclees@tds.net

AK, AL, AZ, CA, DC, DE, FL, GA, HI, ID, IL, MD, MT, NC, NJ, NYC, NM, NV, OR, PA, UP of MI, SC, TN, UT, VA, WA, WI, WV, WY
PHP
800.362.6951
info@phpdistribution.com

If any manufacturer reps would like to represent PHP's product line in the states marked with our logo, please send your line card to the email listed above.

DISTRIBUTION
342 North 400 East
Valparaiso, IN 46383

Phone Toll Free: 800.362.6951
Fax Toll Free: 800.255.7985
phpdistribution.com

L.B.WHITE
HEATSTAR by ENERCO
DEWALT
IMER GROUP
SUMNER
BOSCH
ABBOTT RUBBER COMPANY, INC.
CST/berger
KESON
PARAGON
WINMORE Cool Heat
heat wagon
DRIEAZ
SAFETY WORKS
GOODYEAR
VIRGINIA ABRASIVES
Electric Eel
MAXIM
General
Kwik-Covers
SHIPP
OFFICIALLY LICENSED COLLEGIATE PRODUCTS
TSURUMI PUMP