Arrow Hart quick reference guide

Pole-Wire	Amp.	V/AC	NEMA		Page	Grip style	Plug	Connector	Single Receptacle	Duplex Receptacle	Flanged Inlet	Flanged Outlet
2P-2W	15	125	L1-15		9	Safety	7546	7506	CWL115R	7540	CWL115FI	CWL115FO
	20	125	L2-20		10	Safety	CWL220P	CWL220C	CWL220R			CWL220FO
2P-3W	15	125	5-15		6, 7	Ultra	AH5266 AH5266BK AH8215HG	AH5269 AH5269BK AH8219HG			AH5278 AH5278C	AH5246 AH5279C
					6, 7	Safety	AH5266A AH8215HGA AH8215HGAC AH8215HGC	AH8219HGC				
					7	Quick	AH5965BK AH5965Y AH8115W	AH5969BK AH5969Y AH8119W				
		125	L5-15		9	Safety	CWL515P CWL515PAN	CWL515C CWL515CAN	CWL515R IGL515R	4700 5792 IG4700	CWL515FI	CWL515FO
		250	6-15		7	Ultra	AH5666	AH5669			AH5678C	AH5679C
					6	Safety	AH8225HGA AH8225HGAC					
					7	Quick	AH5666BK AH5666Y	AH5669BK AH5669Y				
		250	L6-15		9	Safety	CWL615P	CWL615C	CWL615R IGL615R	6580	CWL615FI	CWL615FO
		277	L7-15		9	Safety	CWL715P	CWL715C	CWL715R	4750	CWL715FI	CWL715FO
	20	125	5-20		6, 7	Ultra	AH5366 AH8315HG	AH5369 AH8319HG			AH5778C	AH5779C
					6	Safety	AH8315HGA AH8315HGAC					
					7	Quick	AH5364BK AH5364Y	AH5369BK AH5369Y				
		125	L5-20		10	Ultra	AHL520P AHL520PBK	AHL520C AHL520CBK	AHL520R IGL520R		AHL520FI	AHL520FO
		250	6-20		7	Ultra	AH5466	AH5469			AH5878C	AH5879C
					6	Safety	AH8325HG AH8325HGAC					
					7	Quick	AH5464BK AH5464Y	AH5469BK AH5469Y				
		250	L6-20		10	Ultra	AHL620P	AHL620C	AHL620R IGL620R		AHL620FI	AHL620FO
		277	L7-20		10	Ultra	AHL720P	AHL720C	AHL720R IGL720R		AHL720FI	AHL720FO
		347	L24-20		10	Safety	L2420P		L2420R			
		480	L8-20		10	Ultra	AHL820P	AHL820C	AHL820R IGL820R		AHL820FI	AHL820FO
		600	L9-20		11	Auto	CWL920P	CWL920C	CWL920R		CWL920FI	CWL920FO
	30	125	L5-30		12	Ultra	AHL530P AHIGL530P	AHL530C	AHL530R IGL530R		AHL530FI	AHL530FO
		240	L25-30		12	Ultra	AHL2530P	AHL2530C	AHL2530R IGL2530R			
		250	L6-30		13	Ultra	AHL630P	AHL630C	AHL630R IGL630R		AHL630FI	AHL630FO
		277	L7-30		13	Ultra	AHL730P	AHL730C	AHL730R IGL730R		AHL730FI	AHL730FO
		480	L8-30		13	Ultra	AHL830P	AHL830C	AHL830R IGL830R		AHL830FI	AHL830FO
		600	L9-30		13	Auto	CWL930P	CWL930C	CWL930R		CWL930FI	CWL930FO

Compliances, specifications and availability are subject to change without notice.

Arrow Hart industrial grade locking devices

15/10A Industrial grade locking devices

Pole-Wire	V/AC	NON-NEMA	Description	Color	Catalog no.
3P-3W	125/ 250	 Receptacle Plug	Safety grip plug	Black & white	4767
			Safety grip angled body plug	Black & white	4767AN
			Safety grip connector	Black & white	4755
			Duplex receptacle	Black	7580
			Single receptacle	Black	7582


CWL515P

15A Industrial grade locking devices

Pole-Wire	V/AC	NEMA	Description	Color	Catalog no.
2P-2W	125	 L1-15R L1-15P	Safety grip plug, cord dia. .312-.468"	Black	7546
			Safety grip plug	Black	7548
			Safety grip connector, cord dia. .312-.625"	Black	7506
			Duplex receptacle	Black	7540
			Single receptacle	Black	CWL115R
			Flanged outlet	Black	CWL115FO
			Flanged inlet	Black	CWL115FI
2P-3W	125	 L5-15R L5-15P	Safety grip plug	Black & white	CWL515P
			Safety grip angled body plug	Black & white	CWL515PAN
			Safety grip connector	Black & white	CWL515C
			Safety grip angled body connector	Black & white	CWL515CAN
			Duplex receptacle	Black	4700
			Duplex combination straight blade & locking	Black	5792
			Single receptacle	Black	CWL515R
			Duplex receptacle, isolated ground	Orange	IG4700
			Single receptacle, isolated ground	Orange	IGL515R
			Flanged outlet	Black & white	CWL515FO
			Flanged inlet	Black & white	CWL515FI
	250	 L6-15R L6-15P	Safety grip plug	Black & white	CWL615P
			Safety grip connector	Black & white	CWL615C
			Duplex receptacle	Black	6580
			Single receptacle	Black	CWL615R
			Single receptacle, isolated ground	Orange	IGL615R
			Flanged outlet	Black & white	CWL615FO
			Flanged inlet	Black & white	CWL615FI
	277	 L7-15R L7-15P	Safety grip plug	Black & white	CWL715P
			Safety grip connector	Black & white	CWL715C
			Duplex receptacle	Black	4750
			Single receptacle	Black	CWL715R
			Flanged outlet	Black & white	CWL715FO
			Flanged inlet	Black & white	CWL715FI



CWL515C


CWL515R


CWL515FO


CWL515FI

20/10A Industrial grade locking devices

Pole-Wire	V/AC	NON-NEMA	Description	Color	Catalog no.
4P-5W	250/ 600	 Receptacle Plug	Ultra grip plug	Black & white	AH3521BK
			Ultra grip connector	Black & white	AH3523BK
			Flanged outlet	Black	AH3525BK
			Flanged inlet	Black	AH3524BK

Compliances, specifications and availability are subject to change without notice.

Accessories:
page 16
Dimensions & cord diameters:
pages 17-19
Spec information:
pages 20-24
Compliances:
pages 25-27

Arrow Hart locking devices certifications & compliances

Locking devices

Catalog no.	cULus	UL	CSA	Fed Spec	RU	cRUus	NOM	NAFTA	ROHS
AHL1130FI	•							•	•
AHL1130FO		•							•
AHL1130P	•								•
AHL1130R		•					•	•	•
AHL1420C	•							•	•
AHL1420CBK	•								•
AHL1420FI	•							•	•
AHL1420FIBK	•							•	•
AHL1420FO		•	•					•	•
AHL1420FOBK		•	•						•
AHL1420P	•							•	•
AHL1420PBK	•								•
AHL1420R		•	•	•				•	•
AHL1430C	•							•	•
AHL1430FI	•							•	•
AHL1430FO		•	•					•	•
AHL1430P	•							•	•
AHL1430R		•	•	•				•	•
AHL1520C	•							•	•
AHL1520CBK	•							•	•
AHL1520FI	•							•	•
AHL1520FO		•	•					•	•
AHL1520P	•							•	•
AHL1520PBK	•							•	•
AHL1520R		•	•	•				•	•
AHL1530C	•							•	•
AHL1530FI	•							•	•
AHL1530FO		•	•					•	•
AHL1530P	•							•	•
AHL1530R		•	•	•				•	•
AHL1620C	•							•	•
AHL1620CBK	•							•	•
AHL1620FI	•							•	•
AHL1620FO		•	•					•	•
AHL1620P	•							•	•
AHL1620PBK	•							•	•
AHL1620R		•	•					•	•
AHL1630C	•							•	•
AHL1630FI	•							•	•
AHL1630FO		•	•					•	•
AHL1630P	•							•	•
AHL1630R		•	•					•	•
AHL1730C	•							•	•
AHL1730FI	•							•	•
AHL1730FO		•	•					•	•
AHL1730P	•							•	•
AHL1730R		•	•					•	•
AHL1820C	•						•	•	•
AHL1820FI	•						•		•
AHL1820FO		•							•
AHL1820P	•						•	•	•
AHL1820R		•		•			•	•	•
AHL1830C	•						•	•	•

Locking devices

Catalog no.	cULus	UL	CSA	Fed Spec	RU	cRUus	NOM	NAFTA	ROHS
AHL1830P	•						•	•	•
AHL1830R		•					•	•	•
AHL1920C	•							•	•
AHL1920FI	•							•	•
AHL1920FO		•							•
AHL1920P	•							•	•
AHL1920R		•						•	•
AHL2020C	•							•	•
AHL2020FI	•							•	•
AHL2020FO		•							•
AHL2020P	•							•	•
AHL2020R		•						•	•
AHL2120C	•						•	•	•
AHL2120CBK	•						•	•	•
AHL2120CF							•	•	•
AHL2120FI	•						•	•	•
AHL2120FO		•	•					•	•
AHL2120P	•						•	•	•
AHL2120PBK	•						•	•	•
AHL2120PF							•	•	•
AHL2120R		•	•	•			•	•	•
AHL2130C	•						•	•	•
AHL2130CF							•	•	•
AHL2130FI	•						•	•	•
AHL2130FO		•	•					•	•
AHL2130P	•						•	•	•
AHL2130PF							•	•	•
AHL2130R		•		•				•	•
AHL2220C	•						•	•	•
AHL2220FI	•								•
AHL2220FO		•	•					•	•
AHL2220P	•						•	•	•
AHL2220R		•	•				•	•	•
AHL2320C	•							•	•
AHL2320FI	•							•	•
AHL2320FO		•	•						•
AHL2320P	•							•	•
AHL2320R		•	•					•	•
AHL2530P	•			•					•
AHL2530C	•			•					•
AHL2530R	•			•					•
AHL2630P	•			•					•
AHL2630C	•			•					•
AHL2630R	•			•					•
AHL520C	•						•	•	•
AHL520CBK	•						•	•	•
AHL520FI	•						•	•	•
AHL520FO		•	•					•	•
AHL520P	•						•	•	•
AHL520PBK	•						•	•	•
AHL520R		•	•	•					•
AHL530C	•						•	•	•
AHL530P	•						•	•	•

KEY: cULus UL CSA Fed Spec RU cRUus NOM NAFTA ROHS

Parts are manufactured and designed in accordance with article 4 of the European Union's RoHS2 directive 2011/65/EU

Compliances, specifications and availability are subject to change without notice.