

Eaton's universal dimmers

High wattage and dual rated, cost effective solution for commercial lighting control installations

Powering Business Worldwide





SUT7

Universal slide dimmers (Forward Phase-cut)

Product description

Single pole & 3-Way
Dimmable **LED/CFL/FLR**; 450W, 120V/AC; 600W, 277V/AC
INC/HAL/MLV/ELV; 720W, 120V/AC; 1000W, 277V/AC

Features

- Universal dimming of most common lighting loads (phase-cut)
- Dual rated for 120/277V/AC
- Adjustable low-end trimming for increased lamp compatibility
- No de-rating for LED/CFL loads in multi-gang applications
- Integrated full slide control for easy, precise operation
- Ideal for commercial and residential applications
- No neutral required for installation
- Fits standard decorator wallplates

Universal slide dimmers

Catalog no.	Description	Compatible lamp types	Rating Watt	Rating V/AC	Color suffix
☐ SUT7__	Universal slide dimmer (forward phase-cut)	LED/CFL/FLR	450 600	120 277	BK, GY, LA, V, W
		INC/HAL/MLV/ELV	720 1000	120 277	BK, GY, LA, V, W

Color ordering information

For ordering devices, include Catalog no. followed by the color suffix: BK (Black), GY (Gray), LA (Light Almond), V (Ivory), W (White)

BK	GY	LA	V	W
(Black)	(Gray)	(Light Almond)	(Ivory)	(White)

Compliances, specifications and availability are subject to change without notice.

Eaton's Arrow Hart
Universal dimmers





SUF7

Universal Phase Selectable slide dimmers

Product description

Single pole & 3-Way
Dimmable **LED/CFL/FLR**; 450W, 120V/AC; 450W, 277V/AC
INC/HAL/ELV; 650W, 120V/AC; 1000W, 277V/AC

Features

- Select between forward and reverse phase cut dimming for the most optimal dimming compatibility
- Dual rated for 120/277V/AC
- Adjustable low-end trimming for increased lamp compatibility
- No de-rating for LED/CFL loads in multi-gang applications
- Integrated full slide control for easy, precise operation
- Ideal for commercial and residential applications
- Neutral required for installation
- Fits standard decorator wallplates
- Do Not use with MLV loads

Universal slide dimmers

Catalog no.	Description	Compatible lamp types	Rating Watt	Rating V/AC	Color suffix
☐ SUF7__	Universal phase selectable slide dimmer	LED/CFL/FLR	450	120	BK, GY, LA, V, W
			450	277	
		INC/HAL/ELV	650	120	BK, GY, LA, V, W
			1000	277	

Color ordering information

For ordering devices, include Catalog no. followed by the color suffix: BK (Black), GY (Gray), LA (Light Almond), V (Ivory), W (White)

BK	GY	LA	V	W
(Black)	(Gray)	(Light Almond)	(Ivory)	(White)

Compliances, specifications and availability are subject to change without notice.

Electrical Sector
203 Cooper Circle
Peachtree City, GA 30269
United States
Eaton.com
Eaton.com/arrowhart

Electrical Sector
Canada Operations
5925 McLaughlin Road
Mississauga, Ontario, L5R 1B8
Canada
EatonCanada.ca
Eaton.com/arrowhart

Electrical Sector
Mexico Operations
Carr. Tlalnepantla -
Cuautitlán Km 17.8 s/n
Col. Villa Jardín esq.
Cerrada 8 de Mayo
Cuautitlán, Mexico CP 54800
México
Eaton.mx
Eaton.com/arrowhart

Powering Business Worldwide

Eaton
1000 Eaton Boulevard
Cleveland, OH 44122
United States
Eaton.com

© 2017 Eaton
All Rights Reserved

Printed in USA
Publication No. SA620013EN
April 2017

Eaton is a registered trademark.

All other trademarks are property of their respective owners.