elite
LED LIGHTING
WWW.IUSEELITE.COM


PLATT

2020 STOCK GUIDE



SLIM LED LIGHTING





The Elite Slim LED lighting fixture with driver box combines high quality light output and efficiency, while eliminating the need for a recessed housing. The innovative, slim type IC design allows for easy below the ceiling installation, making it the ideal solution for new construction and remodel applications. The aluminum body provides heat dissipation. Multiple finishes are available, including white, black and satin nickel.

2" RL275 - LED Round Slim Disk

2" LED ROUND FIXTURE WITH BAFFLE



600 LUMENS

#1747270

Example: **RL275-600L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL275	600L-DIMTR-120	30K	90	WH

3" RL373 - LED Slim Disk

3" LED ADJUSTABLE SLIM DOWNLIGHT



600 LUMENS

#1747289

NEW ADJUSTABLE DESIGN

Example: **RL373-600L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL373	600L-DIMTR-120	30K	90	WH

4" RL474 - LED Slim Disk

4" LED ADJUSTABLE SLIM DOWNLIGHT



550 LUMENS

#1747310

EASY COLOR SELECCTOR 30K/40K/50K

NEW ADJUSTABLE DESIGN

Example: **RL474-550L-DIMTR-120-30K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL474	550L-DIMTR-120	30K/40K/50K	90	WH

Slim LED Series Connectors

#1747266



ACC-1-10F
10' flexible connector, for use with slim LED fixture

#1747267



ACC-1-20F
20' flexible connector, for use with slim LED fixture

4" RL475 - LED Round Slim Disk

4" LED DOWNLIGHT WITH 5 COLOR SELECTOR



850 LUMENS

#1747316

EASY COLOR SELECCTOR 27K/30K/35K/40K/50K

Example: **RL475-850L-DIMTR-120-27K/30K/35K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL475	850L-DIMTR-120	27K/30K/35K/40K/50K	90	WH

6" RL675 - LED Round Slim Disk

6" LED DOWNLIGHT WITH 5 COLOR SELECTOR



1100 LUMENS

#1621988

EASY COLOR SELECCTOR 27K/30K/35K/40K/50K

Example: **RL675-1100L-DIMTR-120-27K/30K/35K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL675	1100L-DIMTR-120	27K/30K/35K/40K/50K	90	WH


Available 5 Color Inserts



RL___-RT-BK Black	RL___-RT-SN Satin Nickel	RL___-RT-BZ Bronze	RL___-RT-CP Copper	RL___-RT-CH Chrome
4" #1800281	#1747061	#1786122	#1800277	#1800280
6" #1784778	#1784779	#1784780	#1784782	#1784781

4" RL479 - LED Baffle Slim Disk

4" LED BAFFLE DOWNLIGHT WITH 5 COLOR SELECTOR



700 LUMENS

#1747317


EASY COLOR SELECCTOR 27K/30K/35K/40K/50K

Example: **RL479-700L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH	AVAILABLE INSERTS
RL479	700L-DIMTR-120	27K/30K/35K/40K/50K	90	WH	RL479-RT-BZ RL479-RT-BK RL479-RT-CH RL479-RT-CP RL479-RT-SN

6" RL679 - LED Baffle Slim Disk

6" LED BAFFLE DOWNLIGHT WITH 5 COLOR SELECTOR



700 LUMENS


#1747318


EASY COLOR SELECCTOR 27K/30K/35K/40K/50K

Example: **RL679-700L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH	AVAILABLE INSERTS
RL479	700L-DIMTR-120	27K/30K/35K/40K/50K	90	WH	RL479-RT-BZ RL479-RT-BK RL479-RT-CH RL479-RT-CP RL479-RT-SN

Slim LED Series Mounting Options





#1747265

RL-UNV-4/5/6
Multi-size: 4", 5", 6" new construction mounting plate

LED RETROFIT SERIES

4" REL433 - LED Economy Retrofit

Economy LED Single Color Aluminum Lensed White Baffle



700 LUMENS

#1747283
#1747284
#1747285

Example: **REL433-700L-DIMTR-120-30K-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
REL433	700L-DIMTR-120	27K 30K 40K	90	W-WH

6" REL633 - LED Economy Retrofit

Economy LED Single Color Aluminum Lensed White Baffle



950 LUMENS

#1747286
#1747287
#1747288

Example: **REL633-950L-DIMTR-120-30K-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
REL633	950L-DIMTR-120	27K 30K 50K	90	W-WH

4" RL435 - LED Smart Dimming Retrofit

Universal LED SMART Dimming Retrofit Die-cast Aluminum Lensed White Baffle



750 LUMENS

#1747313

WARM DIMMING
3000K → 1600K

Example: **RL435-750L-DIMTR-120-30K-16K-SD-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL435	750L-DIMTR-120	30K-16K-SD	90	W-WH

6" RL635 - LED Smart Dimming Retrofit

Universal LED SMART Dimming Retrofit Die-cast Aluminum Lensed White Baffle



1000 LUMENS

#1747315

WARM DIMMING
3000K → 1600K

Example: **RL635-1000L-DIMTR-120-30K-16K-SD-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL635	1000L-DIMTR-120	30K-16K-SD	90	W-WH

4" RL461 - LED Adjustable Retrofit

LED Round Adjustable Retrofit Downlight



650 LUMENS

#1747281

NEW ADJUSTABLE DESIGN

Example: **RL461-650L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL461	650L-DIMTR-120	30K	90	WH

6" RL664 - LED Adjustable Retrofit

6" LED Adjustable Retrofit Downlight



900 LUMENS

#1747273

NEW ADJUSTABLE DESIGN

Example: **RL664-900L-DIMTR-120-30K-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL664	900L-DIMTR-120	30K	90	WH

EASY COLOR SELECCTOR

27K/30K/35K/40K/50K



4" REL437 - LED Retrofit Downlight

Economy Universal CCT Selector LED Retrofit
Die-cast Aluminum Lensed White Baffle



700 LUMENS

#0229285

FITS IN MOST 4" REGULAR INCANDESCENT HOUSINGS

Example: **REL437-700L-DIMTR-120-27K/30K/35K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
REL437	700L-DIMTR-120	27K/30K/35K/40K/50K	90	W-WH

5" REL537 - LED Retrofit Downlight

Economy Universal CCT Selector LED Retrofit
Die-cast Aluminum Lensed White Baffle



950 LUMENS

#1747321

FITS IN MOST 5" REGULAR INCANDESCENT HOUSINGS

Example: **REL537-950L-DIMTR-120-27K/30K/35K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
REL537	950L-DIMTR-120	27K/30K/35K/40K/50K	90	W-WH

6" REL637 - LED Retrofit Module

Economy Universal CCT Selector LED Retrofit
Die-cast Aluminum Lensed White Baffle



950 LUMENS

#1315242

FITS IN MOST 6" REGULAR INCANDESCENT HOUSINGS

Example: **REL637-950L-DIMTR-120-27K/30K/35K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
REL637	950L-DIMTR-120	27K/30K/35K/40K/50K	90	W-WH



LED SURFACE MOUNT SERIES

5" RL591 - LED Surface Mount Downlight

5" Round LED Surface Mount Downlight with 3 Color Selector



600 LUMENS

#1747311

EASY COLOR SELECCTOR 30K/40K/50K

Example: **RL591-600L-DIMTR-120-30K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL591	600L-DIMTR-120	30K/40K/50K	90	WH

4" RL477 - LED and Surface Mount

4" Round Surface Mount LED Downlight



FITS 4" HOUSINGS AND A 4" J-BOX

600 LUMENS

RECESSED AND SURFACE MOUNT

#1747271

#1747272

Example: **RL477-600L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL477	600L-DIMTR-120	30K 40K	90	WH

7" RL791 - LED Surface Mount Downlight

7" Round LED Surface Mount Downlight with 3 Color Seletor



900 LUMENS

#1747312

EASY COLOR SELECCTOR 30K/40K/50K

Example: **RL791-900L-DIMTR-120-30K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL791	900L-DIMTR-120	30K/40K/50K	90	WH

6" RL677 - LED Surface Mount

6" Surface Mount LED Downlight



FITS 4", 5" AND 6" HOUSINGS AND A 4" J-BOX

1000 LUMENS

SURFACE MOUNT

#1747276

#1747277

Example: **RL677-1000L-DIMTR-120-30K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL677	1000L-DIMTR-120	30K 40K	90	WH

9" RL991 - LED Surface Mount Downlight

9" Round LED Surface Mount Downlight with 3 Color Selector



1200 LUMENS

#1150655

EASY COLOR SELECCTOR 30K/40K/50K

Example: **RL991-1200L-DIMTR-120-30K/40K/50K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL991	1200L-DIMTR-120	30K/40K/50K	90	WH

6" RL617 - LED Surface Mount

6" LED Closet Lights W/ Built-In Pir Motion Sensor



FITS 4" HOUSINGS AND A 4" J-BOX

900 LUMENS

BUILT-IN PIR MOTION SENSOR

SURFACE MOUNT

#1786430

#1786431

Example: **RL617-900L-DIMTR-120-40K-90-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL617	900L-DIMTR-120	30K 40K	90	WH

EASY 3 COLORS SELECCTOR

3000K • 4000K • 5000K

Most Elite LED Surface Mounts are available with an **Easy 3-Color SeleCCTor Switch** that can be adjusted to a choice of 3 different Kelvin color temperatures in the field. Options include 30K, 40K, and 50K.






The Elite LED Surface Mount Series is ideal for new construction or remodel applications with limited ceiling or plenum space where the luminaire cannot be serviced, making it a great solution for upgrading existing incandescent fixtures into highly efficient LED lighting.

The perfect solution for spaces including assisted living, dormitories, high-rise condominiums, multi and single-family, high-end residential, corridors, hallways, common areas, outdoor canopies, closets, bathrooms, showers, and many more.

6" & 4" RESIDENTIAL HOUSINGS & TRIMS

1 IC RATED

#0819444



EZ6IC-AT
6" Universal IC Housing w/ Loose Socket and Quick Connectors, Hangers are supplied with 90° Pivoting Mounting Plate and Double Headed Nail

Designed for all AF series trims, eyeballs, gimbals, and adjustables

1 IC RATED

#0719161



EZ6RIC-AT
6" Universal IC Remodel Housing w/ Loose Socket and Quick Connectors

4" INCANDESCENT HOUSINGS & TRIMS

IC RATED

#0730893



B4IC-AT-W
4" Miniature IC Housing

#0731532



B4R-AT-W
4" Miniature Non-IC Remodel Housing

6" INCANDESCENT HOUSINGS WITH SOCKET BRACKET & TRIMS

2 IC RATED #0730160

SOCKET BRACKET



B6IC-AT-W
6" Universal IC Housing with Adjustable Mounting Bracket and Bar Hangers

3 IC RATED #0753666



B6RIC-AT-W
6" Universal IC Remodel Housing

4 IC RATED #0719167



B26IC-AT-W
6" Universal Shallow IC Housing

5 IC RATED #0719168



B26RIC-AT-W
6" Universal Shallow IC Remodel Housing

6" & 4" ALL-FIT TRIMS

#0592039



AF637W-WH
Socket Supporting R30/PAR30 Self Flange Air-Shut Baffle

#0660781



B401W-WH
Stepped Baffle

HOUSING COMPATIBILITY GUIDE

1 EZ6IC-AT (75W PAR30 / 40W A19)

2 B6IC-AT-W (75W PAR30, R30, 60W A19, 65W BR30)

3 B6RIC-AT (75W PAR30, R30, 60W A19, 65W BR30)

4 B26IC-AT-W (75W PAR30, R30, 60W A19, 65W BR30)

5 B26RIC-AT-W (75W PAR30, R30, 60W A19, 65W BR30)

6"& 4" RESIDENTIAL HOUSINGS

6" **NEW CONSTRUCTION** DEDICATED **LED** SOCKET HOUSING

IC RATED



#0067157

LD6IC-AT-DIMTR-120
6" New Construction IC Housing for Use with Triac and Low Voltage Electronic Dimming RL600 and REL600 series LED modules

6" **REMODEL** DEDICATED **LED** SOCKET HOUSING

IC RATED



#1747425

LD6RIC-AT-DIMTR-120
6" Remodel IC Housing for Use with Triac and Low Voltage Electronic Dimming RL600 and REL600 series LED modules

4" **NEW CONSTRUCTION** DEDICATED **LED** SOCKET HOUSING

IC RATED



#0185201

LD4IC-AT-DIMTR-120
4" New Construction IC Housing for Use with Triac and Low Voltage Electronic Dimming RL400 and REL400 series LED modules

4" **REMODEL** DEDICATED **LED** SOCKET HOUSING

IC RATED



#0157185

LD4RIC-AT-DIMTR-120
4" Remodel IC Housing for Use with Triac and Low Voltage Electronic Dimming RL400 and REL400 series LED modules

PROUDLY ASSEMBLED in AMERICA

LED RETROFIT **LUMEN ADJUSTABLE** DOWNLIGHTS

6" RL642 - LED Commercial Retrofit

6" LED COMMERCIAL LUMEN ADJUSTABLE RETROFIT

750/ 1100/ 1500
LUMENS

On-site Adjustable 3 IN 1 (750 1100 1500) LUMEN PACKAGE



NON-DIMMABLE

NO HOUSING NEEDED

#1747297

#1747298

Example: **RL642-750L/1100L/1500L-DIMST-MVOLT-40K-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL642	750/1100/1500L-DIMST-MVOLT	35K 40K	90	W-WH

8" RL842 - LED Commercial Retrofit

8" LED COMMERCIAL LUMEN ADJUSTABLE RETROFIT

1000/ 1500/ 2000
LUMENS

On-site Adjustable 3 IN 1 (750 1100 1500) LUMEN PACKAGE



NON-DIMMABLE


NO HOUSING NEEDED

#1747299

#1747300

Example: **RL842-1000/1500/2000L-DIMST-MVOLT-30K-90-W-WH**

CATALOG NO.	LUMENS	CCT	CRI	FINISH
RL842	1000/1500/2000L-DIMST-MVOLT	35K 40K	90	W-WH



2' X 2' OVHP-LED SERIES


2X2 LED SHALLOW VOLUMETRIC LUMINAIRE

#1747301

#1747302

Example: **22-OVHP-LED-5000L-DIM10-MVOLT-35K-85**

CATALOG NO.	LUMENS	CCT	CRI
22-OVHP-LED	5000L-DIM10-MVOLT	35K 40K	85



2' X 4' OVHP-LED SERIES

2X4 LED SHALLOW VOLUMETRIC LUMINAIRE

5000L-35K #1747303


4000L-35K #1786427

5000L-40K #1747304

4000L-40K #1786428

Example: **24-OVHP-LED-4000L-DIM10-MVOLT-35K-85**

CATALOG NO.	LUMENS	CCT	CRI
24-OVHP-LED	4000L-DIM10-MVOLT 5000L-DIM10-MVOLT	35K 40K	85



2′ X 2′ OEVHP-LED SERIES

2X2 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LOW PROFILE ARCHITECTURAL LED RECESSED TROFFER


EASY COLOR SELECCTOR 35K/ 40K/ 50K

#1834819

MULTILUMEN SELECTOR

Example: **22-OEVHP-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
22-OEVHP-LED	2000L/3000L/4000L-DIM10-MVOLT	35K/40K/50K	85



2′ X 4′ OEVHP-LED SERIES

2X4 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LOW PROFILE ARCHITECTURAL LED RECESSED TROFFER


EASY COLOR SELECCTOR 35K/ 40K/ 50K

#1834820

MULTILUMEN SELECTOR

Example: **24-OEVHP-LED-3000L/4000L/5000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
24-OEVHP-LED	3000L/4000L/5000L-DIM10-MVOLT	35K/40K/50K	85



2′ X 2′ OVHP-RTK-LED SERIES

2X2 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LED TROFFER RETROFIT KIT

EASY COLOR SELECCTOR 35K/ 40K/ 50K

#1834821

MULTILUMEN SELECTOR

Example: **22-OVHP-RTK-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
22-OVHP-RTK-LED	2000L/3000L/4000L-DIM10-MVOLT	35K/40K/50K	85



2′ X 4′ OVHP-RTK-LED SERIES

2X4 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LED TROFFER RETROFIT KIT

EASY COLOR SELECCTOR 35K/ 40K/ 50K

#1834822

MULTILUMEN SELECTOR


Example: **24-OVHP-RTK-LED-3000L/4000L/5000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
24-OVHP-RTK-LED	3000L/4000L/5000L-DIM10-MVOLT	35K/40K/50K	85

EASILY ADJUST LUMEN OUTPUT & COLOR TEMPERATURE

IN THE FIELD WITH MULTI-LUMEN AND MULTI-CCT SELECTOR SWITCH, ALL IN ONE LUMINAIRE.





1' X 4' FPL-BL-LED SERIES

1X4 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LED BACK-LIT FLAT PANEL

MULTILUMEN SELECTOR

#1833851

EASY COLOR SELECCTOR 35K/ 40K/ 50K

Example: **14-FPL-BL-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
14-FPL-BL-LED	2000L/3000L/4000L-DIM10-MVOLT	35K/40K/50K	85



2' X 2' FPL-BL-LED SERIES

2X2 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LED BACK-LIT FLAT PANEL


MULTILUMEN SELECTOR

#1833852

EASY COLOR SELECCTOR 35K/ 40K/ 50K

Example: **22-FPL-BL-LED-2000L/3000L/4000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
22-FPL-BL-LED	2000L/3000L/4000L-DIM10-MVOLT	35K/40K/50K	85



2' X 4' FPL-BL-LED SERIES

2X4 MULTI LUMEN & MULTI CCT SELECTOR SWITCH
LED BACK-LIT FLAT PANEL


MULTILUMEN SELECTOR

#1833853

EASY COLOR SELECCTOR 35K/ 40K/ 50K

Example: **24-FPL-BL-LED-3000L/4000L/5000L-DIM10-MVOLT-35K/40K/50K-85**

CATALOG NO.	LUMENS	CCT	CRI
24-FPL-BL-LED	3000L/4000L/5000L-DIM10-MVOLT	35K/40K/50K	85




DIMENSIONS: Length: 48" X Width: 6.125" X Depth: 2.5"

OEW-LED SERIES

4' LED Wrap

Example: **4-OEW-LED-4000L-DIM10-MVOLT-35K-85** #1200117

CATALOG NO.	LUMENS	DIMMING	CCT
4-OEW-LED	4000L	DIM10-MVOLT	35K




4-OEC-LED 4'

OEC-LED SERIES

4' LED Strip with Curved Lens

Example: 4-OEC-LED-4000L-DIM10-MVOLT-40K #1747290

CATALOG NO.	LUMENS	DIMMING	CCT
4-OEC-LED	4000L	DIM10-MVOLT	40K




8-OEC-LED 8'

OEC-LED SERIES


8' LED Strip with Curved Lens

EXAMPLE: 8-OEC-LED-8000L-DIM10-MVOLT-40K #1747292

CATALOG NO.	LUMENS	DIMMING	CCT
8-OEC-LED	8000L	DIM10-MVOLT	40K



LED HIGH BAY - COOL BEAM



CB2-LED SERIES

LED Cool Beam High Bay (Economy)

#1747307 #1747308 #1221910

Example: **CB2-LED-18000L-DIM10-MVOLT-40K**

CATALOG NO.	LUMENS		DIMMING	CCT	OPTICS
CB2-LED	**13000L**	#1747307	**DIM10-MVOLT**	**40K**	**W**-Wide
	18000L	#1747308			
	26000L	#1221910			



V-HOOK & 4 FT CHAIN KIT INCLUDED





ELITE LIGHTING

PROVIDES SENSOR READY FIXTURES WITH YOUR PREFERRED TRUSTED BRANDS

1. Elite Lighting has a complete line of products for all type of projects.

2. Elite Lighting will ship the selected fixture with the control system pre-installed.

3. Select the corresponding sensors and wall mount switches for your control system

4. Use the corresponding App, or configure tools to setup the selected control system.

elite
LED LIGHTING
WWW.IUSEELITE.COM

The products shown in this catalog are covered by USA and international patents.
Specifications are subject to change without prior notice.
Elite Lighting reserves the right to make any changes in the design, construction and listing approval of the products listed in this catalog which may be required by law or by the rules of any regulatory body or at its discretion.
Dimensions and specifications are subject to change without prior notice.
Not responsible for any typographical errors.
Wattage and specifications may be different for products supplied in CANADA.

Main Office: Los Angeles, CA
• Tel: 1-323-888-1973 / 1-877-375-5555
• Fax: 1-323-888-1977 / 1-877-375-3333

© 2020. Elite Lighting. All Rights Reserved / Rev2.0-2020 Platt/N. Western