TELECOM

2020



KLEIN TOOLS®

Side-Cutting Pliers

New England Nose with plastic-dipped handles.

Cat. No.	Description	Overall Length	Jaw Length	Jaw Width	Handle Color
D213-8NE	Standard Cutting	8-11/16" (221 mm)	1-7/16" (37 mm)	5/8" (16 mm)	Dark Blue
D213-9NE	Standard Cutting	9-3/8" (238 mm)	1-19/32" (41 mm)	5/8" (16 mm)	Dark Blue
D2000-9NE	Heavy-Duty Cutting	9-3/8" (238 mm)	1-19/32" (41 mm)	1-1/4" (32 mm)	Royal Blue
HD213-9NE	Heavy-Duty Oversized	9-1/2" (241 mm)	1-19/32" (41 mm)	1-1/4" (32 mm)	Light Red
HD213-9NETH	Heavy-Duty Oversized Lineman Bolt Holding	9-1/2" (241 mm)	1-19/32" (41 mm)	1-1/4" (32 mm)	Light Red
D2000-9NETH	Lineman Bolt Holding	9-3/8" (238 mm)	1-19/32" (41 mm)	1-1/4" (32 mm)	Royal Blue
D213-9NETH	Lineman Bolt Holding	9-3/8" (238 mm)	1-19/32" (41 mm)	1-1/4" (32 mm)	Dark Blue


D2000-9NE


HD213-9NETH

Diagonal-Cutting

Plastic-dipped handles


72192

Cat. No.	Description	Nose Type	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Cutting Knives	Handle Color
72192	Telephone Work, Bell D-6	N/A	6-1/8" (156 mm)	13/16" (21 mm)	3/4" (19 mm)	13/16" (21 mm)	Standard	Red
D252-6SW	Bell System Type "W" Notches	Tapered	6-1/8" (156 mm)	13/16" (21 mm)	3/4" (19 mm)	7/16" (11 mm)	Standard	Red
D228-7	High-Leverage	Standard	7-1/8" (181 mm)	13/16" (21 mm)	1-3/16" (30 mm)	7/16" (11 mm)	Standard	Red
D228-8	High-Leverage	Standard	8-1/16" (205 mm)	13/16" (21 mm)	1-3/16" (30 mm)	7/16" (11 mm)	Standard	Red
D238-8	High-Leverage	Angled	8-1/16" (205 mm)	13/16" (21 mm)	1-3/16" (31 mm)	7/16" (11 mm)	Semi-Flush*	Red
D248-8	Angled Head	Standard	8-1/16" (205 mm)	13/16" (21 mm)	1-3/16" (31 mm)	7/16" (11 mm)	Standard	Red
D202-6	Standard	Tapered	6-1/8" (156 mm)	13/16" (21 mm)	11/16" (18 mm)	7/16" (11 mm)	Standard	Red
D202-6C	Standard with Spring	Tapered	6-1/8" (156 mm)	13/16" (21 mm)	11/16" (18 mm)	7/16" (11 mm)	Standard	Red
D220-7	Heavy-Duty	Tapered	7-11/16" (195 mm)	1" (25 mm)	31/32" (25 mm)	1/2" (13 mm)	Standard	Red
D252-6	Heavy-Duty	Tapered	6-1/8" (156 mm)	13/16" (21 mm)	3/4" (19 mm)	7/16" (11 mm)	Standard	Red
D240-6	Stripping Hole	Standard	6-1/8" (156 mm)	13/16" (21 mm)	11/16" (18 mm)	7/16" (11 mm)	Standard	Red
D230-4C	Electronics with Spring	Pointed	4-1/4" (108 mm)	1/2" (13 mm)	7/16" (11 mm)	1/4" (6 mm)	Semi-Flush*	Royal Blue
D257-4	Electronics, Midget	Pointed	4-1/4" (108 mm)	1/2" (13 mm)	7/16" (11 mm)	1/4" (6 mm)	Semi-Flush*	Royal Blue
D244-5C	Electronics, Midget	Pointed	5-1/16" (129 mm)	11/16" (18 mm)	1/2" (13 mm)	5/16" (8 mm)	Flush	Royal Blue
D275-5	Electronics, Flush Cutter	Pointed	5" (127 mm)	N/A	N/A	N/A	Flush	Red

*Semi-flush cutting knives cut Cherry Burrel rivets. For use on non-ferrous wire only.

Long-Nose Pliers

Plastic-dipped handles


D301-6

Cat. No.	Description	Overall Length	Jaw Length	Jaw Width	Knife Length	Point Thinkness	Handle Color
D203-6	Standard Side-Cutting	6-5/8" (168 mm)	1-7/8" (48 mm)	11/16" (18 mm)	1/2" (13 mm)	3/32" (2 mm)	Yellow
D203-6C	Standard Side-Cutting, Spring-Loaded	6-5/8" (168 mm)	1-7/8" (48 mm)	11/16" (18 mm)	1/2" (13 mm)	3/32" (2 mm)	Yellow
D203-6H2	Switchboard Work Side Cutting Strips 19 & 22 AWG	6-5/8" (168 mm)	1-7/8" (48 mm)	11/16" (18 mm)	1/2" (13 mm)	3/32" (2 mm)	Yellow
D203-7	Standard Side-Cutting	7-3/16" (183 mm)	2-7/16" (62 mm)	11/16" (18 mm)	1/2" (13 mm)	3/32" (2 mm)	Yellow
D301-6	Standard	6-5/8" (168 mm)	1-7/8" (48 mm)	11/16" (18 mm)	N/A	3/32" (2 mm)	Yellow
D301-6C	Standard Spring-Loaded	6-5/8" (168 mm)	1-7/8" (48 mm)	11/16" (18 mm)	N/A	1/16" (2 mm)	Yellow
D302-6	Curved Electronics	6-3/8" (162 mm)	1-1/2" (38 mm)	11/16" (18 mm)	N/A	3/32" (2 mm)	Yellow
D320-41/2C	Midget Curved Electronics	4-3/4" (121 mm)	1" (25 mm)	13/32" (10 mm)	N/A	1/16" (2 mm)	Royal Blue

Slip-Joint Pliers


D511-6

Cat. No.	Overall Length	Jaw Length	Jaw Width	Jaw Thickness	Handle Finish	Handle Color
D511-6	6-9/16" (167 mm)	1-3/16" (30 mm)	1-3/16" (30 mm)	3/8" (10 mm)	Plastic-Dipped	Blue
D511-8	8-1/16" (205 mm)	1-3/8" (35 mm)	1-1/4" (32 mm)	7/16" (11 mm)	Plastic-Dipped	Blue

Pump Pliers

Cat. No.	Overall Length	Max. Jaw Capacity	Handle Finish	Handle Color
D502-6	6-1/2" (165 mm)	1-3/16" (30 mm)	Plastic-Dipped	Yellow
D502-10	10" (254 mm)	1-3/4" (45 mm)	Plastic-Dipped	Yellow
D502-12	12-1/4" (311 mm)	2-3/8" (60 mm)	Plastic-Dipped	Yellow


D502-6

Wire Strippers, Cutters & Crimpers



11055

Cat. No.	Strips & Cuts	Crimps	Spring-Loaded	Screw Shearing	Overall Length	Handle Color
Klein Kurve® Multi-Purpose Wire Strippers/Cutters						
11055	10 – 18 AWG solid & 12 – 20 AWG stranded	No	Yes	6-32 & 8-32	7-1/8" (181 mm)	Blue/Yellow
Solid and Stranded Wire Strippers/Cutters						
11045	10 – 18 AWG solid	No	Yes	No	6-1/4" (159 mm)	Yellow
11046	16 – 26 AWG stranded	No	Yes	No	6-1/4" (159 mm)	Red
11047	22 – 30 AWG solid	No	Yes	No	6-1/4" (159 mm)	Yellow
Combination Wire-Stripping and Cutting Tools						
1000	8 – 22 AWG solid (6.0 mm^2 – .34 mm^2), 10-16 AWG stranded (4.0 mm^2 – 1.0 mm^2)	Insulated terminals	No	4-40, 6-32, 8-32, 10-24, 10-32	7-3/4" (197 mm)	Red

Crimping Tools


D234-6

Cat. No.	Description	Crimps	Cuts Wire	Overall Length	Handle Color
D234-6	ScotchLok® Connector Crimping Pliers	Crimps & seats UG, UR, and UY connectors	Yes	5-13/16" (148 mm)	Yellow
D234-6C	ScotchLok® Connector Crimping Pliers with Spring	Crimps & seats UG, UR, and UY connectors	Yes	5-13/16" (148 mm)	Yellow
1005	Crimping and Cutting Tool for Non-Insulated/Insulated Terminals	10-22 AWG	Yes	9-3/4" (248 mm)	Red

Cutting Tools


63324

Cat. No.	Description	Cutting Capacity	Overall Length
Bolt Cutters			
63324	Steel-Handle Bolt Cutter	7/16" Soft & Medium; 5/16" Hard Material	24" (610 mm)
63336	Steel-Handle Bolt Cutter	9/16" Soft & Medium; 7/16" Hard Material	36" (914 mm)
Cable Cutters			
63030	Coaxial Cable Cutter	Up to 1" Copper and Aluminum Coaxial Cable	8-1/4" (210 mm)
63035	Utility Cable Cutter	MCM Cable 350 Copper, 350 Aluminum	16-1/4" (413 mm)
63041	Standard Cable Cutter	1-3/8" diameter, MCM Cable 500 Copper, 750 Aluminum	25-1/2" (648 mm)
63050	High Leverage Cable Cutter	4/0 Aluminum, 2/0 Soft Copper, 100-Pair 24 AWG Communications Cable	9-1/2" (241 mm)
J63050	High Leverage Cable Cutter, Journeyman™ Handles		9-9/16" (243 mm)
63055	Compact Cable Cutter	24 AWG Copper, Aluminum Multi-Strand Cable and Wire, and 100-Pair Telephone Cable	8" (203 mm)
63060	Ratcheting Cable Cutter	MCM Cable up to 600 Copper, 750 Aluminum, 1-1/8" Communication Cable	10-1/4" (260 mm)
63607	Ratcheting ACSR Cable Cutter	MCM Cable up to 336 ACSR, 400 Copper, and 600 Aluminum	
PVC Cutter			
50034	Large Capacity Ratcheting PVC Cutter	O.D. 5/8" to 2-1/2" (15.9 to 63.5 mm) I.D. 1/2" to 2" (12.7 to 50.8 mm)	11" (279 mm)
50035	Blade for Large Capacity PVC Cutter	N/A	N/A

Cat. No.	Description	Strips	Features	Cutting Length	Overall Length
Scissors and Snips					
2100-7	Electrician's Scissors	19 and 23 AWG Wire	Scraper, File	1-7/8" (48 mm)	5-1/4" (133 mm)
2100-8	Free-Fall Snip, Stainless Steel		Extended handle		6-5/16" (160 mm)
2600-1	All-Purpose Electrician's Scissors Serrated blades		Serrated blades, Notches		6-3/4" (171 mm)

⚠WARNING: Do NOT Cable.

⚠WARNING: Do NOT cut steel or ACSR.

⚠WARNING: Do NOT cut cold PVC.

⚠WARNING: Do NOT use to cut metallic pipes, cable or wire.


2100-7


935

Levels & Measuring

Cat. No.	Description
935	Torpedo Level
9125	Tape Measure, 25-Foot Single-Hook
9216	Tape Measure, 16-Foot Magnetic Double-Hook
9225	Tape Measure, 25-Foot Magnetic Double-Hook
9230	Tape Measure, 30-Foot Magnetic Double-Hook
9375	Tape Measure, 7.5-Meter Magnetic Double-Hook



9225

⚠WARNING:
- Protect hands when cleaning magnetic tip end. Use gloves or cloth.
- Avoid magnetic contact with sensitive electronic or computer equipment.
- To avoid personal injury and damage to this tool, do not allow the tape blade to retract into case.
- Do NOT open case. Spring motor is under tension, and opening case may cause injury.

KLEIN TOOLS TELECOM — 2020

Screwdrivers & Nut Drivers

Cat. No.	Tip Type	Tip Size	Shank Length	Overall Length
Cushion-Grip Screwdrivers				
600-4	Keystone, Heavy-Duty Square Shank	1/4" (6 mm)	4" (102 mm)	8-11/32" (212 mm)
600-8		3/8" (10 mm)	8" (203 mm)	13-7/16" (341 mm)
601-4	Cabinet, Round Shank	3/16" (5 mm)	4" (102 mm)	7-3/4" (197 mm)
601-6		3/16" (5 mm)	6" (152 mm)	9-3/4" (248 mm)
602-4	Keystone, Heavy-Duty Round Shank	1/4" (6 mm)	4" (102 mm)	8-11/32" (212 mm)
602-6		5/16" (8 mm)	6" (152 mm)	10-15/16" (278 mm)
603-3	Phillips, Round Shank	#1	3" (76 mm)	6-3/4" (171 mm)
603-4		#2	4" (102 mm)	8-5/16" (211 mm)
603-6		#3	6" (152 mm)	11" (279 mm)
Plastic Handle Screwdrivers				
A216-4	Cabinet, Round Shank	1/8" (3 mm)	4" (102 mm)	7" (178 mm)

Cat. No.	Size	Shank Length	Color Code	Overall Length
Cushion-Grip Nut Drivers				
630-1/4	1/4"	3" (76 mm)	Red	6-3/4" (172 mm)
630-3/16	3/16"	3" (76 mm)	Black	6-3/4" (172 mm)
630-3/8	3/8"	3" (76 mm)	Blue	6-3/4" (172 mm)
630-5/16	5/16"	3" (76 mm)	Yellow	6-3/4" (172 mm)
630-7/16	7/16"	3" (76 mm)	Brown	7-5/16" (186 mm)
630-1/2	1/2"	3" (76 mm)	Red	7-5/16" (186 mm)

Cat. No.	Size	Shank Length	Handle Color	Overall Length
Plastic Handle Nut Drivers				
S10-6M	5/16"	6" (152 mm)	Amber	9-5/8" (245 mm)
S12-6M	3/8"	6" (152 mm)	Blue	9-5/8" (245 mm)
S86M	1/4"	6" (152 mm)	Yellow	9-5/8" (245 mm)

Cat. No.	Shank Length	Overall Length
Cushion-Grip Scratch Awl		
650	3-1/2" (89 mm)	7-7/8" (200 mm)



600-4



601-6



602-6



603-6



650

Multi-Bit Screwdrivers/Nut Drivers & Sets

Cat. No.	Description	Contains
Cushion-Grip Handles		
85076	7-Piece Screwdriver Set	4" square-shank, keystone-tip, 6" round-shank, keystone-tip, 3" round-shank, cabinet-tip, 6" round-shank, cabinet-tip, 4" round-shank, #1 Phillips-tip, 3" round-shank, #1 Phillips-tip, 4" round-shank, #2 Phillips-tip
631	7-Piece Nut Driver Set	3/16", 1/4", 5/16, 11/32, 3/8", 7/16", 1/2" in 3" (76 mm) lengths
647	7-Piece Nut Driver Set	3/16", 1/4", 5/16, 11/32, 3/8", 7/16", 1/2" in 6" (152 mm) lengths
32581	4-in-1 Electronics Screwdriver	T7, T8, T10, T15 TORX®. 6-1/2" (165 mm) overall length
32614	4-in-1 Electronics Pocket Screwdriver	#0 and #00 Phillips plus 1/8" and 3/32" Slotted blade
32476	5-in-1 Screwdriver/Nut Driver	5/16" (8 mm) nut driver, #1 & #2 Phillips, 1/4" & 3/16" (7 mm & 5 mm) Slotted. 7-3/4" (197 mm) overall length
32807MAG	7-in-1 Multi-Nut Driver	1/4", 5/16", 11/32", 3/8", 1/2", 7/16" & 9/16" sizes. 9.5" (241 mm) overall length
32477	10-in-1 Screwdriver/Nut Driver	5/16" and 1/4" nut drivers, #1 & #2 Phillips, 1/4" & 3/16" Slotted, T10 and T15 TORX®, #1 & #2 square-recess. 7-3/4" (197 mm) overall length
32500	11-in-1 Screwdriver/Nut Driver	3/8", 5/16" & 1/4" nut drivers, #1 & #2 Phillips, 1/4" & 3/16" Slotted, T10 & T15 TORX®, #1 & #2 square-recess. 7-1/4" (184 mm) overall length
Insulated Handles		
32288	8-in-1 Insulated Interchangeable Screwdriver Set	Pouch, Handle, #2 Phillips Single-End Blade, 1/4" (6 mm) Slotted Single-End Blade, #1/ #2 square-recess Double-End Blade, #1 Phillips / 3/16" (5 mm) Slotted Double-End Blade, and #2 Phillips / 1/4" Slotted (6 mm) Double-End Blade
32286	2-in-1 Insulated Flip-Blade Screwdriver	#1 Phillips, 3/16" (5 mm) Slotted blade
32293	2-in-1 Insulated Flip-Blade Screwdriver	#2 Phillips, 1/4" (6 mm) Slotted blade
Plastic-Handles		
32460	4-in-1 Screwdriver	Phillips #1, #2; Cabinet; Slotted - 7-5/8" (194 mm) overall length
70035	Magnetic Screwdriver Set	#1, #2 Phillips, 3/16" & 9/32" (4.8 & 7.1 mm) Slotted - 3-7/16" overall length



631

Gloves

Description	Medium	Large	X-Large	XX-Large
Long-Cuff Gloves		40010	40012	
Cowhide Gloves with Thinsulate™	40016	40017	40018	
Cowhide Work Gloves	40021	40022		
Lineman Work Gloves	40080	40082	40084	40086
Journeyman™ Utility Gloves		40206	40207	
Journeyman™ Leather Gloves	40220	40221	40222	


40220



40206

⚠WARNING: Not flameproof or fire retardant. DO NOT expose to open flame or sparks.

Test & Measurement


CL390



IR5


RT210



MM700

Cat. No.	Description	Functions	Included Accessories	Batteries	Safety Rating	Drop Protection
CL110	Digital Clamp Meter AC Auto-Ranging 400A	AC current via the clamp & AC/DC voltage, resistance and continuity via test-leads	Carrying Case, Test Leads, Batteries	3 x AAA	CAT III 600V	3.3 ft (1 m)
CL220	400A AC/DC Auto-Ranging Clamp Meter	TRMS, AC Current, NCVT, AC/DC Voltage, Resistance, Continuity and Temperature	Case, Test Leads, Thermocouple, Batteries	3 x AAA	CATIII 600V, Class 2, Double Insulation Safety Rating, CE Certified	6.6 ft (2 m)
CL390	Digital Clamp Meter, AC/DC Auto-Ranging 400 A	TRMS, AC/DC Current, NCVT, AC/DC Voltage, Resistance, DC Micro Amp, Frequency, Capacitance, Continuity, Duty Cycle, Diode Test, and Temperature	Case, Test Leads, Thermocouple, Batteries	3 x AAA	CATIII 600V, Class 2, Double Insulation Safety Rating, CE Certified	6.6 ft (2 m)
MM300	600V Manual-Ranging Multimeter	Manual-ranging, AC/DC voltage, DC current, resistance, test diode, continuity, battery test	Test Leads, Batteries	2 x AAA	CAT III 600V	3.3 ft (1 m)
MM400	600V Auto-Ranging Multimeter	Auto-ranging, AC/DC voltage, AC/DC current, resistance, temperature, capacitance, frequency, duty-cycle, diode test, continuity	Test Leads, Batteries, Thermocouple	2 x AAA	CAT III 600V	3.3 ft (1 m)
MM700	1000V AC/DC TRMS/Low Impedance Multimeter	Auto-ranging True Root-Mean-Squared (TRMS), AC/DC voltage, AC/DC current, and resistance, temperature, capacitance, frequency, duty-cycle, diode test, continuity	Case, Test Leads, Thermocouple, Batteries, Alligator Clips	2 x AAA	CAT IV 600V	6.6 ft (2 m)
IR2000A	12:1 Infrared Thermometer	Auto Scan -76° to 1022°F (-60° to 550°C) Max/ Min/Average/Differential	Case, K-type Thermocouple and Batteries	2 x AAA	N/A	6.6 ft (2 m)
IR5	Dual Laser Infrared Thermometer	Temperature: -22° to 752°F (-30° to 400°C), Auto-scan; max/min/ avg/diff	Pouch, Batteries	9V	N/A	6.6 ft (2 m)
RT210	GCFI Receptacle Tester	Diagnoses common wiring faults in standard grounded outlets	N/A	N/A	UL, SA, CE	6.6 ft (2 m)
69420	Heavy-Duty Alligator Clip Test Leads	Standard banana-type inputs compatible with most multimeters and clamp meters				

USB Digital Meters

Cat. No.	Description	Voltage	Current	Capacity Used	Energy Delivered	Resistance	Elapsed Time	USB Compatibility
ET900	USB-A Digital Meter (Type A)	3 to 20V DC	0.05 to 3 A	99,999mAh Maximum	999Wh Maximum	400 ohms Maximum	Up to 999 Hours, 59 Min, 59 Secs	USB-A; Qualcomm Quick Charge®
ET910	USB-A Digital Meter and Tester (Type A)							
ET920	USB-A/USB-C Digital Meter (Type A and C)		USB-A: 0.05 to 3A USB-C: 0.05 to 5A					USB-A, USB-C; Qualcomm Quick Charge®

Holemaking

Cat. No.	Description	Features
53001	15-Piece Regular-Point Drill-Bit Set	• 1/16" through 1/2" by 32nds drill bits • Hinged metal box with two stand-up bit holders
53716	Flex Bit Auger, 3/8" x 54" length	• Screw point tip pulls the bit through wood • Hole in tip allows for use with wire or cable pulling grip
53751	Flex Bit Auger, 3/4" x 54" length	

NOTE: Read and follow safety instructions in power tool owner's manual.


53001

Saws & Blades

Cat. No.	Description	Blade Length	Overall Length
703	Magic-Slot Compass Saw	8" (203 mm)	13" (330 mm)
725	Jab Saw	6" (152 mm)	12" (305 mm)
31737	Folding Jab Saw	5.2" (132 mm)	11.9" (302 mm)
31734	Saw Blades for 18 Gauge Metal, 5-pack	6" (152 mm)	6" (152 mm)
702-12	High-Tension Hacksaw	12" (305 mm)	16-1/4" (413 mm)
1224BIP	Bi-Metal Blades, 10-pack for use with 702-12	12" (305 mm)	12" (305 mm)



31737

Hammers, Chisels & Punches

Cat. No.	Description	Head Weight	Overall Length
807-18	Electrician's Straight-Claw Hammer	18 oz (510 g)	15" (381 mm)
808-16	Straight-Claw Hammer - Heavy-Duty	16 oz (454 g)	13" (330 mm)
832-32	Lineman's Straight-Claw Hammer	32 oz (907 g)	15" (381 mm)
809-36	Lineman's Double-Face Hammer	36 oz (1021 g)	14" (356 mm)
809-36MF	Lineman's Milled-Face Hammer	36 oz (1021 g)	14" (356 mm)
818-16	Curved-Claw Hammer – Heavy-Duty	16 oz (454 g)	13" (330 mm)
818-20	Curved-Claw Hammer - Heavy-Duty	20 oz (567 g)	14" (356 mm)


809-36

Knives

Cat. No.	Description	Features	Blade Length	Overall Length
Cable/Lineman's Skinning Knives				
44213	Spring-Assisted Open Pocket Knife	Assisted Open	3.4'' (8.6 cm)	8.0'' (20 cm)
44223	Bearing-Assisted Open Pocket Knife	Bearing-Assisted Open	3.5'' (8.9 cm)	8.1'' (21 cm)
44218	Cable Skinning Utility Knife	440A Stainless Steel Sheepsfoot blade	2-1/2" (64 mm)	7-51/64" (198 mm)
44219	Hawkbill Replacement Blades for 44218 (3-Pack)			
44138	Replacement Blades for Cable Skinning Utility Knife (3-Pack)			
1570-3LR	Cable Skinning Knife	Hook Blade and Notch	3" (76 mm)	8" (203 mm)
1570-3	Cable Skinning Knife	Hook Blade, Notch, and Ring	3" (76 mm)	8" (203 mm)
Cable Splitting/Splicing Knives & Accessories				
1515-S	Cable-Sheath Splitting Knife		2-3/4" (70 mm)	7-3/8" (187 mm)
5574S	Knife Guard, Small fits Cat. No. 1515-S knife			
15151	Cable-Sheath Splitting Knife, Bell System		4-1/2" (114 mm)	8-3/4" (222 mm)
5574L	Knife Guard, Large fits Cat. No. 1515-1 knife			
44200	Cable Splicer's Knife	1095 steel	1-3/4" (45 mm)	6-1/4" (159 mm)
46037	Cable Splicer's Kit	Cable splicer's knife, electricians scissors and 2-pocket leather pouch		
46039	Cable Splicer's Kit	Cable splicer's knife, free-fall snip and leather holder		
Pocket Knives				
44033	Drop-Point	Stainless steel blade with Rosewood Handle Insert	2-1/4" (57 mm)	5-1/4" (133 mm)
1550-4	Sheepsfoot Slitting Blade	Carbon steel	2-5/8" (67 mm)	6-1/8" (156 mm)
44100	Utility Knife with Retractable Blade	3 standard blades stored in handle	N/A	6-5/8" (168 mm)



44218


1515-S


44033

⚠WARNING: Blades are intended for cutting only, and should be handled and disposed of with care. Bending the blade can cause it to break, possibly resulting in bodily injury. Check local laws on legality of selling or possesing these knives.

Lineman Buckets & Accessories

Cat. No.	Description	Body Material /Color	Handles	Extra Features
Oval Buckets				
5144	15-Pocket Aerial	Canvas (natural)	N/A	Hooks (2)
5144H	Hook for Aerial Buckets	Nylon 66 polymer	N/A	N/A
5144S	15-Pocket Aerial	Canvas (natural)	Sisal Rope	Swivel snap
5144BHB14OS	29-Pocket Hard-Body Aerial	Denier Polyester (black)	Polyester	N/A
5152S	41-Pocket Aerial	Canvas (natural)	Sisal Rope	Swivel snap
Tapered Wall Buckets				
5103S	Heavy-Duty	Canvas (natural)	Rope	Swivel snap, leather glove strap
5172PS	Heavy-Duty with 15-Pockets	Canvas (natural)	Rope	Swivel snap

Cat. No.	Description	Load Rating	Body Material/Color	Handles	Extra Features
Straight Wall Buckets					
5104S	Leather-Bottom Bucket	100 lbs (45 kg)	Canvas (natural)	Rope	Swivel snap
5104FR	Flame-Resistant Canvas Bucket				Interior Pocket
5104CLRFR	Flame-Resistant Top Closing Canvas Bucket		Flame-Resistant Canvas (black)	Web	Double-action carabiner, Zipper-closed top, Leather-covered handle
5104VT	Leather Bottom Bucket with Top	N/A	Canvas (natural)	Rope	VELCRO® Closure
51004CLR17	Heavy Duty Top Closing Bucket, 17''	150 lbs (68 kg)	Canvas (natural)	Web	Swivel snap Holds a 5-gallon bucket
51TOP	Vinyl Bucket Top	N/A	Orange	Strap	Works with 5104 series



5104-FR

⚠WARNINGS: • Inspect for damage before each use. • Remove from service if bucket shows signs of wear. • Never exceed the working load limit.

Wire Pulling Grip

Cat. No.	Description	Cable Type	Cable Diameter	Spring	Locking Handle	Jaw Type	Jaw Length
16845CAT	Chicago® Grip Coated Guy Wire with Chain	Steel Strand	0.218" To 0.55" (5.54 to 13.97 mm)	Y	Y	Aggressive	5" (127 mm)


16845CAT

Block & Tackle

Cat. No.	267 Block	268 Block	258 Anchor Hook	259 Swivel Anchor Hook	Rope spliced to component number
Block & Tackle Packages					
1802-30	●	●	●		
1802-30SR	●	●	●		268 Block
1802-30S	●	●		●	

Cat. No.	Length	Max. Safe Load	Includes
Polypropylene Hand-Lines			
1803-60	75' (23 m)	250 lbs. (113 kg)	Snap Hook (Cat. No. 443A)
1804-60			Swivel Hook (Cat. No. 470)

Light, galvanized-steel shell blocks are fitted with snubbing hooks to hold the load. Sheaves are strong yet lightweight aluminum alloy with all-bronze bushings.


1802-30

⚠ WARNING: This is NOT an occupational protective device. NOT for human support.

Tool Tether

Cat. No.	Load Rating	Relaxed Length	Stretched Length	Weight
TT2	15 lbs (6.8 kg)	32" (81.3 cm)	51" (130 cm)	0.10 lbs (0.05 kg)


TT2

Jobsite Accessories

Cat. No.	Description	Capacity	Max Power	Recharge Time	Features
Portable Batteries					
KTB1	Portable Rechargeable Battery	10050mAh	18W	4-8 hours	Illuminated ports
KTB2	Portable Jobsite Rechargeable Battery	13400mAh	28W	4-10 hours	LED Worklight with 170 umens on high; 100 lumens on low, Multi-position kickstand

Cat. No.	Description	Lumens	Run Time	Drop Height	Batteries
Illumination					
56403	Rechargeable Personal Worklight	High: 460 Low: 175	High: 9 hours Low: 16 hours	6' (1.8 m)	Lithium-Ion
56040	Rechargeable Focus Flashlight with Laser	High: 350; Low: 125	High: 6 hours Low: 12 hours	10' (3 m)	
56220	LED Headlamp Flashlight with Strap for Hard Hat	Spotlight - 150, Floodlight - 50	6 hrs. 10 hrs.	6' (1.8 m)	3 x AAA

Cat. No.	Description	Overall Length	Overall Height	Overall Width	# of Compartments
Tradesman Pro™ Coolers					
55600	Tough Box, 17-Quart	12" (305 mm)	12" (305 mm)	16-13/64" (412 mm)	2
55601	Soft Lunch	9.5" (241 mm)	13" (330 mm)	12" (305 mm)	4
55625	Tough Box, 9-Quart	14.7" (373 mm)	12" (305 mm)	8.8" (224 mm)	2

Cat. No.	Description	Towel Size
51425	Klein Kleaners™ Hand Cleaning Towels	9" x 12" (229 mm x 305 mm) Package of 72


KTB2


56220

Hard Hats

Cat. No.	Description	Vented	Class	Shell Color
60100	Cap Style	No	E	White
60107	Cap Style with Headlamp*			White
60900	Cap Style with Headlamp*			Orange
60400	Hard Hat, Non-vented, Full Brim Style			White
60105	Cap Style	Yes	C	White
60113	Cap Style with Headlamp*			White
60901	Cap Style with Headlamp*			Orange
60401	Full Brim Style			White
60407	Full Brim with Headlamp*			White
Hard Hat Accessories				
KHH56220	Hardhat Headlamp / Magnetic Work Light			
KHHSTRP	Hard Hat Chin Strap			

*Includes headlamp KHH56220 with 3x AAA batteries.


60400


60900


60113

Tool Bags & Storage

Cat. No.	Description	Material/Color	Shoulder Strap	Closure Type	Total Pockets	Length	Width	Height/Depth
Tool Bags & Storage								
5151	Ten-Compartment Drawstring Bag	Canvas, Olive	No	Drawstring	10	11" (279 mm)	N/A	6" (152 mm)
58888	Tool Tote™	Denier polyester (Black)	Included	Open top	12	15-1/2" (394 mm)	7-1/2" (191 mm)	10" (254 mm)
58890	Tool Tote™, Tape Thong	Denier polyester (Black)	Included	Open top	17	15-1/2" (394 mm)	7-1/2" (191 mm)	10" (254 mm)
5140	4-Pack Zipper Bags	Canvas (Olive, Orange, Blue, Yellow)	No	Zipper	1	12-1/2" (318 mm)	1/2" (13 mm)	7" (178 mm)
55470	2-Pack Stand-Up Zipper Bags	1680d/2520d ballistic nylon bottom (Orange/Black; Gray/Black)	No	Zipper	1	8 1/2" (216 mm) 9" (229 mm)	1-1/8" (29 mm)	6-1/2" (165 mm) 7-1/2" (191 mm)
5102-16	Canvas Tool Bag - 16"	Canvas - (natural) & vinyl (Brown)	5102S	Straps	1	16" (406 mm)	6" (152 mm)	14" (356 mm)
5102-22	Canvas Tool Bag - 22"		5102S	Straps	1	22" (559 mm)	6" (152 mm)	15" (381 mm)
5102-24	Canvas Tool Bag - 24"		5102S	Straps	1	24" (610 mm)	6" (152 mm)	15" (381 mm)
5105-20	High-Bottom Canvas Tool Bag- 20"		5102S	Straps	1	20" (508 mm)	6" (152 mm)	15" (381 mm)
5105-24	High-Bottom Canvas Tool Bag- 24"		5102S	Straps	1	24" (610 mm)	6" (152 mm)	15" (381 mm)
5102S	Adjustable Shoulder Strap Kit	Leather	Yes	N/A	N/A	N/A	N/A	N/A
5108-18	Deluxe Leather Bag	Leather	Included	Straps	N/A	18" (457 mm)	7" (178 mm)	8" (203 mm)
Tradesman Pro™ Organizers								
5541610-14	10" Tote	1680d ballistic nylon (Black ext./Orange int.)	Included	Open Top	30	12" (305 mm)	10" (254 mm)	10" (254 mm)
55419SP-14	Shoulder Pouch		Included	Zipper	16	10" (254 mm)	8" (203 mm)	5" (127 mm)
55421BP-14	Backpack		Included	Zipper	39	18" (457 mm)	14" (356 mm)	7" (178 mm)
55452RTB	Rolling Tool Bag		No	Zipper	24	19" (483 mm)	12.5" (318 mm)	14" (356 mm)
55456BPL	Tech Backpack		Included	Zipper	25	14" (356 mm)	7" (178 mm)	18-1/2" (470 mm)
55473RTB	Tool Master Rolling Tool Bag		No	Hard Plastic Top	19	22" (55 cm)	15" (39 cm)	23" (57 cm)


55421BP-14


5541610



5102-24

Tool Pouches


5416T


5165


5141P


5719

Cat. No.	Description	Material/Color	Belt Connection	Belt Width	Dimensions	Specialty Add-Ons
42241	6-Pocket Nail/Screw	Leather (natural)	Tunnel loop	3" (76 mm)	11" x 11-3/4" (279 x 298 mm)	Hammer loops (2)
5166	7-Pocket	Leather (white)	Tunnel loop	2-1/4" (57 mm)	7" x 9-1/2" (178 x 241 mm)	Chain tape thong
5164	8-Pocket	Leather (natural)	Slots	2" (51 mm)	6-3/4" x 9-3/4" (171 x 248 mm)	Knife snap
5701	8-Pocket	Cordura® (Black)	Tunnel loop	2-1/2" (64 mm)	11" x 12" (279 x 305 mm)	
5164T	8-Pocket	Leather (natural)	Tunnel loop	2-1/2" (64 mm)	6-3/4" x 9-3/4" (171 x 248 mm)	Knife snap
5162T	8-Pocket Extra-Capacity	Leather (natural)	Tunnel loop	3" (76 mm)	8-1/2" x 10-3/4" (216 x 273 mm)	Knife snap, leather tape thong
5165	10-Pocket	Leather (natural)	Slots	2" (51 mm)	10" x 10" (254 x 254 mm)	Knife snap
5190	10-Pocket	Leather (natural)	Slots	1-3/4" (44 mm)	6" x 8-3/4" (152 x 222 mm)	Leather tape thong
5719	18-Pocket	Cordura® (Black)	Tunnel loop	2-1/2" (64 mm)	11" x 12" (279 x 305 mm)	Chain tape thong
5142	Utility Bag	Canvas (natural)	Loops	3" (76 mm)	9" x 10" x 8" x 3" (229 x 254 x 203 x 76 mm)	
5142P	Utility Bag with Interior Pocket	Canvas (natural)	Loops	3" (76 mm)	9" x 10" x 8" x 3" (229 x 254 x 203 x 76 mm)	
5141P	Utility Bag – Extra-Large	Canvas (natural)	Loops	3" (76 mm)	10" x 12" x 5" (254 x 305 x 127 mm)	
5416T	Bull-Pin/Bolt Bag	Canvas (natural)	Loops	3" (76 mm)	5" x 9" x 10" (127 x 229 x 254 mm)	Bull pin loops
5416TCP	Extra Tall Top Closing Bolt Bag	Canvas (natural)	Tunnel loop	3" (76 mm)	5" x 12" x 9" (127 x 305 x 229 mm)	
5416TC	Top Closing Bolt Bag	Canvas (natural)	Tunnel loop	3" (76 mm)	5" x 10" x 9" (127 x 254 x 229 mm)	
5101	Scissors Holder	Leather (black)	Tunnel	Up to 1-1/2" (38 mm)	2" to 7" (51 to 178 mm)	Klein Electrician's Scissors (Cat. Nos. 2100-5 and 2100-7)

Tool Pouch & Belt Sets


5710

Cat. No.	Description	Material /Color	Pockets	Components	Belt Width	Waist Size	Specialty Add-Ons
5710M	Electrician's Combo Set 4 Piece – Medium	Cordura® (Black)	27	5704, 5706, 5718, 5719	2" (51 mm)	32" – 36" (813 – 914 mm)	Hammer Holder
5710L	Electrician's Combo Set 4 Piece – Large					36" – 40" (914 – 1016 mm)	
5710XL	Electrician's Combo Set 4 Piece – Extra-Large					40" – 44" (1016 – 1118 mm)	

⚠**WARNING:** This is NOT an occupational protective belt.

⚠**WARNING:** NOT for fall arrest or back support.

Tool Belts

Cat. No.	Description	Material /Color	Buckle Type	Belt Width	Waist Size
5201	Lightweight Tool Belt	Leather (natural)	Single-tongue	1" (25 mm)	33" to 45" (838 to 1143 mm)
5225	Adjustable Web Tool Belt	Polypropylene web (Black)	Slide-action	2" (51 mm)	48" (1219 mm)
5202XL	General-Purpose Belt – Extra-Large	Leather (natural)	Single-tongue	1-1/2" (38 mm)	46" to 54" (1168 to 1372 mm)
5207L	Electrician's Tool Belt – Large	Leather (natural)	Single-tongue	1-1/2" (38 mm)	38" to 46" (97 to 117 cm)
5415L	Heavy-Duty Embossed Tool Belt – Large	Leather (natural)	Double-tongue	2" (51 mm)	40" to 48" (1016 to 1219 mm)


5415L

⚠**WARNING:** This is NOT an occupational protective belt.

⚠**WARNING:** NOT for fall arrest or back support.

Cable Management

Cat. No.	Description	For use with
450-100	Loose Cable Stapler	Voice, Data, Video, NM (Romex®) nonmetallic sheathed cable
Insulated Staples – Sold separately in 300 qty. packs		
Cat. No.	**Size**	**Leg Length** / **For use with**
450-001	1/4" x 5/16"	11/16" — • CAT3/5e data cable • Speaker Wire
450-002	5/16" x 5/16"	11/16" — • CAT3/5e/6/6A data cable • RG59/6/6Q coax cable
450-003	11/32" x 19/32"	7/8" — • CAT3/5e/6/6A (x2, x3) data cable • RG59/6/6Q (x2) coax cable • NM (Romex®) 14-3, 14-3G, 12-3


450-100

Voice, Data, Video Installation Kit

Cat. No.	Description	Includes
VDV011-832	ProTech™ Coaxial Kit	• Two-Layer Case with 18 organizational compartments • Coax Cable Stripper - 2-Level (VDV110-061) • Compression Crimper (VDV211-048) • Multi-Cable Cutter Klein-Kurve® (63020) • 10-pack -- Universal F Connectors - RG59 (VDV812-615) • 10-pack (2x) -- Universal F Connectors - RG6/6Q (VDV812-606) • 10-packs (2x) -- F Connectors - RG6 (VDV812-623) • 10-pack -- Universal BNC Connectors - RG59 (VDV813-616) • 10-pack -- Universal BNC Connectors - RG6/6Q (VDV813-607)
VDV026-212	Twisted Pair Installation Kit	• Ratcheting Modular Crimper/Stripper (VDV226-011) • Twisted Pair Radial Stripper (VDV110261) • 110-Type Punchdown Tool • RG6/RG6Q Universal F-Connectors, 6-pieces • Polyester Zipper Bag (5199BP)
VDVGB181	Twisted Pair Cable Installation Kit	• Compact Ratcheting Modular Crimper (VDV226107) • Twisted Pair Radial Stripper (VDV110261) • Modular Data Plug RJ45 CAT5e, 50-pack (VDV826602)
VDV026-211	Coax Install Kit	• Multi-Cable Cutter (63020) • Compression Crimper- F Connector (VDV212008SEN): • Coaxial Cable Radial Stripper – 2 level (VDV110-061): • RG6/RG6Q Universal F-Connectors, 6-pieces • Polyester Zipper Bag (5199BP)
VDVGB182	Coax Cable Installation Kit	• Compression Crimper (VDV211063) • F Connectors, 10-pack (VDV812606) • Combo Radial Stripper (VDV110295)
VDV011-852	Coax Cable Installation Kit with Hip Pouch	• Radial Stripper (VDV110-061) • Multi-Cable Cutter (63020) • Compression Crimper (VDV212-008) • Molded hip pouch


VDV011-832


VDV011-852


VDV026-212

Radial Strippers

Cat. No.	Description	Cable Type	Color	Level(s)	Strip/Slit Dimensions
VDV110-061	Coax Cable, 2-Level	RG59, RG6, RG6-QS	Yellow/Black	2	0.313" & 0.250" (7.94 & 6.35 mm)
VDV110-095	Coax Cable, 2-Level	RG59, RG6, RG6-QS, RG7, RG11	Yellow/Gray	2	0.313" & 0.250" (7.94 & 6.35 mm)
VDV110-261	Twisted Pair	CAT3, CAT5/5e, CAT 6/6A	Yellow/Blue	1	2" (51 mm) - Strip length varies by application
VDV110-295	Coax Combo Pair	RG59, RG6/RG6Q; CAT3, CAT5/5e, CAT6/6A	Yellow/Blue	2	0.313" & 0.250" (7.9 & 6.4 mm) Strip length varies by application


VDV110-295

Compression Crimpers, Connectors & Cutters

Cat. No.	Description	Cable Type	Strips and Cuts	Color	Connectors
VDV211-048	Compact, Multi-Connector	Coaxial	N/A	Yellow/Black	Coax F
VDV211-063	Lateral, Multi Connector	Coaxial	N/A	Yellow/Chrome	BNC, F, RCA
VDV211-100	Extended Reach Coaxial	Coaxial	N/A	Yellow/Black	BNC, F, RCA
VDV226-005	Compact Pass-Thru Crimper	Twisted Pair (STP/UTP)	N/A	Yellow/Black	RJ45, Klein Pass-Thru™ Connectors
VDV226-107	Compact Ratcheting Modular Crimper	Coaxial	N/A	Yellow/Black	RJ11, RJ12 and RJ45 Standard
VDV226-110	Pass-Thru™ Modular	Twisted Pair (STP/UTP)	STP/UTP & Flat Satin Phone Cable	Yellow/Black	RJ11/RJ12 Standard; Klein Pass-Thru™ Connectors

Cat. No.	Description	Cable Type	Position/Contacts	Color	Connectors	Package Qty
Connectors						
VDV826-604	UY Insulation Displacement Connector	22-26 AWG	2P2C	Yellow	UY	25
VDV826-605	UR Insulation Displacement Connector	19-26 AWG	3P3C	Red	UR	25
VDV826-763	Pass-Thru™ Data Plugs	CAT6	8P 8C	Clear	RJ45	200


VDV226-110


VDV826-763

Punchdown Tools

Cat. No.	Description	Configuration End 1	Configuration End 2	Color
VDV427-300	Impact Punchdown Tool, 66/110 Blade	110 Terminate and Cut	66 Terminate and Cut	Black/Yellow/Red
VDV427-110	Extended Reach Blade for Impact Punchdown Tool	110 Terminate and Cut	66 Terminate and Cut	Chrome
VDV427-822	**Cushion-Grip Impact Punchdown Tool Kit – includes the following (items also sold separately) plus a multi-pocket pouch**			
VDV427-821	Impact Punchdown Tool	110 Terminate and Cut	66 Terminate and Cut	Black/Yellow
VDV427-104	Dura-Blade™ Punchdown Blade	110 Terminate and Cut	66 Terminate and Cut	Chrome
VDV327-103	Wire Pick	Metal Hook	Non-Conductive Spudger	Yellow


VDV427-300

KLEIN TOOLS TELECOM — 2020

Voice, Data, Video Test Equipment


VDV512-101


VDV512-007

Cat. No.	Description	Supported Remotes	Connection & Adapter Types	Tone Generator	Cable ID	Test & Measure Types	Includes
VDV512-007	Pocket Continuity Tester	—	Coax F	1	—	• Open Fault • Short Fault • Good	• Red remote • AAA Battery
VDV500-705	Tone & Probe Test and Trace Kit	—	RJ11, Alligator Clips		—	• Wire Toning • Wire Tracing	• RJ45 Cable • RJ12 and Alligator Clip Cable • 4 x AAA Batteries
VDV500-820	Tone & Probe PRO Kit	—	Coax F, RJ45 ABN Alligator Clips	5	—	• Wire Toning • Wire Tracing	• Probe (No. VDV500-123) • Tone Generator (No. VDV500-063) • Pouch (No. VDV770-500) • 8 x AAA Batteries
VDV500-063	Toner-PRO Tone Generator	—	Coax F, RJ45 ABN Alligator Clips	5	—	• Wire Toning	• Angled Bed of Nails (ABN) Teleco Clips • Lanyard Loop • 4 x AAA Batteries
VDV500-123	Probe-Pro Tracing Probe	—	RJ11, Coax RJ45	—	—	• Wire Toning	• 4 x AAA Batteries
VDV512-101	Coax Explorer® 2 with Remote Kit	—	Coax F	1	—	• Open Fault • Short Fault • Good	• Snap-on remote holder • 4 color-coded push-on remotes • F-adapter • 2 X AAA Batteries
VDV526-052	LAN Scout Jr. Continuity Tester	—	RJ11, RJ12 and RJ45	4	—	• Miswire • Open Fault • Short Fault • Split Pair • Toner	• Self-storing remote • 6V to 4 x LR44 Alkaline Battery
VDV526-100	LAN Explorer™ Data Cable Tester with Remote	1	RJ11, RJ12 and RJ45	No	—	• Pass • Miswire • Open-Fault • Short-Fault • Shield	• Tester • Remote • 9V Battery
VDV501-824	Scout Pro™ Tester with Test-n-Map™ Remote Kit	CoaxMap™ ID LanMap™ ID	RJ11, RJ12, RJ45 and Coax F	4	Supports up to 19	• Continuity • Miswire • Open & Short Fault • Split Pairs • Shield • Toner	• Tester (VDV501-098) • Test-n-Map™ Remotes (8) • Coax Push-on F-Adapters (8) • Coax Barrel F-Adapter • RJ45 Test Cables (8) • 9V Battery • Case
VDV501-825	Scout™ Pro 2 LT Tester Remote Kit	CoaxMap™ ID Test-n-Map™ LanMap™ ID	RJ11, RJ12, RJ45 and Coax F	4	Supports up to 19	• Continuity • Miswire • Open & Short Fault • Split Pairs • Shield • Toner • Length	• Tester (VDV501-108) • Test-n-Map™ Remote (1) • LanMap™ Remotes (19) • CoaxMap™ Remotes (19) • Coax Barrel F Adapter • 9V Battery • Case
VDV501-826	Scout™ Pro 2 LT Tester with Test-n-Map Remote Kit	CoaxMap™ ID Test-n-Map™ LanMap™ ID	RJ11, RJ12, RJ45 and Coax F	4	Supports up to 19	• Continuity • Miswire • Open & Short Fault • Split Pairs • Shield • Toner • Length	• Tester (VDV501-108) • Test-n Map™ Remotes (8) • Coax Barrel F Adapter • Coax Push-on F Adapter (8) • RJ45 Jumper Test Cables (8) • 9V Battery • Case
VDV501-851	Scout™ Pro 3 Tester Starter Kit	CoaxMap™ ID LanMap™ ID	RJ11, RJ12, RJ45, Coax F	5	Supports up to 18	• Continuity • Miswire • Open & Short Fault • Split Pairs • Shield • Cable Measurement • Toner • Length	• Tester (VDV501-851) • Self-Storing Remote • LanMap™ Remotes (5) • CoaxMap™ Remotes (5) • Coax Barrel F Adapter • 9V Battery
VDV501-828	Commander™ Test Kit	CoaxMap™ ID Test-n-Map™ LanMap™ ID	Coax F RJ45	4	Supports up to 20	• Continuity • Miswire • Open & Short Fault • PoE • Split Pairs • Cable Length • Shield • Toner	• Tester • Test-n-Map Remote (1) • LanMap™ Remotes (5) • CoaxMap™ Remotes (5) • Test cables • Coax adapter • Batteries: AA (6) • Case
VDV501-829	Commander™ with Test-n-Map™ Remote Kit	CoaxMap™ ID Test-n-Map™ LanMap™ ID	Coax F RJ45	4	Supports up to 20	• Continuity • Miswire • Open & Short Fault • PoE • Cable Length • Split-Pairs • Shield • Toner	• Tester • Test-n-Map Remote (1) • PROBEplus (ToneTracing Probe VDV500-060) • LanMap™ Remotes (20) • CoaxMap™ Remotes (20) • Test cables • Coax adapter • Batteries: AA (6), 9V • Case

Cat. No.	Description	
Accessories		
VDV770-834	Commander™ Test-n-Map™ Remote Kit	(7) Test-n-Map™ Remotes, (8) Coax Push-on F Adapter, (8) 9" RJ45 Jumper Test Cables, (2) 9" RJ11/RJ12 Jumper Cables, 18' Verification Cable

⚠WARNING: Do NOT use on energized circuits or cabling systems.

Fish Tapes

Cat. No.	Tape Length	Tape Width	Tip Type	Case Diameter	Laser Etched
Steel Fish Tape					
56331	50' (15 m)	1/8" (3 mm)	Double Loop	7" (178 mm)	Yes
56333	65' (19 m)			13' (330 mm)	
56334	125' (38 m)				
Stainless Steel Fish Tape					
56340	125-ft (38 m)	1/8" (3 mm)	Double Loop	13" (330 mm)	Yes
56341	240-ft (73 m)				
Fiberglass Fish Tape					
56350	50' (15 m)	3/16" (5 mm)	Spiral steel leader	13" (330 mm)	Yes
56351	100' (30 m)		Double Loop		
Multi-Groove Fish Tape					
56380	100' (30 m)	3/16" (5 mm)	Spiral steel leader	13" (330 mm)	No
56382	50-ft (15 m)		Nylon Eyelet		
56383	100-ft (30 m)				

Cat. No.	Description	Container	Weight
Wire Pulling Accessories			
56110	Poly Pull Line with Orange Tracer 6500'	Five-Gallon Bucket	11 lbs. (5 kg)

⚠WARNING: Never remove screws while fish tape is coiled inside reel.



Fish Rods

Cat. No.	Description	Set Contains	Material
56418	18' (5.5 m) Hi-Flex Glow Rod Set	(3) 5/32" (4 mm) diameter 6' (1.83 m) glow rods with bullet nose and hook attachments	Luminescent fiberglass
56430	30' (9.1 m) Glow Rod Set	(6) 5' (1.5 m) Glow Rods with Bullet Nose, Hook, and LED-Illuminated Tip Attachments	Fiberglass Rods Coated with Splinter Guard
56400	Splinter Guard™ Fish/Glow Rod Kit	2) low-flex 48" rods, (2) mid-flex 18" glow rods, (2) mid-flex 60" glow rods, (2) high-flex 72" glow rods; (7) Attachments (Cat. No. 56511) including Double S-hook, Bullet Nose, Chain, Magnet, Single Hook, Twin Hook, Whisk ; Carrying Case (Cat. No. 56401)	Fiberglass Rods Coated with Splinter Guard
56401	Fish Rod Bag with Shoulder Bag	Adjustable bag fits rods 48" to 72"	PVC-coated polyester
56511	Fish Rod Attachment Set	(7) Attachments compatible with all Klein Tools' fish rods: Double S-hook, Bullet Nose, Chain, Magnet, Single Hook, Twin Hook, Whisk	Plastic Case

Cat. No.	Description	Set Contains	Compact Length	Extended Length
SRS56036	WIRESPANNER Plus™ Telescopic Pole	Large Hook Attachment, Padded Shoulder Strap	32" (813 mm)	18' (5.5 m)
SRS56037	Magnetic Wire Pulling System	Swivel leader eyelet, Non-marring nylon leader-pull with heavy-duty nylon rope eyelet for wire tie-on	N/A	20' (6.1 m)
SRS56980	Deluxe Fish Rod Set, 19 Pieces	10 Rods, 8 Attachments, 1 Carrying Tube	N/A	33' (10 m)
SRS56981	Mega Fish Rod Kit, 34 Pieces	13 Rods, 3 Swivel Rods, 12 Attachments, 5 Glow Attachments, 1 Carrying Tube	N/A	52' (16 m)


56400

Wrenches

Cat. No.	Description	Range	Overall Length
57005	3/8" Torque Wrench Square Drive	30 to 250 in. lb. (40.7 to 338.9 Nm)	10-5/8" (270 mm)

Cat. No.	Description	Includes
65504	3/8" 6-Point and 12-Point Socket Set, 12-Piece	(4) 6-point sockets: 3/8", 7/16", 1/2", and 9/16" (4) 12-point sockets: 5/8", 11/16", 3/4", and 13/16" 5/8" Spark plug socket (2) Extensions: 1-3/4" (44 mm) and 6" long Ratchet, Hinged Metal Box

Cat. No.	Description	Size/Capacity	Overall Length
68005	Can Wrench	3/8" (9.5 mm) and 7/16" (11.1 mm) Hex Nut, 1" Handle Diameter	7" (178 mm)
68461	Open-End Wrench	3/8" (9.5 mm) and 7/16" (11.1 mm)	6" (152 mm)
3146B	Bell System Type	3/8" (9.5 mm) and 7/16" (11.1 mm)	13" (330 mm)

Cat. No.	Description	Features	Overall Length
Lineman Wrenches			
KT151T	Lineman's Ratcheting	3/4", 1" & 1-1/8" combination square bolt-through socket design	13" (330 mm)
KT152T	Lineman's Slim Ratcheting	3/4", 13/16", 1" and 1-1/8" combination square socket for most common utility hardware	13-1/4" (337 mm)

Cat. No.	Length	Capacity	Handle Finish	Handle Color
Adjustable Wrenches				
506-15	15-7/8" (403 mm)	1-11/16" (43 mm)	High-Polish Chrome	Chrome
D507-6	6-1/2" (165 mm)	15/16" (24 mm)	Plastic-Dipped	Transparent Red
D507-8	8-1/4" (209 mm)	1-1/8" (28 mm)		
D507-10	10-1/4" (260 mm)	1-5/16" (33 mm)		
D507-12	12-3/8" (314 mm)	1-1/2" (38 mm)		


65504



See our complete line of **Telecom Products**

www.kleintools.com

© 2020 Klein Tools, Inc.
Lincolnshire, IL 60069
82820 Rev. 03/20 B