Mulberry Wallplates

When U.S. made wallplates are specified for the job or needed to meet an ARRA requirement, make Mulberry your first choice!

Every metal wallplate in this catalog is manufactured right here in the USA!

In addition, we offer:

- More than 7,000 different wallplates, with most in stock
- The industry's widest variety of materials, openings, combinations and colors
- A choice of over 40 painted metal, stainless steel, brass and other metal finishes
- Plus, our unbreakable thermoplastic wallplates available in 4 colors
- Standard metal wallplate configurations from 1 to 10-gang and thermoplastic from 1 to 6 gang
- In-house engraving and silk-screening capability
- Custom wallplates available in special sizes or with custom openings or markings



Unsurpassed Quality, Selection & Service!

Mulberry Wallplates



Features and Benefits:

Painted Metal Wallplates

- Made from the finest steel alloy and then painted with a superior powder coat finish to assure durability.
- Durable paint finish helps prevent chipping and scratching.
- Can be re-painted to match a new room decor.
- Come with standard slotted 6-32 oval head metal screws in a matching paint finish.
- Available in a variety of shapes and sizes — Standard, Princess, Oversize and Maxi sizes.
- Princess shaped plates have rounded corners which help prevent wall damage and are also 1/2 inch taller in height to help cover any gaps or holes between sheetrock and an existing electrical box.
- UL Listed and made in the U.S.A.

Stainless Steel, Brass, Bronze, Aluminum & Chrome Wallplates

- Ideal for residential, commercial and institutional applications.
- Specification-grade, non-magnetic 304 type stainless steel available in either a Satin or Mirror Polish finish.
- Standard 430 type stainless steel also has excellent non-corrosive properties.
- Brass made from a 70/30 alloy is .040 inches thick and avilable with either a Satin or Mirror finish.
- UL Listed and made in the U.S.A.

Thermoplastic Wallplates

- Made from rugged thermoplastic resin, Mulberry wallplates will not crack during installation or after many years of use.
- Will not fade or warp due to UV light or humidity.
- Resists grease, oils and solvents.
- Flexible design fits over uneven wall surfaces.
- C-UL-us Listed.

Dimensions by Style

Standard Shape

1	gang	4.5” x 2.75”
2	gang	4.5” x 4.562”
3	gang	4.5” x 6.375”
4	gang	4.5” x 8.187”
5	gang	4.5” x 10.00”
6	gang	4.5” x 11.812”
7	gang	4.5” x 13.625”
8	gang	4.5” x 15.437”
9	gang	4.5” x 17.25”
10	gang	4.5” x 19.062”
11	gang	4.5” x 20.875”
12	gang	4.5” x 22.687”
13	gang	4.5” x 24.50”
14	gang	4.5” x 26.312”
15	gang	4.5” x 28.125”
16	gang	4.5” x 29.937”
17	gang	4.5” x 31.875”
18	gang	4.5” x 33.687”
19	gang	4.5” x 35.50”
20	gang	4.5” x 37.312”

Jumbo / Oversize (SL)

1	gang	5.5” x 3.50”
2	gang	5.5” x 5.50”
3	gang	5.5” x 7.50”
4	gang	5.5” x 9.50”
5	gang	5.5” x 11.50”
6	gang	5.5” x 13.50”
7	gang	5.5” x 15.50”
8	gang	5.5” x 17.50”

Dimensions for Deep and Narrow Plates see Pages A64 - A66.

Princess Shape (PRL)

1	gang	5” x 2.75”
2	gang	5” x 4.562”
3	gang	5” x 6.375”
4	gang	5” x 8.187”
5	gang	5” x 10.00”
6	gang	5” x 11.812”

Maxi Shape (MP)

1	gang	5” x 3.50”

Thermoplastic Standard Size

1	gang	4.5” x 2.76”
2	gang	4.5” x 4.57”
3	gang	4.5” x 6.38”
4	gang	4.5” x 8.19”
5	gang	4.5” x 10.03”
6	gang	4.5” x 11.81”

Thermoplastic Midi Size


1	gang	4.88” x 3.11”
2	gang	4.88” x 4.92”
3	gang	4.88” x 6.77”
4	gang	4.88” x 8.58”


STANDARD TOLERANCE ±0.0313”

Note: Standard Size and Jumbo/Oversize plates (beveled edge) can be made available in custom sizes. Princess and Maxi Shape plates, as well as thermoplastic plates, are only available up to 6 gangs.

Material Specifications

S - Standard Shape






P - Princess Shape

Steel (Prepared to Underwriters Laboratories, Inc. specifications)	**Finish**	**Shape**	**Thickness**	**Finish Designator**	**Catalog Page**
Almond (ALM)	smooth semi-gloss	S	.030	44000	A11-22
Almond Wrinkle (DA-PRL)	hard baked wrinkle	P	.030	43000	A23-32
Aluminum Paint (CDA)	smooth semi-gloss	S	.030	88000	A11-22
Black Paint (BL)	matte	S	.030	87000	A11-22
Brown Paint (BK)	smooth semi-gloss	S	.030	82000	A11-22
Brown Paint (DB)	hard baked wrinkle	S	.030	98000	A11-22
Brown Paint (DB-PRL)	hard baked wrinkle	P	030	78000	A23-32
Chrome Plate (CA)	mirror polish	S	.030	83000	A37-46
Chrome Plate (CA-PRL)	mirror polish	P	.030	73000	A47-56
Gray	smooth semi-gloss	S	.030	58000	A11-22
Ivory (IA)	smooth semi-gloss	S	.030	84000	A11-22
Ivory (IA-PRL)	smooth semi-gloss	P	.030	74000	A23-32
Ivory (DI)	hard baked wrinkle	S	.030	99000	A11-22
Ivory (DI-PRL)	hard baked wrinkle	P	.030	79000	A23-32
Red (RA)	smooth semi-gloss	S	.030	51000	A11-22
White (WA)	smooth semi-gloss	S	.030	86000	A11-22
White (WA-PRL)	smooth semi-gloss	P	.030	76000	A23-32
White (DW)	hard baked wrinkle	S	.030	85000	A11-22
White (DW-PRL)	hard baked wrinkle	P	.030	75000	A23-32
Hammered Copper	textured / matte	S	.030	21400	A61-63
Hammered Black	textured / matte	S	.030	21500	A61-63
Regal Black	textured / matte	S	.030	22000	A61-63
Regal Copper	textured / matte	S	.030	22100	A61-63
Regal Gold	textured / matte	S	.030	22200	A61-63
Zinc Coat (AUNF)	unfinished	S	.030	89000	A11-22
Zinc Coat (AUNF-PRL)	unfinished	P	.030	80000	A23-32

PAINTED METAL

Princess Size



	White Semi-Gloss (WA-PRL)	White Wrinkle (DW-PRL)	Ivory Semi-Gloss (IA-PRL)	Ivory Wrinkle (DI-PRL)	Brown Wrinkle (DB-PRL)	Almond Wrinkle (DA-PRL)	Zinc Coat (AUNF-PRL)
Two 20A TL Recepts. 1.620 ID Hole (23R)	76113	75113	74113	79113	78113		
One 30A 3 & 4 Wire TL Recept. 1.730 ID Hole (3330R)	76229	75229	74229	79229	78229		
30/50A Wire Range/Dryer Recpt. 2.125” ID Hole (3D)	76221	75221	74221	79221	78221		
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole 2 gang Plate (23D)	76222	75222	74222	79222	78222		
30/50A 3 Wire Range/Dryer Recept. 2.125” ID Hole (N23D)	76227	75227	74227	79227	78227		
30/50/60A 4 Wire Recepts. 2.480” Hole (5R)	76223	75223	74223	79223	78223		
30/50A 3 & 4 Wire Range/Dryer Recept. 2.165” ID Hole (5RR)	76224	75224	74224	79224	78224		
30/50/60A 4 Wire Recepts. with 2.625” ID Hole (L5R)	76225	75225	74225	79225	78225		
30/50/60A 4 Wire Offset Recepts. 2.275” ID Hole (N5RR)	76226	75226	74226	79226	78226		
30/50/60A 4 Wire Recepts. 2.255” ID Hole (P5R)	76228	75228	74228	79228	78228		
Louver, Horizontal (Device Mntg. 2.375”) (LH)	76630	75630	74630	79630	78630		
Louver, Vertical (Device Mntg. 2.375”) (LV)	76631	75631	74631	79631	78631		
2 Louvers, Vertical (Device Mntg. 2.375”) (2LV)	76632	75632	74632	79632	78632		