Introducing the new standard for wiring devices

Faster installations.
Upgraded aesthetics.
Smart connectivity.

SQUARE D™

X and XD Series Catalog

0102CT2001
Release date 05/2021



X Series switch module

X Series wall and rocker plate

XD Series light switch cover paddle

se.com/us/wiringdevices

Life Is On Schneider Electric

Legal Information

The Schneider Electric brand and any trademarks of Schneider Electric SE and its subsidiaries referred to in this guide are the property of Schneider Electric SE or its subsidiaries. All other brands may be trademarks of their respective owners.

This guide and its content are protected under applicable copyright laws and furnished for informational use only. No part of this guide may be reproduced or transmitted in any form or by any means (electronic, mechanical, photocopying, recording, or otherwise), for any purpose, without the prior written permission of Schneider Electric.

Schneider Electric does not grant any right or license for commercial use of the guide or its content, except for a non-exclusive and personal license to consult it on an "as is" basis. Schneider Electric products and equipment should be installed, operated, serviced, and maintained only by qualified personnel.

As standards, specifications, and designs change from time to time, information contained in this guide may be subject to change without notice.

To the extent permitted by applicable law, no responsibility or liability is assumed by Schneider Electric and its subsidiaries for any errors or omissions in the informational content of this material or consequences arising out of or resulting from the use of the information contained herein.

© 2021 Schneider Electric. All Rights Reserved. Schneider Electric, Wiser, Square D, and Wiser Energy are trademarks and the property of Schneider Electric, its subsidiaries, and affiliated companies. All other trademarks are the property of their respective owners.

Table of Contents

A Bold Evolution in Residential Energy 5
The Connected Home 6
Classic Functionality, Elegant Style 8
Richer Features 9
Elegant Form and Intelligent Function 10
Find Your True Colors 11
Connected Products 12
Switches 21
Dimmers 26
Fan Controls 28
Sensors 29
Receptacles 32
Specialty Receptacles 40
Ground Fault Circuit Interrupters (GFCIs) 43
DataCom 46
X Series Screwless Wall Plates 49
X Series-Mid Size Plus Wall Plates 51
XD Series Cover Plates 57

A Bold Evolution in Residential Energy

For more than a century, Square D by Schneider Electric has been a leader in residential, commercial, and industrial electrical equipment. Square D products are found in 40 percent of U.S. homes, powering and protecting what matters most. For generations electrical contractors, builders, and DIY homeowners have trusted Square D for quality, innovation, reliability, and safety in electrical equipment.

Now, we're writing the next chapter in stylish, connected living: residential wiring devices designed for enhanced aesthetics, durability, and connectivity — setting a new standard for what consumers expect out of their electrical equipment.

Square D by Schneider Electric products are found in 4 out of every 10 homes in the U.S.

About Schneider Electric

Schneider Electric™ has nearly two centuries of expertise in electrical manufacturing. Many of our solutions support critical infrastructure such as power plants, hospitals, and data centers. Now, with Square D, we're expanding our knowledge of intelligent, IoT-driven energy management to the residential sector, making homes around the world smarter and greener.


The Connected Home

Square D is transforming home energy use, making it more sustainable, resilient, efficient, and personal.



Take control of home energy use

The new connected home ecosystem provides digital control of energy use across the entire home, down to specific devices and appliances. This grid-to-plug approach is enabled by Wiser Energy™ intelligence and our suite of home energy management apps.



Wiser™ Home by Schneider Electric



Square D version of the Sense app

Square D™ Energy Center

A smart electrical panel solution for battery storage, backup power, and solar integration.



Square D™ Wiser Energy™

A smart home monitor that captures energy use down to the device / plug level.



Square D™ Wiring Devices

The new standard for wiring devices that combines elegant form with intelligent IoT function.



Classic Functionality, Elegant Style



X Series light switch



Light switch with XD Series cover plate

Most light switches, outlets, and wall plates look the same as they did in the 1970s. Anything that lasts that long surely must be doing something right. And yet, with Square D innovation, our new wiring devices retain all the classic functionality while raising the bar on aesthetics, durability, and connectivity.

Design is at the heart of our new wiring devices: X and XD Series. Both are designed for an elegant minimalist look, and this simplicity extends beyond form, into function. We've consolidated all the new features into fewer products, with every benefit in any device you choose. It's a variation on a theme: flush-mounted, ease-of-installation, and connected options.

Square D™ X Series: setting a new standard

Flexible and feature-rich, X Series sets the new benchmark for how today's wiring devices look and feel. With X Series' interchangeable, flush facing covers, any interior décor can be adapted, while connectivity options help save energy and live comfortably. The bottom line: X Series upgrades the conventional without reinventing the wheel.

Square D™ XD Series: upgrade easily to a modern look

XD Series consists of a premium range of modern, sophisticated cover plates that mount easily on X Series switches and receptacles. With XD Series, forge ahead on aesthetics with seamless switches, metallic matte finishes, and smooth cover plates.

Richer Features


Whether installing these devices or using them every day, there's a lot to like about X and XD Series.

Change the look, not the device

XD Series cover plates snap on to a unique back plate, with no new wiring needed when installing over Square D modules.

Durable matte finishes


New advances in materials science enable wiring devices that avoid breakage during installation, while standing up to the test of time. These finishes also bring beauty with minimalist matte elegance.




X Series switch module **X Series wall and rocker plate**



X Series switch module **XD Series light switch cover paddle**



X Series Front



X Series Back

RoHS certified – Breathe easy with non-hazardous materials	
A	**Black tamper-resistant shutters** – Put safety at the forefront without making it obvious, with easy-sliding shutters
B	**Side-mount pressure plates** – Speed wiring time with better accessibility
C	**Self-grounding clip** – Skip the separate grounding screw

A	**Grounding wire hole** – Install faster utilizing this innovation for quickly wrapping the grounding wire to the grounding screw
B	**Bigger cutout for wire snips** – Enjoy easy-access cutout space for speedy wire snips
C	**Wire push-in** – Connect wire quickly with the push-in option and avoid the need to wrap

Elegant Form and Intelligent Function

Update your style: fully flush wall plates and premium matte finishes meet IoT-enabled intelligence.



Square D connected devices

Wi-Fi and Z-Wave connectivity

Intelligent connectivity makes these wiring devices remotely manageable via voice command or app control. With smart wiring devices, create custom lighting scenes, monitor energy use down to the plug level, and much more.



Schneider Electric Wiser Home

Wiser™ Home by Schneider Electric

Control switches and outlets remotely and connect to voice-activated smart devices.



X Series humidity / motion sensor and fan control

One device, three functions

Save space and time by combining a fan switch, humidity sensor, and occupancy sensor.



USB A/C receptacle with XD Series cover plate

Power up, fast

Charge two devices at once faster than average receptacles with high-amperage USB charging.

Power leader with 4.8 ampere total.

Find Your True Colors

With X and XD Series, you're no longer limited to white cover plates. New colors in matte finishes, such as brushed nickel, bronze, and black, accommodate many styles of décor.

Square D X Series Colors

Whether pursuing a traditional look with white plates, or making a statement with gray and black, X Series can make it happen.



White (WH)



Light Almond (LA)




Gray (GY)



Black (BK)

Clean looks, clean surfaces



The flush facing of Square D X and XD Series makes it easy to wipe them down.

Square D XD Series Colors

XD Series offers additional colors, such as bronze and brushed nickel, that lend a sophisticated feel to any home.



White (WH)



Brushed Nickel (BN)



Bronze (BZ)



Black (BK)

Connected Products



Wiser Home

Wi-Fi Connected Wiring Devices

Give customers the elegant, minimalist look they want, with the connectivity they need to save energy and live comfortably. These wiring devices retain the classic functionality of traditional light switches, outlets, and wall plates, while featuring modern aesthetic and intelligent IoT connectivity. Ideal for hub-free new construction and residential upgrades.

Wiser Home by Schneider Electric App

Experience Wiser Home, the gateway to your Schneider Electric Smart Home.

Wiser Home allows for the addition, configuration, control, and scheduling connected Square D devices from anywhere. Use the built-in energy monitoring feature to identify devices that tend to overuse energy in your home, and take action to reduce your utility bill.

- The Wiser Home App is required to commission Square D Wi-Fi devices on the network.
- Simplifies the Wi-Fi setup process without sacrificing security by using QR codes.
- Control your lights from anywhere, no hub required.
- Shows real time energy usage as well as for the last 24 hours. Devices integrate with Wiser Energy to provide more detailed energy usage information.
- Offers scheduling routines at specific times or based on sunrise/sunset.
- Offline mode allows for App control while at home if the internet is down.
- Supports popular voice assistants from Amazon and Google for more comprehensive automation.



SQR226U1LAW

SQR226U1XXW X Series 600 Watt Single-Pole / 3-Way Wi-Fi Energy Monitoring Rocker Dimmer Back Wire Clamps

- Dimmer based on 2.4 GHz Wi-Fi platform which connects directly to the home network. No hub required.
- Part of Schneider Electric's grid-to-plug initiative combining control and monitoring of the entire home electrical infrastructure.
- Supports single-pole and 3-way (multi-way) wiring scenarios for flexible installation.
- Cost effective 3-way expansion using a single-pole switch on the far end connected to the traveler and neutral wires.
- Simplified but secure QR Code based installation process.
- Energy monitoring built-in to track consumption at point of use.
- Wi-Fi Certified ensures set-up with certified routers and mesh networks as well as support for the latest security protocols.
- Schedules are stored in the device and will execute even if the internet is down.
- Works with Wiser Energy by Square D.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips®, and Robertson Square® tools.
- Neutral wire is required for operation.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.



SQR141U1BKW

SQR141U1XXW X Series 15 A Single-Pole / 3-Way Wi-Fi Energy Monitoring Rocker Switch Back Wire Clamps

- Switch based on 2.4 GHz Wi-Fi platform which connects directly to the home network. No hub required.
- Part of Schneider Electric's grid-to-plug initiative combining control and monitoring of the entire home electrical infrastructure.
- Supports single-pole and 3-way (multi-way) wiring scenarios for flexible installation.
- Cost effective 3-way expansion using a single-pole switch on the far end connected to the traveler and neutral wires.
- Simplified but secure QR Code based installation process.
- Energy monitoring built-in to track total consumption of devices plugged into switched outlets.
- Wi-Fi Certified ensures set-up with all certified routers and mesh networks as well as support for the latest security protocols.
- Schedules are stored in the device and will execute even if the internet is down.
- Works with Wiser Energy by Square D.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Neutral wire is required for operation.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.



SQR441U1WHW

SQR441U1XXW X Series 15 A 125 Volt Tamper Resistant Wi-Fi Energy Monitoring Duplex Receptacle Back Wire Clamps

- Receptacle based on 2.4 GHz Wi-Fi platform which connects directly to the home network. No hub required.
- Part of Schneider Electric's grid to plug initiative combining control and monitoring of your entire home electrical infrastructure.
- Simplified but secure QR Code based installation process.
- Only one outlet is controllable, however, energy monitoring is built-in to both outlets to track total receptacle consumption.
- Wi-Fi Certified ensures set-up with all certified routers and mesh networks as well as support for the latest security protocols.
- Schedules are stored in the device and will execute even if the internet is down.
- Works with Wiser Energy by Square D.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Neutral wire is required for operation.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.



SQR621U1WHW

SQR621U1WHW X Series 15 A 125 Volt Wi-Fi Energy Monitoring Plug-In Receptacle

- Receptacle based on 2.4 GHz Wi-Fi platform which connects directly to the home network. No hub required.
- Part of Schneider Electric's grid-to-plug initiative combining control and monitoring of your entire home electrical infrastructure.
- Simplified but secure QR Code based installation process.
- Energy monitoring is built-in to track consumption.
- Wi-Fi Certified ensures hassle free set-up with all certified routers and mesh networks as well as support for the latest security protocols.
- Schedules are stored in the device and will execute even if the internet is down.
- Works with Wiser Energy by Square D.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- 2-year product warranty.



Wiser Energy™ Smart Home

Wiser Energy from Square D is an integral part of any smart home. With Wiser Energy, you can give your home a voice. It helps you keep tabs on your home by notifying you when devices are on or off in the home, and monitors home energy usage in real time, for a safer and more efficient home.

- Keep tabs on home activity from anywhere.
- Save money on your electric bill with live energy tracking.
- Get notified with instant alerts of appliances left on or off.
- Take control of your energy through smart device integration.

More information can be found at: www.schneider-electric.us/wiser-energy

Table 1 - Wiser Energy

Description	Contents	CT Rating	Catalog Number
Wiser Energy monitoring system intended for installation in new or existing 120 V split-phase residential panels; cETLus listed			
Wiser Energy Standard Disaggregation Monitoring	Monitoring hub, Main CTs	200 A	WISEREM
Wiser Energy Solar Disaggregation Monitoring	Monitoring hub, Main CTs, Solar CTs	200 A	WISEREMPV
Wiser Energy Solar add-on CT Kit	Solar CTs (hub purchased separately)	200 A	WISERCTPV
Wiser Energy CT extension cable - 4 ft.	Solar CTs (hub purchased separately)	N/A	WISEREMCTEXT4
Wiser Energy CT extension cable - 12 ft.			WISEREMCTEXT12
Wiser Energy CT extension cable - 25 ft.			WISEREMCTEXT25
Wiser Energy CT extension cable - 40 ft.			WISEREMCTEXT40

Z-Wave Plus Wiring Devices

This line of connected wiring devices is certified by the Z-Wave Alliance and is designed to support home automation and security systems chosen by home builder's or their technology partner's residential projects. These products require a Z-Wave Alliance certified hub to work.

SQR226102XXZ X Series 600 Watt Single-Pole / 3-Way Z-Wave Plus Energy Monitoring Rocker Dimmer Back Wire Clamps



SQR226102WHZ

For use in areas where variable lighting is a requirement–such as a living room–where you want bright light for reading on the couch, but dim lighting for watching a movie. Ideal for monitoring energy usage and determining cost savings associated with dimming lights.

- Dimmer supports S2 SmartStart allowing the connection to the hub prior to installing at the jobsite.
- Energy monitoring built-in to track consumption at point of use.
- Dims both Incandescent and LED loads.
- Supports single-pole and 3-way (multi-way) wiring scenarios for flexible installation.
- 3-way expansion requires the use of the Z-Wave Remote Switch/Dimmer.
- Dimmer can be grouped with up to five other Z-Wave Plus devices.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Z-Wave certified to work with most hubs (list of tested hubs in documents tab on products web page).
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Neutral wire is required for operation.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.

SQR14102XXZ X Series 15 A Single-Pole / 3-Way Z-Wave Plus Energy Monitoring Rocker Switch Back Wire Clamps



SQR14102BKZ

The switch is the professional's choice for secure reliable lighting control. Sensitive enough to control the low wattage demands of a single LED yet also capable of the demands placed by bright outdoor lighting. Ideal for monitoring energy usage in bedrooms where the switch controls the receptacles.

- Switch supports S2 SmartStart allowing the connection to the hub prior to installing at the jobsite.
- Supports single pole and 3-way (multi-way) wiring scenarios for flexible installation.
- 3-way expansion requires the use of the Z-Wave Remote Switch/Dimmer.
- Switch can be grouped with up to five other Z-Wave Plus devices.
- Z-Wave certified to work with most hubs (list of tested hubs in documents tab on products web page).
- Grounding screw pressure plate speeds ground wire installation.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Neutral wire is required for operation.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.

SQR50101XXZ X Series 15 A Z-Wave Remote Rocker Switch/Dimmer Back Wire Clamps



SQR50101WHZ

The remote switch/dimmer does not control a load and is used primarily as the secondary device in a 3-way lighting scenario. The remote can also pair with a receptacle or plug-in outlet to virtually create a switched outlet for floor lamps.

- Remote supports S2 SmartStart™ allowing the connection to the hub prior to installing at the jobsite.
- This device does not control a load.
- Required for 3-way expansion of either the Z-Wave Switch or Dimmer.
- Can also be used to pair with a Z-Wave Receptacle or Plug-In Outlet to create a switched outlet.
- Remote can be grouped with up to five other Z-Wave Plus devices.
- Z-Wave certified to work with most hubs (list of tested hubs in documents tab on products web page).
- Grounding screw pressure plate speeds ground wire installation.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Neutral wire is required for operation.
- Complies with California Title 24.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.



SQR44102LAZ

SQR44102XXZ X Series 15 A 125 Volt Tamper Resistant Z-Wave Plus Energy Monitoring Duplex Receptacle Back Wire Clamps

For use in areas where you want to control a device that is not connected to a switch. The receptacle mounts inside the electrical box like a standard outlet so it blends into the home. Ideal for monitoring energy usage of the device plugged into the controlled outlet.

- Receptacle supports S2 SmartStart allowing the connection to the hub prior to installing at the jobsite.
- One outlet is controllable; however, energy monitoring is built-in to both outlets to track total receptacle consumption.
- Receptacle can be grouped with up to five other Z-Wave Plus devices.
- Z-Wave certified to work with most hubs (list of tested hubs in documents tab on products web page).
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Neutral wire is required for operation.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA) and Black (BK).
- 2-year product warranty.



SQR62102WHZ

SQR62102WHZ X Series 15 A 125-Volt Z-Wave Plus Energy Monitoring Plug-In Receptacle Matte White

The professional's choice for secure reliable lighting control. Upgrade a standard receptacle to offer control, excellent for temporary applications like Christmas lighting. Ideal for monitoring energy usage of the device plugged into the controlled outlet.

- Receptacle supports S2 SmartStart allowing the connection to the hub prior to installing at the jobsite.
- Energy monitoring is built-in to track consumption.
- Z-Wave certified to work with most hubs (list of tested hubs in documents tab on products web page).
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy-to-clean thermoplastic body for attractive long-lasting operation.
- 2-year product warranty.

Table 2 - Wi-Fi and Z-Wave Product Characteristics

Part Number	Technol-ogy	(A) Rat-ing	Voltage Rating	Device Type	Three Way Remote	Nominal Load 1	Load Type 1	Nominal Load 2	Load Type 2	Requires Neutral Wire
SQR226U1WHW	2.4 GHz Wi-Fi	5	120 Vac	Multi-way	Single Pole Switch	600 W	Halogen, Incan-descent	150 W	Dimma-ble LED	X
SQR226U1LAW	2.4 GHz Wi-Fi	5	120 Vac	Multi-way	Single Pole Switch	600 W	Halogen, Incan-descent	150 W	Dimma-ble LED	X
SQR226U1BKW	2.4 GHz Wi-Fi	5	120 Vac	Multi-way	Single Pole Switch	600 W	Halogen, Incan-descent	150 W	Dimma-ble LED	X
SQR141U1WHW	2.4 GHz Wi-Fi	15	120 Vac	Multi-way	Single Pole Switch	—	—	—	—	X
SQR141U1LAW	2.4 GHz Wi-Fi	15	120 Vac	Multi-way	Single Pole Switch	—	—	—	—	X
SQR141U1BKW	2.4 GHz Wi-Fi	15	120 Vac	Multi-way	Single Pole Switch	—	—	—	—	X
SQR441U1WHW	2.4 GHz Wi-Fi	15	125 Vac	Duplex	—	—	—	—	—	X
SQR441U1LAW	2.4 GHz Wi-Fi	15	125 Vac	Duplex	—	—	—	—	—	X
SQR441U1BKW	2.4 GHz Wi-Fi	15	125 Vac	Duplex	—	—	—	—	—	X
SQR621U1WHW	2.4 GHz Wi-Fi	15	125 Vac	SINGLE	—	—	—	—	—	—
SQR22102WHZ	Z-Wave Plus	5	120 Vac	Multi-way	Remote Switch/ Dimmer	600 W	Halogen, Incan-descent	150 W	Dimma-ble LED	X
SQR22102LAZ	Z-Wave Plus	5	120 Vac	Multi-way	Remote Switch/ Dimmer	600 W	Halogen, Incan-descent	150 W	Dimma-ble LED	X
SQR22102BKZ	Z-Wave Plus	5	120 Vac	Multi-way	Remote Switch/ Dimmer	600 W	Halogen, Incan-descent	150 W	Dimma-ble LED	X
SQR14102WHZ	Z-Wave Plus	15	120 Vac	Multi-way	Remote Switch/ Dimmer	—	—	—	—	X
SQR14102LAZ	Z-Wave Plus	15	120 Vac	Multi-way	Remote Switch/ Dimmer	—	—	—	—	X
SQR14102BKZ	Z-Wave Plus	15	120 Vac	Multi-way	Remote Switch/ Dimmer	—	—	—	—	X
SQR50101WHZ	Z-Wave Plus	—	120 Vac	Remote	—	No Load Control		—	—	X
SQR50101LAZ	Z-Wave Plus	—	120 Vac	Remote	—	No Load Control		—	—	X
SQR50101BKZ	Z-Wave Plus	—	120 Vac	Remote	—	No Load Control		—	—	X
SQR44102WHZ	Z-Wave Plus	15	125 Vac	Duplex	—	—	—	—	—	X
SQR44102LAZ	Z-Wave Plus	15	125 Vac	Duplex	—	—	—	—	—	X
SQR44102BKZ	Z-Wave Plus	15	125 Vac	Duplex	—	—	—	—	—	X
SQR62102WHZ	Z-Wave Plus	15	125 Vac	Duplex	—	—	—	—	—	—

Switches



SQR14101XX



SQR14103WH

X Series 15 A Single-Pole Switch Module Side Wire Clamps (Requires Rocker Cover Plate)

- Patented switch module design supports the swap-out of color rocker place or XD series cover plate.
- UL certified switch without the rocker plate allows for use during rough-in phase. Supports upgrading the color or design of the switch after initial installation without removing the switch from the wall.
- Requires separate purchase of rocker plate or XD switch cover plate.
- Self-grounded with brass ground contact to ensure device's ground retention to metal boxes which eliminates the need to bond the device with the grounding screw.
- Silver alloy switch actuator contacts assures long-lasting reliable performance.
- Side pressure plates speed installation and accept two #12 copper, solid or stranded wires
- Grounding strap hole designed for speed wrapping installation
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Zinc-plated steel mounting strap for rust-resistance.
- Rear push-in terminals accept up to #14 solid copper wire
- RoHS compliant
- Available in convenient and cost effective 10-pack **(SQR14100XX)**.
- Available in contractor-friendly 30-pack made of 100% biodegradable material to limit waste on the job site **(SQR14103WH)** White Rocker Plate Attached.
- 2-year product warranty.



SQR14131XX

X Series 15 A 3-Way Switch Module Side Wire Clamps (Requires Rocker Cover Plate)

- Unique patented 3-way switch module design that supports the swap-out of color rocker plate or XD series cover plate.
- UL certified switch without the rocker plate allows for use during rough-in phase. Supports upgrading the color or design of the switch after initial installation without removing the switch from the wall.
- Requires separate purchase of rocker plate or XD switch cover plate.
- Self-grounded with brass ground contact to ensure device's ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Silver alloy switch actuator contacts assures long-lasting reliable performance.
- Side pressure plates speed installation and accept two #12 copper, solid or stranded wires.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Zinc-plated steel mounting strap for rust-resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- RoHS compliant.
- Available in convenient and cost effective 10-pack **(SQR14130XX)**.
- 2-year product warranty.



SQR14141XX

X Series 15 A 4-Way Switch Module Side Wire Clamps (Requires Rocker Cover Plate)

- Unique patented 4-way switch module design that supports the swap-out of color rocker plate or XD series cover plate.
- UL certified switch without the rocker plate allows for use during rough-in phase. Supports upgrading the color or design of the switch after initial installation without removing the switch from the wall.
- Requires separate purchase of rocker plate or XD switch cover plate.
- Self-grounded with brass ground contact to ensure device's ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Silver alloy switch actuator contacts assures long-lasting reliable performance.
- Side pressure plates speed installation and accept two #12 copper, solid or stranded wires.
- Ground strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Zinc-plated steel mounting strap for rust-resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- RoHS compliant.
- 2-year product warranty.



SQR14103XX

X Series 15 A Single-Pole Momentary Switch Module Side Wire Clamps (Requires Rocker Cover Plate)

- Unique patented momentary switch module design, typically used for garbage disposals, that supports the swap-out of color rocker plate or XD series cover plate.
- UL certified switch without the rocker plate allows for use during rough-in phase. Supports upgrading the color or design of the switch after initial installation without removing the switch from the wall.
- Requires separate purchase of rocker plate or XD switch cover plate.
- Self-grounded with brass ground contact to ensure device's ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Silver alloy switch actuator contacts assures long-lasting reliable performance.
- Side pressure plates speed installation and accept two #12 copper, solid or stranded wires.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Zinc-plated steel mounting strap for rust-resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- RoHS compliant.
- 2-year product warranty.



SQR14201XX

X Series 20 A Single-Pole Switch Module Side Wire Clamps (Requires Rocker Cover Plate)

- Patented switch module design supports the swap-out of color rocker place or XD series cover plate.
- UL certified switch without the rocker plate allows for use during rough-in phase. Supports upgrading the color or design of the switch after initial installation without removing the switch from the wall.
- Requires separate purchase of rocker plate or XD switch cover plate.
- Self-grounded with brass ground contact to ensure device's ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Silver alloy switch actuator contacts assures long-lasting reliable performance.
- Side pressure plates speed installation and accept two #10 copper, solid or stranded wires.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Zinc-plated steel mounting strap for rust-resistance.
- Rear push-in terminals accept up to #12 solid copper wire.
- RoHS compliant.
- 2-year product warranty.



SQR14231XX

X Series 20 A 3-Way Switch Module Side Wire Clamps (Requires Rocker Cover Plate)

- Unique patented 3-way switch module design that supports the swap-out of color rocker plate or XD series cover plate.
- UL certified switch without the rocker plate allows for use during rough-in phase. Supports upgrading the color or design of the switch after initial installation without removing the switch from the wall.
- Requires separate purchase of rocker plate or XD switch cover plate.
- Self-grounded with brass ground contact to ensure device's ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Silver alloy switch actuator contacts assures long-lasting reliable performance.
- Side pressure plates speed installation and accept two #10 copper, solid or stranded wires.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Zinc-plated steel mounting strap for rust-resistance.
- Rear push-in terminals accept up to #12 solid copper wire.
- RoHS compliant.
- 2-year product warranty.

X Series Universal Switch Module Rocker Cover Plate

- High-impact resistant, non-glossy, easy to clean thermoplastic body for attractive long-lasting operation.
- Comes in a convenient and cost effective 10-pack. **(SQR16100XX)**.
- RoHS compliant.
- High-impact resistant, matte, non-glossy, easy to clean thermoplastic face for attractive long-lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR16101WH



SQR16101LA



SQR16101BK



SQR16101GY

Table 3 - X Series Switches

Part Number	Device Grade	Rating (A)	Voltage Rating	No. of Poles	Device Type	Device Interface	Color	Bulk Pack
SQR14103WH[1, 2, 3]	Residential	15	120 V / 277 Vac	1	1-Way	Rocker	White	30
SQR14101XX[1, 2, 3]	Residential	15	120 V / 277 Vac	1	1-Way	Module	—	—
SQR14100XX[1, 2, 3]	Residential	15	120 V / 277 Vac	1	1-Way	Module	—	10
SQR14201XX[1, 2, 3]	Commercial	20	120 V / 277 Vac	1	1-Way	Module	—	—
SQR14131XX[1, 4, 3]	Residential	15	120 V / 277 Vac	1	3-Way	Module	—	—
SQR14130XX[1, 2, 3]	Residential	15	120 V / 277 Vac	1	3-Way	Module	—	10
SQR14231XX[1, 2, 3]	Commercial	20	120 V / 277 Vac	1	3-Way	Module	—	—
SQR14141XX[1, 2, 3]	Commercial	15	120 V / 277 Vac	1	4-Way	Module	—	—
SQR14103XX[1, 2, 3]	Residential	15	120 V / 277 Vac	1	Momentary	Module	—	—
SQR16101WH[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	White	—
SQR16100WH[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	White	10
SQR16101LA[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	Light Almond	—
SQR16100LA[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	Light Almond	10
SQR16101BK[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	Black	—
SQR16100BK[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	Black	10
SQR16101GY[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	Gray	—
SQR16100GY[1, 2, 3]	—	—	—	—	Plate Accy	Rocker	Gray	10

1. X/XD switch with 2-year warranty.
2. cULus.
3. Green premium, RoHS.
4. cULu.

Dimmers



SQR22601WH

X Series 15 A 600 Watt Single-Pole/3-Way Rocker Dimmer Back Wire Clamps

- Supports single pole and 3-way (multi-way) wiring scenarios for flexible installation. Rear color-coded wires make for quick connection to electrical system.
- Cost effective 3-way expansion using a single pole switch on the far end connected to the traveler and neutral wires.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Neutral wire is required for operation.
- Complies with California Title 24.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR22603LA

X Series 15 A 600 Watt Single-Pole/3-Way Slider Dimmer Back Wire Clamps

- Dimming dial allows for a finer adjustment, eliminating bulb flickering when nearing true off setting.
- Cost effective 3-way expansion using a 3-way switch on the far end.
- Supports single-pole and three-way wiring scenarios for flexible installation.
- Back wire pressure plates allows for up to two #12 copper solid or stranded wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Neutral wire is required for operation.
- Complies with California Title 24.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.

Table 4 - X Series, Residential, Multi-Way Dimmers

Part Number	Rating (A)	Device Interface	Nominal Load 1	Load Type 1	Nominal Load 2	Load Type 2	Color
SQR22601WH[5, 6, 7]	5	Rocker	600 W	Halogen, Incandescent	150 W	Dimmable LED	White
SQR22601LA[5, 6, 7]	5	Rocker	600 W	Halogen, Incandescent	150 W	Dimmable LED	Light Almond
SQR22601BK[5, 6, 7]	5	Rocker	600 W	Halogen, Incandescent	150 W	Dimmable LED	Black
SQR22601GY[5, 6, 7]	5	Rocker	600 W	Halogen, Incandescent	150 W	Dimmable LED	Gray
SQR22603WH[5, 8, 7]	4.16	Slide	500 W	Halogen, Incandescent	500 W	Dimmable LED	White
SQR22603LA[5, 8, 7]	4.16	Slide	500 W	Halogen, Incandescent	500 W	Dimmable LED	Light Almond
SQR22603BK[5, 8, 7]	4.16	Slide	500 W	Halogen, Incandescent	500 W	Dimmable LED	Black
SQR22603GY[5, 8, 7]	4.16	Slide	500 W	Halogen, Incandescent	500 W	Dimmable LED	Gray

5. X/XD decorator, multi-way, cULus, 120 Vac dimmer with 2-year warranty.
6. UL1472, ICES-003, NEMA SSL 7a, CEC-140-2019-002 Title 20 section 1605.3(l)(2) self contained lighting control, CEC-400-2018-020-CMF section 110.9.
7. Green premium. RoHS.
8. UL1472, NEMA SSL 7a, CEC-140-2019-002 Title 20 section 1605.3(l)(2) self contained lighting control, CEC-400-2018-020-CMF section 110.9.

Fan Controls



SQR31103WH

X Series 2.5 A 3–Speed Slide Fan Controller Back Wires

- Slide control provides clear user feedback as to which of the three positions are engaged.
- Quiet 2.5 A fan motor control.
- Rear wires with clear identification make for quick connection to electrical system.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.

Sensors



SQR73101WH



SQR73101WH without Cover

X Series 10 A Single-Pole PIR Occupancy Sensor Light Control Back Wires

- 180° field-of-view from PIR sensor detects movement up to 1,200 square feet.
- Switching between occupancy detection (lights On/Off are fully controlled) and vacancy detection (lights manual On and auto-Off).
- Independent light sensor will not turn on lights if ambient light in room is sufficient.
- Vacancy confirmation feature – when movement is not detected, and the sensor times out, any movement within the next 30 seconds will turn the lights back ON.
- Light timing can be independently set in increments of 10, 20, or 30 minutes.
- Pushbutton provides manual ON/OFF light switching at any time.
- Supports single-pole and three-way wiring scenarios for flexible installation.
- Rear color-coded wires make for quick connection to electrical system.
- Neutral wire is required for operation.
- Complies with California Title 24.
- RoHS compliant.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR73102WH

X Series 10 A Single-Pole 360 Degrees Ceiling Mount PIR Occupancy Sensor Light Control Back Wires Matte White

- Ceiling-mount 360° field-of-view PIR sensor detects movement up to 1,200 square feet, making it suitable for larger open spaces.
- Switching between occupancy detection (lights On/Off are fully controlled) and vacancy detection (lights manual On and auto Off).
- Independent light sensor won't turn lights on if ambient light in room is sufficient.
- Supports manual switch control if directly wired through the ceiling mount PIR sensor.
- Rear color-coded wires make for fast connection to electrical system.
- Neutral wire is required for operation.
- Complies with California Title 24.
- RoHS compliant.
- 2-year product warranty.



SQR73105GY

X Series 3 A 500 Watt Single-Pole Occupancy / Humidity Sensor Light & Fan Control Back Wires

- Unique single-gang solution provides humidity sensing and motion detection.
- Two independent pushbuttons provide manual control of the fan or light.
- Switching between occupancy detection (lights On/Off are fully controlled) and vacancy detection (lights manual On and auto Off).
- Independent light sensor won't turn lights on if ambient light in room is sufficient.
- Fan and light timing can be independently set in increments of 10, 20, or 30 minutes.
- Relative humidity level can be set between 30-85%.
- Rear color-coded wires make for fast connection to electrical system.
- Neutral wire is required for operation.
- Complies with California Title 24.
- Can be used with new or existing ventilation fans up to 1/4 HP and 3 A.
- RoHS compliant.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.

Table 5 - X Series Single-Pole Sensors

Part Number	Gang	Rating (A)	Nominal Load 1	Load Type 1	Nominal Load 2	Load Type 2	Nominal Load 3	Load Type 3	Sensor Type	Color
SQR73105WH 9, 10, 11, 12	1	3	500 W	Halogen, Incandescent	400 W	Dimmable LED	3 A	1/4 HP Fan Motor	Humidity/ PIR/Light	White
SQR73105LA 9, 10, 11, 12	1	3	500 W	Halogen, Incandescent	400 W	Dimmable LED	3 A	1/4 HP Fan Motor	Humidity/ PIR/Light	Light Almond
SQR73105BK 9, 10, 11, 12	1	3	500 W	Halogen, Incandescent	400 W	Dimmable LED	3 A	1/4 HP Fan Motor	Humidity/ PIR/Light	Black
SQR73105GY 9, 10, 11, 12	1	3	500 W	Halogen, Incandescent	400 W	Dimmable LED	3 A	1/4 HP Fan Motor	Humidity/ PIR/Light	Gray
SQR73101WH 9, 13, 11, 12	1	10	—	—	—	—	—	—	PIR/Light	White
SQR73101LA 9, 13, 11, 12	1	10	—	—	—	—	—	—	PIR/Light	Light Almond
SQR73101BK 9, 13, 11, 12	1	10	—	—	—	—	—	—	PIR/Light	Black
SQR73101GY 9, 13, 11, 12	1	10	—	—	—	—	—	—	PIR/Light	Gray
SQR73102WH 14, 13, 11, 12	1	10	—	—	—	—	—	—	PIR/Light	White

9. X/XD decorator, residential, 1-way, sensor with 2-year warranty.
10. 120 Vac, cULus, UL1917, ICES-003, CEC-140-2019-002 Title 20 section 1605.3(l)(2) self contained lighting control, Title 24.
11. Requires neutral wiring.
12. Green premium, RoHS.
13. 120-277 Vac, cULus, UL773A, ICES-003, CEC-140-2019-002 Title 20 section 1605.3(l)(2) self contained lighting control, Title 24.
14. X/XD ceiling, commercial, 1-way, sensor with 2-year warranty.

Receptacles



SQR44101LA

X Series 15 A 125 V Tamper Resistant Duplex Decorator Receptacle Side Wire Clamps

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Side pressure plates speed installation with secure push-in connection.
- Enhanced wire snip access to split circuit break-off tab.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Zinc-plated steel mounting strap for rust resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- Side pressure plates accept #12 copper solid or stranded wire.
- RoHS compliant.
- Available in convenient and cost effective 10-pack. **(SQR44102WH)**
- Available in contractor-friendly 30-pack made of 100% biodegradable material to limit waste on the job site. **(SQR44103WH)**
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR44104WH

X Series 15 A 125 V Outdoor Tamper Resistant Duplex Decorator Receptacle Side Wire Clamps Matte White

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Side pressure plates speed installation with secure push-in connection.
- Enhanced wire snip access to split circuit break-off tab.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Zinc-plated steel mounting strap for rust resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- Side pressure plates accept #12 copper solid or stranded wire.
- RoHS compliant.
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH) only.
- 2-year product warranty.



SQR44111GY

X Series 15 A 125 V Tamper Resistant Heavy Duty Duplex Decorator Receptacle Back Wire Clamps

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back pressure plates speed installation with secure connection up to #12 copper solid or stranded wire.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Heavy-gauge, zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- RoHS compliant.
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR44114WH

X Series 15 A 125 V Outdoor Tamper Resistant Heavy Duty Duplex Decorator Receptacle Back Wire Clamps Matte White

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Back pressure plates speed installation with secure connection up to #12 copper solid or stranded wire.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Heavy-gauge, zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- RoHS compliant.
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH) only.
- 2-year product warranty.



SQR44201BK

X Series 20 A 125 V Tamper Resistant Heavy Duty Duplex Decorator Receptacle Back Wire Clamps

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back pressure plates speed installation with secure connection up to #10 copper solid or stranded wire.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson square tools.
- Heavy-gauge, zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- RoHS compliant.
- Available in convenient and cost effective 10-pack. **(SQR44200WH)**
- Available in contractor-friendly 30-pack made of 100% biodegradable material to limit waste on the job site.**(SQR44203WH)**
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR44214WH

X Series 20 A 125 V Outdoor Tamper Resistant Heavy Duty Duplex Decorator Receptacle Back Wire Clamps Matte White

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Back pressure plates speed installation with secure connection up to #10 copper solid or stranded wire.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Heavy-gauge, zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- RoHS compliant.
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH) only.
- 2-year product warranty.



SQR42101LA

X Series 15 A 125 V Tamper Resistant Duplex Outlet

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Enhanced wire snip access to split circuit break-off tab.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Zinc-plated steel mounting strap for rust resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- Side screws accept #12 or #14 copper solid or stranded wire.
- RoHS compliant.
- Available in contractor-friendly 30-pack made of 100% biodegradable material to limit waste on the job site. **(SQR42103WH)**
- High-impact resistant thermoplastic body for long-lasting operation
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR42104WH

X Series 15 A 125 V Outdoor Tamper Resistant Duplex Outlet Matte White

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Enhanced wire snip access to split circuit break-off tab.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Zinc-plated steel mounting strap for rust resistance.
- Rear push-in terminals accept up to #14 solid copper wire.
- Side screws accept #12 or #14 copper solid or stranded wire.
- RoHS compliant.
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH) only.
- 2-year product warranty.



SQR42201GY

X Series 20 A 125 V Tamper Resistant Heavy Duty Duplex Outlet

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back pressure plates speed installation with secure push-in connection up to #10 copper solid or stranded wire.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- Heavy-gauge, zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- RoHS compliant.
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR42204WH

X Series 20 A 125 V Outdoor Tamper Resistant Heavy Duty Duplex Outlet Matte White

- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Back pressure plates speed installation with secure push-in connection up to #10 copper solid or stranded wire.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Heavy-gauge, zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- RoHS compliant.
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH) only.
- 2-year product warranty.



SQR42100WH

X Series 15 A 125 V Tamper Resistant Heavy Duty Single Outlet

- Tamper-resistant with discrete black shutters.
- Single NEMA 5-15R outlet.
- Grounding strap hole designed for speed wrapping installation.
- Combo screw heads accept slotted, Phillips, and Robertson square tools.
- Zinc-plated steel mounting strap for rust resistance.
- Heavy-gauge zinc-plated steel mounting wrap-around strap.
- Heavy-duty brass blade contacts for long service life.
- Side screws accept #12 or #14 copper solid or stranded wire.
- RoHS compliant.
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR46301BK

X Series 30 A 125/250 V Flush Mount NEMA 14-30R Dryer Outlet Black

- Heavy-gauge, brass bade contacts.
- NEMA 14-30R compliant.
- Terminals accept up to #4 solid or stranded conductors and have screws backed out to speed installation.
- Easy ID terminal markings to limit installation errors.
- Heavy-gauge galvanized steel mounting strap for corrosion resistance fits in either 1- or 2-gang boxes.
- Terminals feature pressure plates to protect wires.
- RoHS compliant.
- 2-year product warranty.



SQR46501BK

X Series 50 A 125/250 V Flush Mount NEMA 14-50R Range Outlet Black

- Heavy-gauge, brass bade contacts.
- NEMA 14-50R compliant.
- Terminals accept up to #4 solid or stranded conductors and have screws backed out to speed installation.
- Easy ID terminal markings to limit installation errors.
- Heavy-gauge galvanized steel mounting strap for corrosion resistance fits in either 1- or 2-gang boxes.
- Terminals feature pressure plates to protect wires.
- RoHS compliant.
- 2-year product warranty.

Table 6 - X Series Receptacles

Part Number	Usage	Grade	Electrical Rating	Number of Poles	Device Type	Color	Bulk Pack
SQR44101WH[15, 16, 17]	Indoor	Residential	15 A / 125 V	2	Decorator Duplex	White	—
SQR44101LA[15, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Decorator Duplex	Light Almond	—
SQR44101BK[15, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Decorator Duplex	Black	—
SQR44101GY[15, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Decorator Duplex	Gray	—
SQR44102WH[15, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Decorator Duplex	White	10
SQR44103WH[15, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Decorator Duplex	White	30
SQR44104WH[15, 19, 18, 17]	Outdoor	Residential	15 A / 125 V	2	Decorator Duplex	White	—
SQR44111WH[20, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Decorator Duplex	White	—
SQR44111LA[20, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Decorator Duplex	Light Almond	—
SQR44111BK[20, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Decorator Duplex	Black	—
SQR44111GY[20, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Decorator Duplex	Gray	—
SQR44114WH[20, 19, 18, 17]	Outdoor	Commercial	15 A / 125 V	2	Decorator Duplex	White	—
SQR44201WH[20, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Decorator Duplex	White	—
SQR44201LA[20, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Decorator Duplex	Light Almond	—
SQR44201BK[20, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Decorator Duplex	Black	—
SQR44201GY[20, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Decorator Duplex	Gray	—
SQR44200WH[20, 18, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Decorator Duplex	White	10
SQR44203WH[20, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Decorator Duplex	White	30
SQR44214WH[20, 19, 21, 17]	Outdoor	Commercial	20 A / 125 V	2	Decorator Duplex	White	—
SQR42101WH[22, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Standard Duplex	White	—
SQR42101LA[22, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Standard Duplex	Light Almond	—
SQR42101BK[22, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Standard Duplex	Black	—
SQR42101GY[22, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Standard Duplex	Gray	—
SQR42103WH[22, 16, 18, 17]	Indoor	Residential	15 A / 125 V	2	Standard Duplex	White	30
SQR42104WH[22, 19, 18, 17]	Outdoor	Residential	15 A / 125 V	2	Standard Duplex	White	—
SQR42201WH[23, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Standard Duplex	White	—
SQR42201LA[23, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Standard Duplex	Light Almond	—
SQR42201BK[23, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Standard Duplex	Black	—
SQR42201GY[23, 16, 21, 17]	Indoor	Commercial	20 A / 125 V	2	Standard Duplex	Gray	—
SQR42204WH[23, 19, 21, 17]	Outdoor	Commercial	20 A / 125 V	2	Standard Duplex	White	—
SQR42100WH[23, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Standard Single	White	—
SQR42100LA[23, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Standard Single	Light Almond	—
SQR42100BK[23, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Standard Single	Black	—
SQR42100GY[23, 16, 18, 17]	Indoor	Commercial	15 A / 125 V	2	Standard Single	Gray	—

15. X/XD decorator, residential receptacle with 2-year warranty.
16. Tamper resistant.
17. Green premium, RoHS.
18. cULus, UL498, 5-15R.
19. Tamper and weather resistant.
20. X/XD decorator, commercial receptacle with 2-year warranty.
21. cULus, UL498, 5-20R.
22. X/XD standard, residential receptacle with 2-year warranty.
23. X/XD standard, commercial receptacle with 2-year warranty.

Table 6 - X Series Receptacles (Continued)

Part Number	Usage	Grade	Electrical Rating	Number of Poles	Device Type	Color	Bulk Pack
SQR46301BK[24, 25, 26, 27]	Indoor	Commercial	30 A / 250 V	3	NEMA 14-30R	Black	—
SQR46501BK[24, 25, 26, 27]	Indoor	Commercial	50 A / 250 V	3	NEMA 14-5R	Black	—

24. X/XD standard, commercial receptacle with 2-year warranty.
25. Tamper resistant.
26. cULus, UL498, 14-50R.
27. Green premium, RoHS.

Specialty Receptacles



SQR57101LA

X Series 15 A 125 V Tamper Resistant Lighted Duplex Decorator Receptacle Side Wire Clamps

- Warm white (2700K) LED Lights your way in a dark environment.
- Light sensor ensures that LED is only illuminated when it is dark.
- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Side wire pressure plates allows for up to two #12 or #14 wires to be securely captured for faster flexible installation.
- Grounding wire pressure plate decreases installation time.
- Combo screw heads accept slotted, Phillips, and Robertson Square drive tools.
- Heavy Duty zinc-plated steel mounting wrap around strap for rust resistance.
- RoHS compliant.
- High-impact resistant thermoplastic body for long-lasting operation.
- Attractive, matte, non-glossy, easy-to-clean surface.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR55141BK

X Series 15 A 125 V Tamper Resistant USB A/A 4.8 A Duplex Decorator Outlet Back Wire Clamps

- Both USB ports and power receptacles can be used at the same time where power density is important.
- USB A ports each support full power simultaneously at 5 volts DC and 2.4 A for faster charging.
- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back wire pressure plates allows for up to two #12 or #14 wires to be securely captured for faster flexible installation.
- Ground screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Meets FCC part 15 Class B unintentional radiation requirement.
- RoHS compliant.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR55141GY

X Series 20 A 125 V Tamper Resistant USB A/A 4.8 A Duplex Decorator Outlet Back Wire Clamps

- Both USB ports and power receptacles can be used at the same time where power density is important.
- USB A ports each support full power simultaneously at 5 volts DC and 2.4 A for faster charging.
- Both USB ports and power receptacles can be used at the same time where power density is important.
- USB A ports each support full power simultaneously at 5 volts DC and 2.4 A for faster charging.
- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back wire pressure plates allows for up to two #12 or #14 wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Meets FCC part 15 Class B unintentional radiation requirement.
- RoHS compliant.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY)
- 2-year product warranty.



SQR55153WH

X Series 15 A 125 V Tamper Resistant USB A/C 5.4 A Duplex Decorator Outlet Back Wire Clamps

- Both USB ports and power receptacles can be used at the same time where power density is important.
- USB ports each support full power simultaneously at 5 volts DC, USB-C at 3A and USB-A at 2.4A for faster charging.
- Self-grounded with brass contact to ensure device is grounded directly to metal boxes, eliminating the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back wire pressure plates allows for up to two #12 or #14 wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Meets FCC part 15 Class B unintentional radiation requirement.
- RoHS compliant.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.

Table 7 - X Series Specialty Receptacles

Part Number	Grade	Electrical Rating	No. of Poles	Sensor Type	Lighted	USB Type	USB (A)	Color
SQR57101WH[28, 29, 30, 31]	Residential	15 A / 125 Vac	2	Light	LED Warm White 2700 K	—	—	White
SQR57101LA[28, 29, 30, 31]	Residential	15 A / 125 Vac	2	Light	LED Warm White 2700 K	—	—	Light Almond
SQR57101BK[28, 29, 30, 31]	Residential	15 A / 125 Vac	2	Light	LED Warm White 2700 K	—	—	Black
SQR57101GY[28, 29, 30, 31]	Residential	15 A / 125 Vac	2	Light	LED Warm White 2700 K	—	—	Gray
SQR55141WH[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/A	4.8	White
SQR55141LA[32, 29, 33]	Residential	15 A / 125 Vac	2	—	—	USB A/A	4.8	Light Almond
SQR55141BK[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/A	4.8	Black
SQR55141GY[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/A	4.8	Gray
SQR55241WH[32, 29, 33, 31]	Residential	20 A / 125 Vac	2	—	—	USB A/A	4.8	White
SQR55241LA[32, 29, 33, 31]	Residential	20 A / 125 Vac	2	—	—	USB A/A	4.8	Light Almond
SQR55241BK[32, 29, 33, 31]	Residential	20 A / 125 Vac	2	—	—	USB A/A	4.8	Black
SQR55241GY[32, 29, 33, 31]	Residential	20 A / 125 Vac	2	—	—	USB A/A	4.8	Gray
SQR55153WH[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/C	5.4	White
SQR55153LA[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/C	5.4	Light Almond
SQR55153BK[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/C	5.4	Black
SQR55153GY[32, 29, 33, 31]	Residential	15 A / 125 Vac	2	—	—	USB A/C	5.4	Gray

28. X/XD decorator, residential, duplex, specialty receptacle with 2-year warranty.
29. Tamper resistant.
30. cULus, UL498.
31. Green premium, RoHS.
32. X/XD decorator, commercial, duplex, specialty receptacle with 2-year warranty.
33. cULus, UL498, UL1310, Part 15 Class B, ICES-003.

Ground Fault Circuit Interrupters (GFCIs)



SQR51101BK

X Series 15 A 125 V Tamper Resistant GFCI Duplex Decorator Receptacle Back Wire Clamps

- Auto-monitoring test performed every 90 minutes, ensuring it's ready to protect. If the device does not pass the auto-monitoring test, the trip indicator light flashes to signal that the device must be replaced.
- Feed-thru wiring configuration allows GFCI to protect downstream receptacles.
- Power denied to the face or downstream receptacles if wired incorrectly.
- Self-grounded with brass ground contact to ensure device’s ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back wire pressure plates allows for up to two #12 wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR51103WH

X Series 15 A 125 V Outdoor Tamper Resistant GFCI Duplex Decorator Receptacle Back Wire Clamps Matte White

- Auto-monitoring test performed every 90 minutes, ensuring it's ready to protect. If the device does not pass the auto-monitoring test, the trip indicator light flashes to signal that the device must be replaced. Feed-thru wiring configuration allows GFCI to protect downstream receptacles.
- Power denied to the face or downstream receptacles if wired incorrectly.
- Self-grounded with brass ground contact to ensure device’s ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Back wire pressure plates allows for up to two #12 wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- RoHS compliant.
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH) only.
- 2-year product warranty.



SQR51201GY

X Series 20 A 125 V Tamper Resistant GFCI Duplex Decorator Receptacle Back Wire Clamps

- Auto-monitoring test performed every 90 minutes, ensuring it's ready to protect. If the device does not pass the auto-monitoring test, the trip indicator light flashes to signal that the device must be replaced.
- Feed-thru wiring configuration allows GFCI to protect downstream receptacles.
- Power denied to the face or downstream receptacles if wired incorrectly.
- Self-grounded with brass ground contact to ensure device’s ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Back wire pressure plates allows for up to two #12 wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- RoHS compliant.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR51203WH

X Series 20 A 125 V Outdoor Tamper Resistant GFCI Duplex Decorator Receptacle Back Wire Clamps Matte White

- Auto-monitoring test performed every 90 minutes, ensuring it's ready to protect. If the device does not pass the auto-monitoring test, the trip indicator light flashes to signal that the device must be replaced. Feed-thru wiring configuration allows GFCI to protect downstream receptacles.
- Power denied to the face or downstream receptacles if wired incorrectly.
- Self-grounded with brass ground contact to ensure device’s ground retention to metal boxes which eliminates the need to bond the device with the ground screw.
- Tamper-resistant with discrete black shutters.
- Conformal coated PC board to protect critical components from moisture.
- Back wire pressure plates allows for up to two #12 wires to be securely captured for faster flexible installation.
- Grounding screw pressure plate speeds ground wire installation.
- Combo screw heads accept slotted, Phillips, and Robertson Square tools.
- RoHS compliant.
- High impact-resistant, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH) only.
- 2-year product warranty.

Table 8 - X Series GFCI Receptacles

Part Number	Usage	Grade	Voltage Rating	Number of Poles	Color
SQR51101WH[34, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	White
SQR51101LA[34, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	Light Almond
SQR51101BK[34, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	Black
SQR51101GY[34, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	Gray
SQR51103WH[34, 38, 36, 37]	Outdoor	Residential	15 A / 125 V	2	White
SQR51201WH[39, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	White
SQR51201LA[39, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	Light Almond
SQR51201BK[39, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	Black
SQR51201GY[39, 35, 36, 37]	Indoor	Residential	15 A / 125 V	2	Gray
SQR51203WH[39, 38, 36, 37]	Outdoor	Residential	15 A / 125 V	2	White

34. X/XD decorator, residential, duplex, receptacle with 2-year warranty.
35. Tamper resistant.
36. cULus, UL498, UL943, ICES-003.
37. Green premium, RoHS.
38. Tamper and weather resistant.
39. X/XD decorator, commercial, duplex, receptacle with 2-year warranty.

DataCom



SQR87C01WH

X Series CATV F-Coupler Decorator Strap

- F-Coupler for cable TV.
- Zinc-plated steel mounting yoke for strength.
- RoHS compliant.
- Fits into any standard decorator opening.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR87CT1GY

X Series Combination RJ 11 Telephone Jack CATV F-Coupler Decorator Strap

- F-Coupler for cable TV.
- Four-position four-conductor two-line phone jack.
- Screw terminal back.
- Zinc-plated steel mounting yoke for strength.
- RoHS compliant.
- Fits into any standard decorator opening.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR87T01LA

X Series RJ11 4 Conductor Telephone Jack Decorator Strap


- Four-position four-conductor two-line phone jack.
- Screw terminal back.
- Zinc-plated steel mounting yoke for strength.
- RoHS compliant.
- Fits into any standard decorator opening.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR87601BK

X Series Category 6 RJ45 Data Jack Decorator Strap

- Category 6 RJ-45 Data Jack.
- 110 Punchdown on rear with stuffer cap for wire retention.
- Zinc-plated steel mounting yoke for strength.
- RoHS compliant.
- Fits into any standard decorator opening.
- High impact-resistant, matte, non-glossy, easy to clean thermoplastic body for attractive long lasting operation.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- 2-year product warranty.



SQR871011WH

X Series A/V Cable Brush Decorator Strap Matte White

- Designed for modern AV installations where HDMI & data cables are hidden in the wall.
- Not for use with in-wall power cable or extension cord.
- Fits into any standard decorator opening.
- Bristles wrap around cables for a clean professional look while in use.
- Compatible with any type of low voltage cables, including HDMI, RCA, telephone, networking, fiber optical, speaker wires, and coax cables.
- RoHS compliant.
- 2-year product warranty.

Table 9 - X Series Data Com Devices

Part Number	Gang	Combination Type	Color
SQR871011WH[40, 41, 42]	1	Brush	White
SQR87601WH[40, 41, 42]	1	Cat 6 RJ45	White
SQR87601LA[40, 41, 42]	1	Cat 6 RJ45	Light Almond
SQR87601BK[40, 41, 42]	1	Cat 6 RJ45	Black
SQR87601GY[40, 41, 42]	1	Cat 6 RJ45	Gray
SQR87C01WH[40, 41, 42]	1	F-Coupler	White
SQR87C01LA[40, 41, 42]	1	F-Coupler	Light Almond
SQR87C01BK[40, 41, 42]	1	F-Coupler	Black
SQR87C01GY[40, 41, 42]	1	F-Coupler	Gray
SQR87T01WH[40, 41, 42]	1	RJ12	White
SQR87T01LA[40, 41, 42]	1	RJ12	Light Almond
SQR87T01BK[40, 41, 42]	1	RJ12	Black
SQR87T01GY[40, 41, 42]	1	RJ12	Gray
SQR87CT1WH[40, 41, 42]	1	RJ12/'F-Coupler	White
SQR87CT1LA[40, 41, 42]	1	RJ12/'F-Coupler	Light Almond
SQR87CT1BK[40, 41, 42]	1	RJ12/'F-Coupler	Black
SQR87CT1GY[40, 41, 42]	1	RJ12/'F-Coupler	Gray

40. X/XD decorator, residential data com with 2-year warranty.
41. ETL, UL1863.
42. Green premium, RoHS.

X Series Screwless Wall Plates

X Series 1-5 Gang Standard Size Screwless Wall Plate


- Screwless, matte, non-glossy wall plate offers a clean, flush profile.
- One-piece sub-plate screws align devices to ensure proper positioning of the wall plate.
- Securely mounts to sub-plate and is easily removed by pressing a button on the bottom of the cover.
- Standard size wall plate tightly frames the wiring device for sleeker appearance.
- Made of rugged, washable thermoplastic for years of use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.




SQWP141001GY




SQWP141002LA



SQWP141003WH



SQWP141004BK



SQWP141005WH




SQWS140001LA

X Series 1 & 2 Gang Standard Size Blank Wall Plate

- Contractor-grade wall plate with visible screws.
- Made of rugged washable thermoplastic for years of attractive use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.



SQWS140002WH



SQWS461011SS

X Series 2 Gang Standard Size Dryer/Range Outlet Wall Plate

- Contractor-grade wall plate with visible screws.
- Holds a single outlet in a 2 gang wallbox.
- Available in White (WH) and Stainless Steel (SS).
- RoHS compliant.
- 2-year product warranty.

X Series-Mid Size Plus Wall Plates


X Series 1-5 Gang Mid-Size Plus Wall Plate

- Contractor-grade wall plate with visible screws but similar aesthetics to the screwless version.
- Mid-size plus wall plate hides rough wallboard edges around electrical box.
- 13% larger than industry standard mid-sized plate.
- Made of rugged, washable thermoplastic for years of use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.


SQWS141001WH




SQWS141002LA




SQWS141003WH



SQWS141004GY



SQWS141005BK



SQWS422011BK

X Series 1 Gang Mid-Size Plus Duplex Outlet Wall Plate

- Contractor-grade wall plate with visible screws but similar aesthetics to the screwless version.
- Mid-size plus wall plate hides rough wallboard edges around electrical box.
- 13% larger than industry standard mid-sized plate.
- Made of rugged, washable thermoplastic for years of use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.



SQWS422012LA

X Series 2 Gang Mid-Size Plus Duplex Outlet Wall Plate

- Contractor-grade wall plate with visible screws but similar aesthetics to the screwless version.
- Mid-size plus wall plate hides wallboard edges around electrical box.
- 13% larger than industry standard mid-sized plate.
- Made of rugged washable thermoplastic for years of attractive use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.



SQWS802452GY

X Series 2 Gang Mid-Size Plus Combination Decorator Duplex Outlet Wall Plate

- Contractor-grade wall plate with visible screws but similar aesthetics to the screwless version.
- Mid-size plus wall plate hides wallboard edges around electrical box.
- 13% larger than industry standard mid-sized plate.
- Made of rugged washable thermoplastic for years of attractive use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.



SQWS422001GY

X Series 1 Gang Mid-Size Plus Single Outlet Wall Plate

- Contractor-grade wall plate with visible screws but similar aesthetics to the screwless version.
- Mid-size plus wall plate hides rough wallboard edges around electrical box.
- 13% larger than industry standard mid-sized plate.
- Made of rugged, washable thermoplastic for years of use.
- Available in White (WH), Light Almond (LA), Black (BK) and Gray (GY).
- RoHS compliant.
- 2-year product warranty.

Table 10 - X Series Wall Plates

Part Number	Device Style	Gang	Wall Plate Size	Color	Packaging Style
SQWP141001WH[43, 44]	Decorator Screwless	1	Std	White	Distribution
SQWP141001LA[43, 44]	Decorator Screwless	1	Std	Light Almond	Distribution
SQWP141001BK	Decorator Screwless	1	Std	Black	Distribution
SQWP141001GY[43, 44]	Decorator Screwless	1	Std	Gray	Distribution
SQWP141002WH[43, 44]	Decorator Screwless	2	Std	White	Distribution
SQWP141002LA[43, 44]	Decorator Screwless	2	Std	Light Almond	Distribution
SQWP141002BK[43, 44]	Decorator Screwless	2	Std	Black	Distribution
SQWP141002GY[43, 44]	Decorator Screwless	2	Std	Gray	Distribution
SQWP141003WH[43, 4443, 44]	Decorator Screwless	3	Std	White	Distribution
SQWP141003LA[43, 44]	Decorator Screwless	3	Std	Light Almond	Distribution
SQWP141003BK[43, 44]	Decorator Screwless	3	Std	Black	Distribution
SQWP141003GY[43, 44]	Decorator Screwless	3	Std	Gray	Distribution
SQWP141004WH[43, 44]	Decorator Screwless	4	Std	White	Distribution
SQWP141004LA[43, 44]	Decorator Screwless	4	Std	Light Almond	Distribution
SQWP141004BK[43, 44]	Decorator Screwless	4	Std	Black	Distribution
SQWP141004GY[43, 44]	Decorator Screwless	4	Std	Gray	Distribution
SQWP141005WH[43, 44]	Decorator Screwless	5	Std	White	Distribution
SQWP141005LA[43, 44]	Decorator Screwless	5	Std	Light Almond	Distribution
SQWP141005BK[43, 44]	Decorator Screwless	5	Std	Black	Distribution
SQWP141005GY[43, 44]	Decorator Screwless	5	Std	Gray	Distribution
SQWS141001WH[43, 44]	Decorator	1	M+	White	Distribution
SQWS141001LA[43, 44]	Decorator	1	M+	Light Almond	Distribution
SQWS141001BK[43, 44]	Decorator	1	M+	Black	Distribution
SQWS141001GY[43, 44]	Decorator	1	M+	Gray	Distribution
SQWS141002WH[43, 44]	Decorator	2	M+	White	Distribution
SQWS141002LA[43, 44]	Decorator	2	M+	Light Almond	Distribution
SQWS141002BK[43, 44]	Decorator	2	M+	Black	Distribution
SQWS141002GY[43, 4443, 44]	Decorator	2	M+	Gray	Distribution
SQWS141003WH[43, 44]	Decorator	3	M+	White	Distribution
XSQWS141003LA[43, 44]	Decorator	3	M+	Light Almond	Distribution
SQWS141003BK[43, 44]	Decorator	3	M+	Black	Distribution
SQWS141003GY[43, 44]	Decorator	3	M+	Gray	Distribution
SQWS141004WH[43, 44]	Decorator	4	M+	White	Distribution
SQWS141004LA[43, 44]	Decorator	4	M+	Light Almond	Distribution
SQWS141004BK[43, 44]	Decorator	4	M+	Black	Distribution
SQWS141004GY[43, 44]	Decorator	4	M+	Gray	Distribution


43. cULus, UL514D.
44. Green premium, RoHS.

Table 10 - X Series Wall Plates (Continued)

Part Number	Device Style	Gang	Wall Plate Size	Color	Packaging Style
SQWS141005WH[45, 46]	Decorator	5	M+	White	Distribution
SQWS141005LA[45, 46]	Decorator	5	M+	Light Almond	Distribution
SQWS141005BK[45, 46]	Decorator	5	M+	Black	Distribution
SQWS141005GY[45, 46]	Decorator	5	M+	Gray	Distribution
SQWS422011WH[45, 46]	Standard	1	M+	White	Distribution
SQWS422011LA[45, 46]	Standard	1	M+	Light Almond	Distribution
SQWS422011BK[45, 46]	Standard	1	M+	Black	Distribution
SQWS422011GY[45, 46]	Standard	1	M+	Gray	Distribution
SQWS422012WH[45, 46]	Standard	2	M+	White	Distribution
SQWS422012LA[45, 46]	Standard	2	M+	Light Almond	Distribution
SQWS422012BK[45, 46]	Standard	2	M+	Black	Distribution
SQWS422012GY[45, 46]	Standard	2	M+	Gray	Distribution
SQWS422001WH[45, 46]	Standard	1	M+	White	Distribution
SQWS422001LA[45, 46]	Standard	1	M+	Light Almond	Distribution
SQWS422001BK[45, 46]	Standard	1	M+	Black	Distribution
SQWS422001GY[45, 46]	Standard	1	M+	Gray	Distribution
SQWS802452WH[45, 46]	Standard	2	M+	White	Distribution
SQWS802452LA[45, 46]	Standard	2	M+	Light Almond	Distribution
SQWS802452BK[45, 46]	Standard	2	M+	Black	Distribution
SQWS802452GY[45, 46]	Standard	2	M+	Gray	Distribution
SQWS140001WH[45, 46]	Standard	1	Std	White	Distribution
SQWS140001LA[45, 46]	Standard	1	Std	Light Almond	Distribution
SQWS140001BK[45, 46]	Standard	1	Std	Black	Distribution
SQWS140001GY[45, 46]	Standard	1	Std	Gray	Distribution
SQWS140002WH[45, 46]	Standard	2	Std	White	Distribution
SQWS140002LA[45, 46]	Standard	2	Std	Light Almond	Distribution
SQWS140002BK[45, 46]	Standard	2	Std	Black	Distribution
SQWS140002GY[45, 46]	Standard	2	Std	Gray	Distribution
SQWS461011SS[45, 46]	Standard	2	Std	SS	Distribution
SQWS461011WH[45, 46]	Standard	2	Std	White	Distribution
SQWS83111XX[45, 46]	—	1	—	—	Distribution
SQWS83121XX[45, 46]	—	2	—	—	Distribution

45. cULus, UL514D.
46. Green premium, RoHS.

Table 11 - Wall Plate Sizes



XD Series Cover Plates

XD Series consists of a premium range of modern, sophisticated cover plates that mount easily over most X Series devices. With XD Series, you can forge ahead on aesthetics with seamless switches, metallic matte finishes, and fully flush cover plates.




- Single-gang cover plate offers a simple clean, fully flush profile
- One-piece subplate screws align devices to ensure proper positioning of the wall plate.
- Securely mounts to subplate and is easily removed by pressing a button on the bottom of the cover. Standard size wall plate frames the switch or other device for sleeker appearance.
- For multi-gang installations, the correct size frame and the appropriate multi-gang cover plates for each opening is needed.
- Made of rugged, washable thermoplastic for years of use.
- RoHS compliant.
- Available in White, Brushed Nickle, Bronze, and Black.
- 2-year product warranty.

XD Series Multi-Gang Frames

If you are looking to take your multi-gang electrical devices up a notch, you will need to choose the right size XD frame and then choose the appropriate multi-gang cover plates for each opening in the frame. Cover plates are shown below.



SQWF002XX



SQWF003XX



SQWF004XX



SQWF005XX

XD Cover Plates

XD Series Connected Switch Cover Plate



SQWVS14101XXW



SQWVM14101XXW

XD Series Connected Receptacle Cover Plate



SQWVS44101XXW



SQWVM44101XXW

XD Series Universal Rocker Dimmer Cover Plate



SQWVS22601XX



SQWVM22601XX

XD Series Slide Dimmer Cover Plate



SQWVS22603XX



SQWVM22603XX

XD Series 3–Speed Fan Controller Cover Plate



SQWVS31103XX



SQWVM31103XX

XD Series 3 Speed Fan Controller Cover Plate




SQWVS14101XX



SQWVM14101XX

XD Series 15 A Receptacle Cover Plate



SQWVS44101XX




SQWVM44101XX

XD Series 20 A Receptacle Cover Plate



SQWVS44201XX



SQWVM44201XX

XD Series 15 A GFCI Receptacle Cover Plate



SQWVS51101XX



SQWVM51101XX

XD Series 20 A GFCI Receptacle Cover Plate



SQWVS51201XX



SQWVM51201XX

XD Series 15 A USB A/A Duplex Receptacle Cover Plate



SQWVS55141XX



SQWVM55141XX

XD Series 15 A USB A/C Duplex Receptacle Cover Plate



SQWVS55153XX



SQWVM55153XX

XD Series 15 A Lighted Receptacle Cover Plate



SQWVS57101XX



SQWVM57101XX

XD Series PIR Occupancy Sensor Light Control Cover Plate



SQWVS73101XX



SQWVM73101XX

XD Series Occupancy/Humidity Sensor Light & Fan Control Cover Plate



SQWVS73105XX



SQWVM73105XX

Life Is On | Schneider Electric™

Explore Square D™ X and XD Series at

se.com/us/wiringdevices

Schneider Electric
800 Federal Street
Andover, MA 01810
888 SQUARED (888-778-2733)
se.com/us

As standards, specifications, and design change from time to time, please ask for confirmation of the information given in this publication.

© 2021 Schneider Electric. All Rights Reserved. Schneider Electric, Square D, and Life Is On Schneider Electric are trademarks and the property of Schneider Electric SE, its subsidiaries, and affiliated companies.
0102CT2001