Load Center Accessories



Lug Kit, 3-Pole, Subfeed or Feed thru Applications
ECLK3225



2 PH Main Lug Conversion Kit
150A-225A
ECMLK225



Main Breaker Kit
200A - 225A, 1PH 22K
MBK200A



3-Pole Main Breaker Kit
MBK3200



Main Breaker Retainer Kit for EQ Load Centers
ECMBR1



Main Breaker Retainer kit for PL, ES, & Ultimate Load Centers
ECMBR2



Ground Bar Kit
20 POS. 2/0 Lug
ECGB202



Ground Bar Kit, **ECGB14**



Neutral Lug Kit**, ECLK1-2**
wire range — #2-1 AWG
Cu or Al



Neutral Lug Kit, **ECLK3**
wire range — #1-300 MCM
Neutral Lug Kit, **ECLK2**
wire range — #4-#2/0 AWG
Cu or Al



For use on Ground Bar only
Collar Strap, Wire Range;
ECCS1; ECCS2



Add-A-Lock
(Flush Lock) **ECQFL1**
For EQ load centers



Filler Plate, **ECQF3**



Add-A-Lock
(Flush Lock), **ECQFL2**
PL, ES, Ultimate Load Centers
and EQ III up to 225A










Add-A-Lock
(Flush Lock), **ECQFL3**
300-400A Load Centers

Load centers and meter combos

Touchsafe barriers are required for any single main service entrance application for a panel covered under UL 67. Line Terminal Barriers will be included in Main Breaker Load Centers and Single Main Meter Combos manufactured after January 1, 2017.

Single phase and 3-phase main breaker kits will include a barrier. Field installable kits are being created for replacements if needed and line terminal barriers are being added to hold down kits that can be used in back-fed applications. The barriers are designed to have minimal interference during load center installation, and can be removed and reattached as necessary.



	Catalog number	Description
	**ECLTB1**	For EQ Main Breakers/MBK kits 100A-125A
	**ECLTB2**	For EQ Main Breakers/MBK kits 150A-225A
	**ECLTB3**	For QN / QNR type breakers
	**ECLTB4**	For QR 3 phase breakers
	**ECMBR1**	For 2 Pole QP / MP-T type breakers for EQIII (extruded basepan) and Line 5 Load Centers
	**ECMBR2**	For 2 Pole QP / MP-T type breakers to be used with Ultimate LCs (now ES / PL), Murray or Rock Solid
	**ECMBR3**	For 3 Pole QP / MP-T type breakers to be used with PL, ES 3 phase load centers
	**ECLX387HD**	For 2 Pole MP-T type breakers in legacy Murray load centers

Murray Rock Solid Load Centers

Accessories

Hubs



ECHS125

Catalog Number	Descripttion	Pack Quantity
ECHS075	3/4" Hub	10
ECHS100	1" Hub	10
ECHS125	1 1/4" Hub	10
ECHS150	1 1/2" Hub	10
ECHS200	2" Hub	10
ECHS250	2 1/2" Hub	10

Backfeed Main Breaker Hold Down Kits



ECMBR2 ECMBR1 ECLX386HD



ECLX387HD ECLX388HD

Catalog Number	Descripttion	Pack Quantity
ECMBR2	For use on MP-T, MP-HT, & MP-MT breakers in Rock Solid Load Centers	25
ECMBR1	For use on MP-T, MP-HT, & MP-MT breakers in 2–8 circuit Load Centers	25
ECLX378M	For use on MD-T, MD-HT, & MD-MT breakers on old style (pre 2003) load centers (12–42 circuit)	25
ECLX386HD	For use on MP-T, MP-HT, & MP-MT breakers (15–60A) on old style (pre 2003) load centers (12–42 circuit)	25
ECLX387HD	For use on MP-T, MP-HT, & MP-MT breakers (70–125A) on old style (pre 2003) load centers (12–42 circuit)	25
ECLX388HD	For use on MP-T, MP-HT, & MP-MT breakers (100–125A) on old style (pre 2003) load centers (12–42 circuit)	25

Miscellaneous



ECQFL2



QF3/ECQF3

Catalog Number	Descripttion	Pack Quantity
ECQFL2	Door lock for Rock Solid Load Centers	10
ECQF3	Filler plate (1")	10
ECMBF125	Filler plate for main breaker opening on 100–125A Rock Solid Load Centers. Use two QF3 filler plates for 150–225A load centers	25
LX077SF	Flush installation cover for 400A panels	1
ECTS2	6 Cover screws, combination cover	50 Bags
ECSMK1	Surface mount spacer kit provides 1/4" space between load center and wall	25

Main Breaker Kits



MBK100M MBK200M

Catalog Number	Descripttion	Pack Quantity
MBK100M	100A—For use on 100 & 125A Rock Solid Load Centers only	1
MBK125M	125A—For use on 125A Rock Solid Load Centers only	1
MBK150M	150A—For use on 150, 200, & 225A Rock Solid Load Centers only	1
MBK200M	200A—For use on 200 & 225A Rock Solid Load Centers only	1
MBK225M	225A—For use on 225A Rock Solid Load Centers only	1
ECMLK125	1 PH Main Lug Conversion Kit 100-125A	1
ECMLK225	1 PH Main Lug Conversion Kit 150-225A	

Lug Kits

Catalog Number	Descripttion	Pack Quantity
ECLK2SC	#2/0 max. lug for 125 amp neutral feeder for 12–42 circuit devices	50
ECLX384M	CB enclosure ground lug	20

Ground Bars and Insulated Neutral Kits



Insulated Neutral Kit

Catalog Number	Descripttion	Pack Quantity
ECLX068M	4 small terminals—15/8" long	10
ECLX069M	5 small and 2 large terminals—3" long	10
ECLX071M	8 small and 3 large terminals—31/2" long	10
ECLX072M	11 small and 4 large terminals—45/8" long	10
ECLX073M	14 small amd 5 large terminals—53/4" long 10	10
ECLX074M	17 small amd 6 large terminals—7" long	10
ECLX075M	21 small amd 7 large terminals—8" long	10
ECINSNB27	Insulated neutral bar with 27 positions	10
ECINSNB32	Insulated neutral bar with 32 positions	10
ECINSNB33	Insulated neutral bar with 33 positions and a 300 MCM lug	10
ECINSNB41	Insulated neutral bar with 41 positions and a 300 MCM lug	10
ECINSNB43	Insulated neutral bar with 43 positions	10