HUBBELL®

tradeSELECT™









Boxes ♦ Fittings ♦ Devices ♦ Surge ♦ Weatherproof ♦ Covers ♦ Wallplates

TABLE OF CONTENTS

I-III GENERAL INFORMATION

General Information ii
Electrical Code Requirements ..... iii-iv

A METAL BOXES, COVERS AND ACCESSORIES

Device Boxes A1-A5
Octagon Boxes A6-A7
Square Boxes And Covers A8-A12
Utility Boxes And Covers A13-A14
Steel Stud Boxes A15-A20
347 Volt Boxes And Covers A21-A22
Standard Masonry Boxes A23
Concrete Rings A24
Preganged Boxes And Covers A25
Vapour/Air Barriers A26
Door Switches And Boxes A26
Bar Hangers A27
Accessories A27

B NON-METALLIC BOXES

Standard Non-Metallic Boxes B1-B2
Vapour/Air Barrier Non-Metallic Boxes B3-B4

C WALL PLATES

General Information C1
Standard Wall Plates C2-C5
347 Volt Wall Plates C6
King Size Wall Plates C7
Wall Plate Accessories C7
Custom Wall Plate Information C8
Technical Data C9-C10

D FITTINGS

Non-Metallic Sheathed Cable D1-D2
Armoured Cable D3-D4
Liquidtight Conduit D5-D6
Emt D7-D9
Conduit Bodies D10
Conduit Nipples D11
Rigid Straps D12
Bushings D13
Metal Bushings D14
Threaded Hubs D15
Knock-Outs D16
Jack Chain D17
Service Entrance Head D18

E WIRE MANAGEMENT

Straight Male Connectors E1-E3
45° Male Cord Connectors E4
90° Male Cord Connectors E5
Straight Female Connectors E6
Low Profile Connectors E7
Accessories E8
Hubbell Junior® Nylon Cord Connectors E9
Polytuff® Liquidtight Conduit E10
Polytuff® Liquidtight Tubing E11
Polytuff® Liquidtight Fittings E12

F tradeSELECT™ and netSELECT®

tradeSELECT™

Rocker Switches F1-F3
Weather Resistant, Tamper Resistant & Standard Receptacles F4
Wallplates F5-F6
Decorator Frames F7
Snap Fit Jacks F8
Molded-in Jacks F9

F tradeSELECT™ and netSELECT® (continued)

Toggle Switches F10-F11
Combination Switches/Devices F12
Duplex,Single & GFCI Receptacles F13-F15
Range & Dryer Receptacles & Plugs F16
Special Use Products F17
Dimmer & Fan Controls F18-F19
Sensors F20
Floor Boxes F21-F22
Under Cabinet Power Distribution F23
JLoad® Multimedia Outlet F24
Decorator Switches F25

netSELECT®

In-Wall A/V Delivery F26
HDMI Products F27
Structured Wiring F28
Network Enclosures F29
Network Modules F30
Audio/Video Modules F31
Universal Consolidation Blocks, Patch Panels and Patch Cords F32
Accessories F33
Modular Snap Fit Jacks F34
Decorator Frames F35
Molded-In Voice/Data/Video F36
Molded-In Plates F37
Telephone Wall Jacks F38

G 347V SWITCHES

347V Switches G1
HMOSS™ 347V Wall Switches G2
347V Wallplates G3

H WEATHERPROOF BOXES, COVERS & LIGHTING

BELL® Single-Gang Boxes, Extensions and Adapters H1-H3
Two-Gang Boxes H4-H5
Multi-Gang Boxes and Extensions H6
Round Splice Boxes, Extension Adapters and Covers H7
Specialty Covers H8
Rayntite® Single-Gang Boxes and Covers H9-H10
Rayntite® Two-Gang Boxes and Covers H11-H12
Rayntite® Single-Gang Device Covers H13
Rayntite® Two-Gang Device Covers H14
Single-Gang Device Covers H15
Generator Kits H16
Single-Gang Device Covers H17
Single-Gang Blank Covers and Mini-Plate H18
Two-Gang Device Covers H19
Two And Three-Gang Device Covers H20
Single-Gang Lever Switch Covers H21
Two-Gang Lever Switch Covers H22
Three-Gang Lever Switch Cover & Replacement Switch H23
Cluster Covers H24
Lampholders & Lampholder Combinations H25-H27
Light Kits H28-H29
Garden Lights H30
Replacement Globes H30
Accessories H31-H32

I SPECIALTY SWITCHES

RACO® Specialty Type Switches I1-I5

J SURGE PROTECTION DEVICES

Wired-In Surge Protective Devices J1
Whole House Surge Protection J1
Surge Strips J2-J3

CONNECTORS
NON-METALLIC SHEATHED CABLE


NMS038


NMS038SF


NMC038


NMB038


DUP038


DUP038SF


NMSI050


NMPI050


NMSQ038

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
One Screw - Saddle Connector				
NMS038	3/8"(12)	50	500	Zinc
NMS050	1/2" (16)	25	250	Zinc
NMS075	3/4" (21)	20	200	Zinc
NMS100	1" (27)	10	100	Zinc
One Screw - Saddle Connector (Snap Fit)				
NMS038SF	3/8"(12)	50	500	Zinc
Two Screw - Saddle Connector				
NMC038	3/8"(12)	100	1000	Zinc
NMC075	3/4" (21)	50	500	Zinc
NMC100	1" (27)	25	250	Zinc
NMC125	1-1/4" (35)	10	100	Zinc
NMC150	1-1/2" (41)	5	50	Zinc
NMC200	2" (53)	10	40	Zinc
Two Piece Clamp Connector				
NMB038	3/8"(12)	100	1000	Steel
NMB075	3/4" (21)	50	500	Steel
Duplex Connector				
DUP038	3/8"(12)	25	250	Zinc
Duplex Connector (Snap Fit)				
DUP038SF	3/8"(12)	25	250	Zinc
Nonmetallic Push-In Connectors				
NMPI050	1/2" (16)	100	1000	Plastic
NMPI050B (Bucket)	1/2" (16)	-	300	Plastic
NMPI075	3/4" (21)	50	500	Plastic
NMPI075B (Bucket)	3/4" (21)	-	150	Plastic
Nonmetallic Snap-In Connector				
NMSI050	1/2" (16)	50	500	Plastic
Squeeze-In Connector				
NMSQ038	3/8"(12)	100	1000	Steel

ACCESSORIES
NON-METALLIC SHEATHED CABLE



TES1



NSP050P



CS1



CSC10

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Cable Staples				
TES1	14/2 - 12/2	500	5000	Galvanized Steel
TES1B (Bucket)	14/2 - 12/2	-	1500	Galvanized Steel
TES2	14/2-12/2, 14-3-12/3	500	5000	Galvanized Steel
TES2B (Bucket)	14/2-12/2, 14-3-12/3	-	1000	Galvanized Steel
TES3	10/2-8/2, 14/3-10/3	250	2500	Galvanized Steel
TES4	8/3-6/3	250	1000	Galvanized Steel
Nailing Straps				
NSP050P	14/2-12/2	500	5000	Polypropylene
NSP050B (Bucket)	14/2-12/2	-	1500	Polypropylene
NSP075P	14/2-8/2	400	4000	Polypropylene
NSP075B (Bucket)	14/2-8/2	-	1000	Polypropylene
Cable Straps				
CS1	14/2-10/3	250	5000	Aluminum
CS10	14/2	250	5000	Aluminum
CS11	12/2-10/2	250	5000	Aluminum
CS21	12/2-8/3	200	4000	Aluminum
CS3	10/2-6/3	100	2000	Aluminum
CS4	4/3	100	2000	Aluminum
CS50	3/3 - 2/3	100	1000	Aluminum
CSC10	14/2-10/3	250	5000	Aluminum

CONNECTORS
ARMOURED CABLE / FLEX CONDUIT


SQ90038


SQ90038SF


DUP038


DUP038SF


EFK038


SF038


SF038SF


SFK050

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
90 Degree Connectors				
SQ90038	3/8"(12)	25	250	Zinc
SQ90050	1/2" (16)	25	250	Zinc
SQ90075	3/4" (21)	10	100	Zinc
SQ90100	1" (27)	5	50	Zinc
SQ90125	1-1/4" (35)	10	40	Zinc
SQ90150	1-1/2" (41)	-	5	Zinc
SQ90200	2" (53)	-	5	Zinc
SQ90250	2-1/2" (63)	-	1	Zinc
SQ90300	3" (78)	-	1	Zinc
SQ90350	3-1/2" (91)	-	1	Zinc
SQ90400	4" (103)	-	1	Zinc
90 Degree Connectors (Snap Fit)				
SQ90038SF	3/8"(12)	25	250	Zinc
SQ90050SF	1/2" (16)	25	250	Zinc
Duplex Connector				
DUP038	3/8"(12)	25	250	Zinc
Duplex Connector (Snap Fit)				
DUP038SF	3/8"(12)	25	250	Zinc
EMT to Flex Couplings				
EFK5038	1/2"-3/8"	50	500	Zinc
EFK5050	1/2"-1/2"	25	250	Zinc
EFK7575	3/4"-3/4"	25	250	Zinc
EMT to Flex Connectors				
SF038	3/8"(12)	50	500	Zinc
SF050	1/2" (16)	50	500	Zinc
EMT to Flex Connectors (Snap Fit)				
SF038SF	3/8"(12)	50	500	Zinc
SF050SF	1/2" (16)	50	500	Zinc
Flex to Flex Coupling				
SFK050	1/2" (16)	50	500	Zinc

CONNECTORS
ARMOURED CABLE / FLEX CONDUIT



SQ038



S1F038

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Squeeze Connector				
SQ038	3/8"(12)	50	500	Zinc
SQ050	1/2" (16)	25	250	Zinc
SQ075	3/4" (21)	25	250	Zinc
SQ100	1" (27)	10	100	Zinc
SQ125	1-1/4" (35)	10	100	Zinc
SQ150	1-1/2" (41)	5	50	Zinc
SQ200	2" (53)	10	40	Zinc
SQ250	2-1/2" (63)	-	10	Zinc
SQ300	3" (78)	-	5	Zinc
SQ350	3-1/2" (91)	-	2	Zinc
SQ400	4" (103)	-	1	Zinc
One Hole Strap				
S1F038	3/8"(12)	100	1000	Steel

CONNECTORS
LIQUID TIGHT CONDUIT


LTMI038


LTMI90038


LTMI45038


LTM038


LTM90038


LTM45038

INSULATED	UNINSULATED	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Straight Liquid Tight Connector					
LTMI038	**LTM038**	3/8"(12)	50	200	Steel
LTMI050	**LTM050**	1/2" (16)	50	200	Steel
LTMI075	**LTM075**	3/4" (21)	25	100	Steel
LTMI100	**LTM100**	1" (27)	-	10	Steel
LTMI125	**LTM125**	1-1/4" (35)	-	10	Malleable Iron
LTMI150	**LTM150**	1-1/2" (41)	-	5	Malleable Iron
LTMI200	**LTM200**	2" (53)	-	5	Malleable Iron
LTMI250	**LTM250**	2-1/2" (63)	-	1	Malleable Iron
LTMI300	**LTM300**	3" (78)	-	1	Malleable Iron
LTMI400	**LTM400**	4" (103)	-	1	Malleable Iron
90 Degree Liquid Tight Connector					
LTMI90038	**LTM90038**	3/8"(12)	25	100	Malleable Iron
LTMI90050	**LTM90050**	1/2" (16)	25	100	Malleable Iron
LTMI90075	**LTM90075**	3/4" (21)	25	100	Malleable Iron
LTMI90100	**LTM90100**	1" (27)	-	10	Malleable Iron
LTMI90125	**LTM90125**	1-1/4" (35)	-	10	Malleable Iron
LTMI90150	**LTM90150**	1-1/2" (41)	-	5	Malleable Iron
LTMI90200	**LTM90200**	2" (53)	-	5	Malleable Iron
LTMI90250	**LTM90250**	2-1/2" (63)	-	1	Malleable Iron
LTMI90300	**LTM90300**	3" (78)	-	1	Malleable Iron
LTMI90400	**LTM90400**	4" (103)	-	1	Malleable Iron
45 Degree Liquid Tight Connector					
LTMI45038	**LTM45038**	3/8"(12)	-	25	Malleable Iron
LTMI45050	**LTM45050**	1/2" (16)	-	25	Malleable Iron
LTMI45075	**LTM45075**	3/4" (21)	-	25	Malleable Iron
LTMI45100	**LTM45100**	1" (27)	-	10	Malleable Iron
LTMI45125	**LTM45125**	1-1/4" (35)	-	10	Malleable Iron
LTMI45150	**LTM45150**	1-1/2" (41)	-	5	Malleable Iron
LTMI45200	**LTM45200**	2" (53)	-	5	Malleable Iron

CONNECTORS
LIQUIDTIGHT CONDUIT



LTZ038



LTZ90038

INSULATED	UNINSULATED	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Straight Liquid Tight Connector					
LTZI038	**LTZ038**	3/8"(12)	20	200	Zinc
LTZI050	**LTZ050**	1/2" (16)	20	200	Zinc
LTZI075	**LTZ075**	3/4" (21)	10	100	Zinc
LTZI100	**LTZ100**	1" (27)	5	50	Zinc
LTZI125	**LTZ125**	1-1/4" (35)	5	50	Zinc
LTZI150	**LTZ150**	1-1/2" (41)	2	20	Zinc
LTZI200	**LTZ200**	2" (53)	2	20	Zinc
LTZI250	**LTZ250**	2-1/2" (63)	-	1	Zinc
LTZI300	**LTZ300**	3" (78)	-	1	Zinc
LTZI400	**LTZ400**	4" (103)	-	1	Zinc
90 Degree Liquid Tight Connector					
LTZI90038	**LTZ90038**	3/8"(12)	10	100	Zinc
LTZI90050	**LTZ90050**	1/2" (16)	10	100	Zinc
LTZI90075	**LTZ90075**	3/4" (21)	10	100	Zinc
LTZI90100	**LTZ90100**	1" (27)	5	50	Zinc
LTZI90125	**LTZ90125**	1-1/4" (35)	2	20	Zinc
LTZI90150	**LTZ90150**	1-1/2" (41)	2	20	Zinc
LTZI90200	**LTZ90200**	2" (53)	1	10	Zinc
LTZI90250	**LTZ90250**	2-1/2" (63)	-	1	Zinc
LTZI90300	**LTZ90300**	3" (78)	-	1	Zinc
LTZI90400	**LTZ90400**	4" (103)	-	1	Zinc

EMT CONNECTORS


CCZI050


CCSI050


SCZI050


SCSI050


CCZ050


CCS050


SCZ050


SCS050

INSULATED	UNINSULATED	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
EMT COMPRESSION CONNECTOR					
CCZI050	**CCZ050**	1/2" (16)	50	500	Zinc
CCZI075	**CCZ075**	3/4" (21)	25	250	Zinc
CCZI100	**CCZ100**	1" (27)	20	200	Zinc
CCZI125	**CCZ125**	1-1/4" (35)	25	100	Zinc
CCZI150	**CCZ150**	1-1/2" (41)	15	60	Zinc
CCZI200	**CCZ200**	2" (53)	10	40	Zinc
CCZI250	**CCZ250**	2-1/2" (63)	-	12	Zinc
CCZI300	**CCZ300**	3" (78)	-	12	Zinc
CCZI400	**CCZ400**	4" (103)	-	6	Zinc
CCSI050	**CCS050**	1/2" (16)	50	500	Steel
CCSI075	**CCS075**	3/4" (21)	25	250	Steel
CCSI100	**CCS100**	1" (27)	25	100	Steel
CCSI125	**CCS125**	1-1/4" (35)	5	25	Steel
CCSI150	**CCS150**	1-1/2" (41)	-	20	Steel
CCSI200	**CCS200**	2" (53)	-	20	Steel
CCSI250	**CCS250**	2-1/2" (63)	-	5	Steel
CCSI300	**CCS300**	3" (78)	-	1	Steel
CCSI400	**CCS400**	4" (103)	-	1	Steel
EMT SET SCREW CONNECTOR					
SCZI050	**SCZ050**	1/2" (16)	50	500	Zinc
SCZI075	**SCZ075**	3/4" (21)	25	250	Zinc
SCZI100	**SCZ100**	1" (27)	50	200	Zinc
SCZI125	**SCZ125**	1-1/4" (35)	25	100	Zinc
SCZI150	**SCZ150**	1-1/2" (41)	-	25	Zinc
SCZI200	**SCZ200**	2" (53)	-	20	Zinc
SCZI250	**SCZ250**	2-1/2" (63)	-	12	Zinc
SCZI300	**SCZ300**	3" (78)	-	12	Zinc
SCZI400	**SCZ400**	4" (103)	-	6	Zinc
SCSI050	**SCS050**	1/2" (16)	50	500	Steel
SCSI075	**SCS075**	3/4" (21)	25	250	Steel
SCSI100	**SCS100**	1" (27)	20	200	Steel
SCSI125	**SCS125**	1-1/4" (35)	-	100	Steel
SCSI150	**SCS150**	1-1/2" (41)	-	25	Steel
SCSI200	**SCS200**	2" (53)	-	20	Steel
SCSI250	**SCS250**	2-1/2" (63)	-	12	Steel
SCSI300	**SCS300**	3" (78)	-	12	Steel
SCSI400	**SCS400**	4" (103)	-	6	Steel

EMT COUPLINGS



CKZ050



CKS050



SKZ050



SKS050

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
EMT Compression Coupling				
CKZ050	1/2" (16)	50	500	Zinc
CKZ075	3/4" (21)	25	250	Zinc
CKZ100	1" (27)	20	200	Zinc
CKZ125	1-1/4" (35)	25	100	Zinc
CKZ150	1-1/2" (41)	15	60	Zinc
CKZ200	2" (53)	10	40	Zinc
CKZ250	2-1/2" (63)	-	12	Zinc
CKZ300	3" (78)	-	12	Zinc
CKZ400	4" (103)	-	6	Zinc
CKS050	1/2" (16)	50	500	Steel
CKS075	3/4" (21)	25	250	Steel
CKS100	1" (27)	25	100	Steel
CKS125	1-1/4" (35)	5	25	Steel
CKS150	1-1/2" (41)	-	20	Steel
CKS200	2" (53)	-	20	Steel
CKS250	2-1/2" (63)	-	5	Steel
CKS300	3" (78)	-	1	Steel
CKS400	4" (103)	-	1	Steel
EMT Set Screw Coupling				
SKZ050	1/2" (16)	50	500	Zinc
SKZ075	3/4" (21)	25	250	Zinc
SKZ100	1" (27)	50	200	Zinc
SKZ125	1-1/4" (35)	25	100	Zinc
SKZ150	1-1/2" (41)	-	25	Zinc
SKZ200	2" (53)	-	20	Zinc
SKZ250	2-1/2" (63)	-	12	Zinc
SKZ300	3" (78)	-	12	Zinc
SKZ400	4" (103)	-	6	Zinc
SKS050	1/2" (16)	50	500	Steel
SKS075	3/4" (21)	25	250	Steel
SKS100	1" (27)	50	200	Steel
SKS125	1-1/4" (35)	25	100	Steel
SKS150	1-1/2" (41)	-	25	Steel
SKS200	2" (53)	-	20	Steel
SKS250	2-1/2" (63)	-	12	Steel
SKS300	3" (78)	-	12	Steel
SKS400	4" (103)	-	6	Steel

EMT ACCESSORIES



PEEE050



PEEB050



E1S050



E2S050

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
90 Degree Pull Elbow with Gasket				
PEEB050	1/2" EMT to Box	10	100	Zinc
PEEB075	3/4" EMT to Box	5	50	Zinc
PEEB100	1" EMT to Box	-	25	Zinc
90 Degree Pull Elbow with Gasket				
PEEE050	1/2" EMT to EMT	10	100	Zinc
PEEE075	3/4" EMT to EMT	5	50	Zinc
PEEE100	1" EMT to EMT	-	25	Zinc
One Hole Strap				
E1S050	1/2" (16)	100	1000	Steel
E1S075	3/4" (21)	100	1000	Steel
E1S100	1" (27)	50	500	Steel
E1S125	1-1/4" (35)	25	250	Steel
E1S150	1-1/2" (41)	25	250	Steel
E1S200	2" (53)	20	200	Steel
Two Hole Strap				
E2S050	1/2" (16)	100	1000	Steel
E2S075	3/4" (21)	100	1000	Steel
E2S100	1" (27)	50	500	Steel
E2S125	1-1/4" (35)	-	200	Steel
E2S150	1-1/2" (41)	-	200	Steel
E2S200	2" (53)	-	200	Steel
E2S250	2-1/2" (63)	-	200	Steel
E2S300	3" (78)	-	100	Steel
E2S400	4" (103)	-	100	Steel

CONDUIT BODIES



CBC50COM



CBLB50COM



CBLRL50COM



CBT50COM

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Type C Conduit Body - Combination Rigid/EMT				
CBC50COM	1/2" (16)	10	100	Aluminum
CBC75COM	3/4" (21)	10	50	Aluminum
CBC100COM	1" (27)	5	25	Aluminum
CBC125COM	1-1/4" (35)	2	10	Aluminum
CBC150COM	1-1/2" (41)	2	10	Aluminum
CBC200COM	2" (53)	1	5	Aluminum
Type LB Conduit Body - Combination Rigid/EMT				
CBLB50COM	1/2" (16)	10	100	Aluminum
CBLB75COM	3/4" (21)	10	50	Aluminum
CBLB100COM	1" (27)	5	25	Aluminum
CBLB125COM	1-1/4" (35)	5	20	Aluminum
CBLB150COM	1-1/2" (41)	2	20	Aluminum
CBLB200COM	2" (53)	1	5	Aluminum
Type LB Conduit Body - Rigid				
CBLB250RIG	2-1/2" (63)	-	1	Aluminum
CBLB300RIG	3" (78)	-	1	Aluminum
CBLB400RIG	4" (103)	-	1	Aluminum
Type LRL Conduit Body - Combination Rigid/EMT				
CBLRL50COM	1/2" (16)	10	100	Aluminum
CBLRL75COM	3/4" (21)	10	50	Aluminum
CBLRL100COM	1" (27)	5	25	Aluminum
CBLRL125COM	1-1/4" (35)	2	20	Aluminum
CBLRL150COM	1-1/2" (41)	2	20	Aluminum
CBLRL200COM	2" (53)	1	5	Aluminum
Type T Conduit Body - Combination Rigid/EMT				
CBT50COM	1/2" (16)	10	100	Aluminum
CBT75COM	3/4" (21)	10	50	Aluminum
CBT100COM	1" (27)	5	25	Aluminum
CBT125COM	1-1/4" (35)	2	10	Aluminum
CBT150COM	1-1/2" (41)	2	10	Aluminum
CBT200COM	2" (53)	1	5	Aluminum

CONDUIT NIPPLES



CN050



ON050



RB0705

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Conduit Nipples				
CN050	1/2" (16)	100	1000	Zinc
CN075	3/4" (21)	50	500	Zinc
CN100	1" (27)	25	250	Zinc
CN125	1-1/4" (35)	25	250	Zinc
CN150	1-1/2" (41)	25	100	Zinc
CN200	2" (53)	10	40	Zinc
CN250	2-1/2" (63)	10	40	Zinc
CN300	3" (78)	10	40	Zinc
CN400	4" (103)	5	20	Zinc
Offset Nipples				
ON050	1/2" (16)	10	100	Zinc
ON075	3/4" (21)	10	100	Zinc
ON100	1" (27)	10	100	Zinc
ON125	1-1/4" (35)	5	50	Zinc
ON150	1-1/2" (41)	5	50	Zinc
ON200	2" (53)	2	20	Zinc
Reducing Bushings				
RB0705	3/4"-1/2"	-	100	Steel
RB1005	1"-1/2"	-	50	Steel
RB1007	1"-3/4"	-	50	Steel
RB1205	1-1/4"-1/2"	-	50	Steel
RB1207	1-1/4"-3/4"	-	50	Steel
RB1210	1-1/4"-1"	-	50	Steel
RB1505	1-1/2"-1/2"	-	50	Steel
RB1507	1-1/2"-3/4"	-	50	Steel
RB1510	1-1/2"-1"	-	50	Steel
RB1512	1-1/2"-1-1/4"	-	50	Steel
RB2005	2"-1/2"	-	25	Steel
RB2007	2"-3/4"	-	25	Steel
RB2010	2"-1"	-	25	Steel
RB2012	2"-1-1/4"	-	25	Steel
RB2015	2"-1-1/2"	-	25	Steel

RIGID STRAPS



R1S050



R2S050



EK050

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
One Hole Strap				
R1S050	1/2" (16)	50	500	Steel
R1S075	3/4" (21)	50	500	Steel
R1S100	1" (27)	-	200	Steel
R1S125	1-1/4" (35)	-	200	Steel
R1S150	1-1/2" (41)	-	200	Steel
R1S200	2" (53)	-	100	Steel
R1S250	2-1/2" (63)	-	50	Steel
R1S300	3" (78)	-	50	Steel
R1S350	3-1/2" (91)	-	25	Steel
R1S400	4" (103)	-	25	Steel
Two Hole Strap				
R2S050	1/2" (16)	100	1000	Steel
R2S075	3/4" (21)	100	1000	Steel
R2S100	1" (27)	50	500	Steel
R2S125	1-1/4" (35)	-	200	Steel
R2S150	1-1/2" (41)	-	200	Steel
R2S200	2" (53)	-	200	Steel
R2S250	2-1/2" (63)	-	200	Steel
R2S300	3" (78)	-	100	Steel
R2S350	3-1/2" (91)	-	100	Steel
R2S400	4" (103)	-	100	Steel
Three Piece Coupling				
EK050	1/2" (16)	25	100	Malleable Iron
EK075	3/4" (21)	25	100	Malleable Iron
EK100	1" (27)	5	25	Malleable Iron
EK125	1-1/4" (35)	5	25	Malleable Iron
EK150	1-1/2" (41)	-	5	Malleable Iron
EK200	2" (53)	-	5	Malleable Iron
EK250	2-1/2" (63)	-	4	Malleable Iron
EK300	3" (78)	-	4	Malleable Iron
EK350	3-1/2" (91)	-	2	Malleable Iron
EK400	4" (103)	-	2	Malleable Iron
EK500	5" (129)	-	1	Malleable Iron
EK600	6" (155)	-	1	Malleable Iron

BUSHINGS



BP050



BIG050

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Non Metallic Insulated Bushings				
BP050	1/2" (16)	100	2000	Polypropylene
BP075	3/4" (21)	100	2000	Polypropylene
BP100	1" (27)	50	500	Polypropylene
BP125	1-1/4" (35)	50	500	Polypropylene
BP150	1-1/2" (41)	-	200	Polypropylene
BP200	2" (53)	-	200	Polypropylene
BP250	2-1/2" (63)	-	100	Polypropylene
BP300	3" (78)	-	100	Polypropylene
BP350	3-1/2" (91)	-	100	Polypropylene
BP400	4" (103)	-	50	Polypropylene
BP500	5" (129)	-	5	Polypropylene
BP600	6" (155)	-	5	Polypropylene
Insulated Grounding Bushing				
BIG050	1/2" (16)	25	100	Zinc
BIG075	3/4" (21)	25	100	Zinc
BIG100	1" (27)	25	100	Zinc
BIG125	1-1/4" (35)	20	80	Zinc
BIG150	1-1/2" (41)	20	80	Zinc
BIG200	2" (53)	10	40	Zinc
BIG250	2-1/2" (63)	10	40	Zinc
BIG300	3" (78)	10	40	Zinc
BIG350	3-1/2" (91)	5	20	Zinc
BIG400	4" (103)	5	20	Zinc

METALLIC BUSHINGS



BZI050



BMI050



BZ050



BM050

INSULATED	UNINSULATED	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Metallic Bushings					
BZI050	**BZ050**	1/2" (16)	100	1000	Zinc
BZI075	**BZ075**	3/4" (21)	50	250	Zinc
BZI100	**BZ100**	1" (27)	50	250	Zinc
BZI125	**BZ125**	1-1/4" (35)	25	125	Zinc
BZI150	**BZ150**	1-1/2" (41)	25	125	Zinc
BZI200	**BZ200**	2" (53)	10	50	Zinc
BZI250	**BZ250**	2-1/2" (63)	-	10	Zinc
BZI300	**BZ300**	3" (78)	-	10	Zinc
BZI350	**BZ350**	3.50"	-	10	Zinc
BZI400	**BZ400**	4" (103)	-	10	Zinc
BMI050	**BM050**	1/2" (16)	-	100	Malleable Iron
BMI075	**BM075**	3/4" (21)	-	50	Malleable Iron
BMI100	**BM100**	1" (27)	-	25	Malleable Iron
BMI125	**BM125**	1-1/4" (35)	-	25	Malleable Iron
BMI150	**BM150**	1-1/2" (41)	-	25	Malleable Iron
BMI200	**BM200**	2" (53)	-	10	Malleable Iron
BMI250	**BM250**	2-1/2" (63)	-	10	Malleable Iron
BMI300	**BM300**	3" (78)	-	5	Malleable Iron
BMI350	**BM350**	3-1/2" (91)	-	5	Malleable Iron
BMI400	**BM400**	4" (103)	-	5	Malleable Iron

THREADED HUBS



THI050



REK050



LNS050



PERR050



PERB050

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Insulated Threaded Hubs				
THI050	1/2" (16)	-	25	Zinc
THI075	3/4" (21)	-	25	Zinc
THI100	1" (27)	-	25	Zinc
THI125	1-1/4" (35)	-	10	Zinc
THI150	1-1/2" (41)	-	10	Zinc
THI200	2" (53)	-	10	Zinc
THI250	2-1/2" (63)	-	5	Zinc
THI300	3" (78)	-	2	Zinc
THI350	3-1/2" (91)	-	2	Zinc
THI400	4" (103)	-	2	Zinc
Combination Couplings - Rigid to EMT				
REK050	1/2" (16)	25	250	Steel
REK075	3/4" (21)	10	100	Steel
REK100	1" (27)	10	100	Steel
Locknuts				
LNS050	1/2" (16)	200	2000	Steel
LNS075	3/4" (21)	100	1000	Steel
LNS100	1" (27)	100	1000	Steel
LNS125	1-1/4" (35)	100	1000	Steel
LNS150	1-1/2" (41)	50	500	Steel
LNS200	2" (53)	50	500	Steel
LNS250	2-1/2" (63)	25	250	Steel
LNS300	3" (78)	-	10	Steel
LNS350	3-1/2" (91)	-	10	Steel
LNS400	4" (103)	-	10	Steel
LNS500	5" (129)	-	10	Steel
LNS600	6" (155)	-	10	Steel
90 Degree Pull Elbow - Rigid to Rigid				
PERR050	1/2" Rigid to Rigid	-	20	Zinc
PERR075	3/4" Rigid to Rigid	10	100	Zinc
PERR100	1" Rigid to Rigid	5	50	Zinc
PERR125	1-1/4" Rigid to Rigid	-	25	Zinc
90 Degree Pull Elbow - Rigid to Rigid				
PERB050	1/2" Rigid to Box	10	100	Zinc
PERB075	3/4" Rigid to Box	5	50	Zinc
PERB100	1" Rigid to Box	-	25	Zinc

KNOCK-OUTS



KO050



BC100



RW0705

CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Knockout Closures				
KO050	1/2"	100	1000	Steel
KO075	3/4" (21)	100	1000	Steel
KO100	1" (27)	100	400	Steel
KO125	1-1/4" (35)	50	200	Steel
KO150	1-1/2" (41)	-	50	Steel
KO200	2" (53)	-	25	Steel
Beam Clamps				
BC100	1" (27)	-	100	Iron
BC200	2" (53)	-	50	Iron
BC250	2-1/2" (63)	-	25	Iron
Reducing Washers				
RW0705	3/4" x 1/2"	250	5000	Steel
RW1005	1" x 1/2"	250	5000	Steel
RW1007	1 x 3/4"	250	5000	Steel
RW1205	1-1/4" x 1/2"	200	2000	Steel
RW1207	1-1/4" x 3/4"	200	2000	Steel
RW1210	1-1/4" x 1"	200	2000	Steel
RW1505	1-1/2" x 1/2"	100	1000	Steel
RW1507	1-1/2" x 3/4"	100	1000	Steel
RW1510	1-1/2" x 1"	100	1000	Steel
RW1512	1-1/2" x 1-1/4"	100	1000	Steel
RW2005	2" x 1/2"	50	500	Steel
RW2007	2" x 3/4"	50	500	Steel
RW2010	2" x 1"	50	500	Steel
RW2012	2" x 1-1/4"	50	500	Steel
RW2015	2" x 1-1/2"	50	500	Steel
RW2505	2-1/2" x 1/2"	25	250	Steel
RW2507	2-1/2" x 3/4"	25	250	Steel
RW2510	2-1/2" x 1"	-	50	Steel
RW2512	2-1/2" x 1-1/4"	-	50	Steel
RW2515	2-1/2" x 1-1/2"	-	50	Steel
RW2520	2-1/2" x 2"	-	50	Steel
RW3010	3" x 1"	-	25	Steel
RW3020	3" x 2"	-	25	Steel
RW3025	3" x 2-1/2"	-	25	Steel

JACK CHAIN



CH050



GCB0510



JC10



JC3



S105

CATALOGUE NUMBER	TRADE SIZE EMT	TRADE SIZE RIGID	CARTON QTY	CASE QTY	MATERIAL
Conduit Hangers					
CH050	1/2" (16)	1/2" (16)	100	400	Steel
CH075	3/4" (21)	3/4" (21)	100	400	Steel
CH100	1" (27)	1" (27)	100	400	Steel
CH125	1-1/4" (35)	N/S	-	100	Steel
CH150	1-1/2" (41)	1-1/4" (35)	-	100	Steel
CH150R	N/S	1-1/2" (41)	-	100	Steel
CH200	2" (53)	2" (53)	-	50	Steel
CH250	2-1/2" (63)	2-1/2" (63)	-	25	Steel
CH300	3" (78)	3" (78)	-	50	Steel
CH400	4" (103)	4" (103)	-	10	Steel
Conduit Hangers					
GCZ0510	1/2" (16)	1" (27)	25	250	Zinc
GCB0510	1/2" (16)	1" (27)	25	100	Brass
GCB1220	1-1/4" (35)	2" (53)	25	250	Brass
Jack and Lion Chain					
JC10	#10	-	100	43 lbs.	Zinc Plated Steel
JC10B	#10	-	250	43 lbs.	Zinc Plated Steel
LC3	#3	-	100	90 lbs.	Zinc Plated Steel
LC3B	#3	-	300	90 lbs.	Zinc Plated Steel
S-Hooks					
S105	#105	100	1000	90 lbs.	Zinc Plated Steel

SERVICE ENTRANCE HEADS



CATALOGUE NUMBER	TRADE SIZE	CARTON QTY	CASE QTY	MATERIAL
Service Entrance Heads - Rigid/EMT Combo				
2402	1/2" (16)	-	10	Aluminum
2403	3/4" (21)	-	10	Aluminum
2404	1" (27)	-	5	Aluminum
2405	1-1/4" (35)	-	10	Aluminum
2406	1-1/2" (41)	-	5	Aluminum
2408	2" (53)	-	5	Aluminum
2410	2-1/2" (63)	-	1	Aluminum
2412	3" (78)	-	1	Aluminum
2414	3-1/2" (91)	-	1	Aluminum
2416	4" (103)	-	1	Aluminum

STRAIGHT MALE CORD CONNECTORS

IP66* SUITABILITY

UL Listed to Type 4, 4X, 12 and Type 13



Machined Aluminum



Machined Zinc–Plated Steel

Straight Male

N.P.T. Hub Size	Cord Dia. Inches (mm)	Form Size	Colour Code	Machined Aluminum	Machined Zinc-Plated Steel	Stainless Steel	Nylon Gray	Nylon Black
	.06"–.13" (1.6–3.2)		Green	–	–	–	SHC1001CR	–
	.13"–.19" (3.2–4.7)		Orange	SHC1002	–	–	SHC1002CR	–
1/4	.19"–.25" (4.7–6.3)	F1	Red	SHC1003	–	SHC1003SS	SHC1003CR	–
	.25"–.31" (6.3–7.9)		Black	SHC1004	–	SHC1004SS	SHC1004CR	–
	.31"–.38" (7.9–9.5)		White	SHC1005**	–	–	SHC1005CR	SHC2005CR
	.38"–.44" (9.5–11)		Blue	–	–	–	SHC1006CR	–
	.06"–.13" (1.6–3.2)		Green	SHC1007	–	–	–	–
	.13"–.19" (3.2–4.7)		Orange	SHC1008	SHC1008ZP	–	SHC1008CR	SHC2008CR
3/8	.19"–.25" (4.7–6.3)	F1	Red	SHC1009	–	SHC1009SS	SHC1009CR	–
	.25"–.31" (6.3–7.9)		Black	SHC1010	SHC1010ZP	–	SHC1010CR	SHC2010CR
	.31"–.38" (7.9–9.5)		White	SHC1011	–	SHC1011SS	SHC1011CR	SHC2011CR
	.38"–.44" (9.5–11.0)		Blue	SHC1012	SHC1012ZP	SHC1012SS	SHC1012CR	SHC2012CR
	.19"–.25" (4.7–6.3)		Red	SHC1015	–	–	–	–
1/2	.25"–.31" (6.3–7.9)	F1	Black	SHC1016	–	–	–	–
	.31"–.38" (7.9–9.5)		White	SHC1017	–	–	–	–
	.38"–.44" (9.5–11.0)		Blue	SHC1018	–	–	–	–
	.06"–.13" (1.6–3.2)		Green	SHC1019	–	–	SHC1019CR	–
	.13"–.19" (3.2–.4.7)		Orange	SHC1020	SHC1020ZP	SHC1020SS	SHC1020CR	–
1/2	.19"–.25" (4.7–6.3)	F2	Red	SHC1021	SHC1021ZP	SHC1021SS	SHC1021CR	SHC2021CR
	.25"–.38" (6.3–.9.7)		White	SHC1022	SHC1022ZP	SHC1022SS	SHC1022CR	SHC2022CR
	.38"–.50" (9.7–12.7)		Blue	SHC1023	SHC1023ZP	SHC1023SS	SHC1023CR	SHC2023CR
	.50"–.63" (12.7–15.9)		Brown	SHC1024	SHC1024ZP	SHC1024SS	SHC1024CR**	SHC2024CR**
	.38"–.50" (9.7–12.7)		Blue	SHC1025	–	–	–	–
	.50"–.63" (12.7–15.9)		Brown	SHC1026	–	–	–	–
1/2	.63"–.75" (15.9–19.0)	F3	Yellow	SHC1027**	SHC1027ZP**	–	–	–
	.75"–.88" (19.0–22.2)		Orchid	SHC1028**	SHC1028ZP**	–	–	–

*Note: * IP66 Suitability when used with optional metal clad O-ring.*
*** Cable jacket may have to be stripped to pass through connector body.*

HUBBELL®

STRAIGHT MALE CORD CONNECTORS

IP66*
SUITABILITY

UL Listed to Type 4, 4X, 12 and Type 13

Straight Male

N.P.T. Hub Size	Cord Dia. Inches (mm)	Form Size	Colour Code	Machined Aluminum	Machined Zinc-Plated Steel	Stainless Steel	Nylon Gray	Nylon Black
3/4	.06"–.13" (1.6–3.2)	F2	Green	**SHC1029**	–	–	–	–
	.13"–.19" (3.2–4.7)		Orange	**SHC1030**	**SHC1030ZP**	–	–	–
	.19"–.25" (4.7–6.3)		Red	**SHC1031**	**SHC1031ZP**	–	–	–
	.25"–.38" (6.3–9.7)		White	**SHC1032**	**SHC1032ZP**	–	–	–
	.38"–.50" (9.7–12.7)		Blue	**SHC1033**	**SHC1033ZP**	–	–	–
	.50"–.63" (12.7–15.9)		Brown	**SHC1034**	**SHC1034ZP**	–	–	–
3/4	.38"–.50" (9.5–12.7)	F3	Blue	–	**SHC1035ZP**	**SHC1035SS**	**SHC1035CR**	**SHC2035CR**
	50"–.63" (12.7–15.9)		Brown	**SHC1036**	–	**SHC1036SS**	**SHC1036CR**	**SHC2036CR**
	.63"–.75" (15.9–19.0)		Yellow	**SHC1037**	**SHC1037ZP**	**SHC1037SS**	**SHC1037CR**	**SHC2037CR**
	.75"–.88" (19.0–22.2)		Orchid	**SHC1038****	**SHC1038ZP****	**SHC1038SS****	**SHC1038CR****	**SHC2038CR****
1	.50"–.63" (12.7–15.9)	F3	Brown	–	**SHC1097ZP**	–	–	–
	.63"–.75" (15.9–19.0)		Yellow	–	**SHC1098ZP**	–	–	–
	.75"–.88" (19.0–22.2)		Orchid	–	**SHC1099ZP**	–	–	–
1	.38"–.50" (9.7–12.7)	F4	Blue	**SHC1039**	–	–	**SHC1039CR**	–
	.50"–.63" (12.7–15.9)		Brown	**SHC1040**	–	–	**SHC1040CR**	**SHC2040CR**
	.63"–.75" (15.9–19.0)		Yellow	**SHC1041**	–	**SHC1041SS**	**SHC1041CR**	**SHC2041CR**
	.75"–.88" (19.0–22.2)		Orchid	**SHC1042**	–	**SHC1042SS**	**SHC1042CR**	**SHC2042CR**
	.88"–1.00" (22.2–25.4)		Gray	**SHC1043**	**SHC1043ZP**	–	**SHC1043CR**	**SHC2043CR**
	1.00"–1.13" (25.4–28.6)		Pink	**SHC1044****	–	**SHC1044SS****	**SHC1044CR****	**SHC2044CR****



Stainless Steel



Gray Nylon



Black Nylon

*Note: * IP66 Suitability when used with optional metal clad O-ring.*
*** Cable jacket may have to be stripped to pass through connector body.*
Form 4 aluminum and plated steel nuts are machined, bodies are cast aluminum.

STRAIGHT MALE CORD CONNECTORS

IP66*
SUITABILITY

UL Listed to Type 4, 4X, 12 and Type 13



Cast Aluminum



Cast Aluminum
Malleable Iron

Straight Male

N.P.T. Hub Size	Cord Diameter Inches	(mm)	Form Size	Cast Aluminum	Malleable Iron
	.88"–1.00"	(22.2–25.4)		**SHC1046**	**–**
1	1.00"–1.13"	(25.4–28.6)	F5	**SHC1047****	**–**
	1.13"–1.25"	(28.6–31.7)		**SHC1048****	**–**
	1.25"–1.38"	(31.7–34.9)		**SHC1049****	**–**
	.75"–.88"	(19.0–22.2)		**SHC1050**	**–**
	.88"–1.00"	(22.2–25.4)		**SHC1051**	**–**
1–1/4	1.00"–1.13"	(25.4–28.6)	F5	**SHC1052**	**SHC1052ZP**
	1.13"–1.25"	(28.6–31.7)		**SHC1053**	**SHC1053ZP**
	1.25"–1.38"	(31.7–34.9)		**SHC1054****	**SHC1054ZP**
	.75"–.88"	(19.0–22.2)		**SHC1055**	**–**
	.88"–1.00"	(22.2–25.4)		**SHC1056**	**–**
1–1/2	1.00"–1.13"	(25.4–28.6)	F5	**SHC1057**	**SHC1057ZP**
	1.13"–1.25"	(28.6–31.7)		**SHC1058**	**SHC1058ZP**
	1.25"–1.38"	(31.7–34.9)		**SHC1059**	**SHC1059ZP**
	1.38"–1.50"	(34.9–38.1)		**SHC1061**	**–**
1–1/2	1.50"–1.63"	(38.1–41.3)	F6	**SHC1062****	**–**
	1.63"–1.75"	(41.3–44.4)		**SHC1063****	**–**
	1.75"–1.88"	(44.4–47.6)		**SHC1064****	**–**
	1.25"–1.38"	(31.7–34.9)		**SHC1065**	**–**
	1.38"–1.50"	(34.9–38.1)		**SHC1066**	**–**
2	1.50"–1.63"	(38.1–41.3)	F6	**SHC1067**	**–**
	1.63"–1.75"	(41.3–44.4)		**SHC1068**	**–**
	1.75"–1.88"	(44.4–47.6)		**SHC1069**	**–**
	1.69"–1.81"	(42.9–46.0)		**SHC1070**	**–**
	1.81"–1.94"	(46.0–49.2)		**SHC1071**	**–**
2	1.94"–2.06"	(49.2–52.4)	F7	**SHC1072****	**–**
	2.06"–2.19"	(52.4–55.6)		**SHC1073****	**–**
	2.19"–2.31"	(55.6–58.7)		**SHC1074****	**–**
	1.69"–1.81"	(42.9–46.0)		**SHC1076**	**–**
	1.81"–1.94"	(46.0–49.2)		**SHC1077**	**–**
2–1/2	1.94"–2.06"	(49.2–52.4)	F7	**SHC1078**	**–**
	2.06"–2.19"	(52.4–55.6)		**SHC1079**	**–**
	2.19"–2.31"	(55.6–58.7)		**SHC1080**	**–**
	2.31"–2.44"	(58.7–61.9)		**SHC1081****	**–**
	1.69"–1.81"	(42.9–46.0)		**SHC1086**	**–**
	1.94"–2.06"	(49.2–52.4)	F7	**SHC1088**	**–**
3	2.06"–2.19"	(52.4–55.6)		**SHC1089**	**–**
	2.19"–2.31"	(55.6–58.7)		**SHC1090**	**–**
	2.31"–2.44"	(58.7–61.9)		**SHC1091**	**–**
	2.44"–2.63"	(61.9–66.7)		**SHC1092**	**–**
	2.63"–2.81"	(66.7–71.4)		**SHC1093**	**–**
3	2.81"–3.00"	(71.4–76.2)	F8	**SHC1094**	**–**
	3.00"–3.25"	(76.2–82.5)		**SHC1095****	**–**

*Note: * IP66 Suitability when used with optional metal clad O-ring.*
*** Cable jacket may have to be stripped to pass through connector body.*
Form 4 aluminum and plated steel nuts are machined, bodies are cast aluminum.
F5 and larger will not be colour coded.

45° MALE CORD CONNECTORS

IP66*
SUITABILITY

UL Listed to Type 4, 4X, 12 and Type 13

45° Male

N.P.T. Hub Size	Cord Diameter Inches	(mm)	Form Size	Colour Code	Machined Aluminum†	Machined Zinc-Plated SteelΔ	Cast Aluminum
	.19"–.25"	(4.7–6.3)		Red	**VHC1021**	–	–
1/2	.25"–.38"	(6.3–9.7)	F2	White	**VHC1022**	**VHC1022ZP**	–
	.38"–.50"	(9.7–12.7)		Blue	**VHC1023**	**VHC1023ZP**	–
	.50"–.63"	(12.7–15.9)		Brown	**VHC1024****	**VHC1024ZP****	–
	.38"–.50"	(9.7–12.7)		Blue	**VHC1035**	–	–
3/4	.50"–.63"	(12.7–15.9)	F3	Brown	**VHC1036**	–	–
	.63"–.75"	(15.9–19.0)		Yellow	**VHC1037****	–	–
1	.63"–.75"	(15.9–19.0)	F4	Yellow	**VHC1041**	–	–
	.75"–.88"	(19.0–22.2)		Orchid	**VHC1042**	–	–
1–1/4	1.00"–1.13"	(25.4–28.6)	F5		–	–	**VHC1052**
	1.13"–1.25"	(28.6–31.7)			–	–	**VHC1053****

*Note: * IP66 Suitability when used with optional metal clad O-ring.*
*** Cable jacket may have to be stripped to pass through connector body.*
Form 4 aluminum and plated steel nuts are machined, bodies are cast aluminum.
† Nuts are machined aluminum and bodies are cast aluminum.
Δ Nuts are machined zinc-plated steel and bodies are malleable iron, cadmium plated.



Machined Aluminum †



Machined Zinc–Plated Steel Δ



Cast Aluminum

90° MALE CORD CONNECTORS

IP66*
SUITABILITY

UL Listed to Type 4, 4X, 12 and Type 13



90° Male

N.P.T. Hub Size	Cord Diameter Inches	(mm)	Form Size	Colour Code	Machined Aluminum†	Machined Zinc-Plated Steel∆	Nylon Gray	Nylon Black	Cast Aluminum
	.25"–.31"	(6.3–7.9)		Black	**NHC1010**	–	–	–	–
3/8	.31"–.38"	(7.9–9.5)	F1	White	**NHC1011**	–	–	–	–
	.38"–.44"	(9.5–11.0)		Blue	**NHC1012**	–	–	–	–
	.06"–.13"	(1.6–3.2)		Green	–	–	–	–	–
	.13"–.19"	(3.2–4.7)		Orange	**NHC1020**	–	**NHC1020CR**	–	–
1/2	.19"–.25"	(4.7–6.3)	F2	Red	**NHC1021**	**NHC1021ZP**	**NHC1021CR**	–	–
	.25"–.38"	(6.3–9.7)		White	**NHC1022**	**NHC1022ZP**	**NHC1022CR**	**NHC2022CR**	–
	.38"–.50"	(9.7–12.7)		Blue	**NHC1023**	**NHC1023ZP**	**NHC1023CR**	**NHC2023CR**	–
	.50"–.63"	(12.7–15.9)		Brown	**NHC1024****	**NHC1024ZP****	**NHC1024CR****	**NHC2024CR****	–
	.38"–.50"	(9.7–12.7)		Blue	**NHC1035**	**NHC1035ZP**	**NHC1035CR**	–	–
3/4	.50"–.63"	(12.7–15.9)	F3	Brown	**NHC1036**	**NHC1036ZP**	**NHC1036CR**	–	–
	.63"–.75"	(15.9–19.0)		Yellow	**NHC1037**	**NHC1037ZP**	**NHC1037CR**	–	–
	.75"–.88"	(19.0–22.2)		Orchid	**NHC1038**	**NHC1038ZP**	**NHC1038CR**	–	–
	.50"–.63"	(12.7–15.9)		Brown	**NHC1040**	–	–	–	–
	.63"–.75"	(15.9–19.0)		Yellow	**NHC1041**	**NHC1041ZP**	**NHC1041CR**	**NHC2041CR**	–
1	.75"–.88"	(19.0–22.2)	F4	Orchid	**NHC1042**	–	**NHC1042CR**	**NHC2042CR****	–
	.88"–1.00"	(22.2–25.4)		Gray	**NHC1043****	–	**NHC1043CR**	**NHC2043CR****	–
	1.00"–1.13"	(25.4–28.7)		Pink	**NHC1044****	–	–	–	–
	.88"–1.00"	(22.2–25.4)		—	–	–	–	–	**NHC1051**
1–1/4	1.00"–1.13"	(25.4–28.6)	F5	—	–	–	–	–	**NHC1052**
	1.13"–1.25"	(28.6–31.7)		—	–	–	–	–	**NHC1053****
	1.25"–1.38"	(31.7–34.9)		—	–	–	–	–	**NHC1054****
	1.00"–1.13"	(25.4–28.6)		—	–	–	–	–	**NHC1057**
1–1/2	1.13"–1.25"	(28.6–31.7)	F5	—	–	–	–	–	–
	1.25"–1.38"	(31.7–34.9)		—	–	–	–	–	**NHC1059**
2	1.38"–1.50"	(34.9–38.1)	F6	—	–	–	–	–	**NHC1066**

*Note: * IP66 Suitability when used with optional metal clad O-ring.*
*** Cable jacket may have to be stripped to pass through connector body.*
† Nuts are machined aluminum and bodies are cast aluminum.
∆ Compression nuts are machined zinc-plated steel and bodies are zinc-plated malleable iron.



Machined Aluminum†



Machined Zinc-Plated Steel∆



Gray Nylon



Black Nylon



Cast Aluminum

STRAIGHT FEMALE, UNDERGROUND FEEDER AND METRIC CONNECTORS

Straight Female

N.P.T. Hub Size	Cord Diameter Inches	(mm)	Form Size	Colour Code	Machined Aluminum
1/2	.25"–.38"	(6.3–9.7)	F2	White	**FHC1022**
	.38"–.50"	(9.7–12.7)		Blue	**FHC1023**
3/4	.38"–.50"	(9.7–12.7)	F2	Blue	**FHC1033**
	.50"–.63"	(12.7–15.9)		Brown	**FHC1034**
1	.75"–.88"	(19.0–22.2)	F4	Orchid	**FHC1042†**
	.88"–1.00"	(22.2–25.4)		Gray	**FHC1043†**

*Note: * Cable jacket may have to be stripped to pass through connector body.*
† Nuts are machined aluminum and bodies are cast aluminum.



Machined Aluminum

Underground Feeder Connectors

IP66* SUITABILITY

N.P.T. Hub Size	Diameter Inches	(mm)	Wire Size	UF** Machined Aluminum	Zinc-Plated Steel	Machined Nylon Gray	Nylon Black
1/2	.2"x.4" min	(5.1 x 10.2)	2 # 14,				
	.25"–.55" max	(6.3 x 14.0)	2 # 12, 2 # 10.	**UFC0001**	**UFC0001ZP**	**UFC0001CR**	**UFC2001CR**
3/4	.2"x.4" min	(5.1x10.2)	2 # 14,				
	.25"–.55" max	(6.3x14.0)	2 # 12, 2 # 10.	**UFC0002**	**–**	**–**	**–**
3/4	.2"x.6" min	(5.1x15.2)	3 # 14,				
	.26"x.78" max	(6.6x19.8)	3 # 12, 3 # 10.	**UFC0003**	**–**	**UFC0003CR**	**UFC2003CR**

*Note: * IP66 Suitability when used with optional metal clad O-ring.*
*** Wire sizes vary among manufacturers.*



Machined Aluminum



Machined Zinc–Plated Steel

UL Listed to Type 4, 4X, 12 and Type 13

Metric Aluminum Cord Connectors

Hub Size	Cord Diameter Inches	(mm)	Form Size	Catalog Number
M16	.31"–.38"	(7.9–9.7)	F1	**SHCM161011**
M20	.31"–.38"	(7.9–9.7)	F1	**SHCM201017**
	.25"–.38"	(6.3–9.7)		**SHCM201022**
M20	.38"–.50"	(9.7–12.7)	F2	**SHCM201023**
	.50"–.62"	(12.7–15.8)		**SHCM201024**
M25	.38"–.50"	(9.7–12.7)	F2	**SHCM251033**
	.50"–.62"	(12.7–15.8)		**SHCM251034**
M30	.63"–75"	(15.9–19.0)	F3	**SHCM301037**

Note: † When used with metal clad O-ring.
Non-metallic Locknuts sold separately.



Gray Nylon



Machined Aluminum

LOW PROFILE N.P.T., PG AND METRIC THREAD CONNECTORS

IP66* SUITABILITY



SEC100BA

Low Profile N.P.T. Cord Connectors

N.P.T. Hub Size	Inches	Cord Diameter (mm)	Colour	Catalog Number	Non-metallic Locknuts
3/8	.18"–.31"	(4.6–7.9)	Gray	**SEC38GA***	**31622002LPK50**
3/8	.18"–.31"	(4.6–7.9)	Black	**SEC38BA***	**31622002LPK50**
1/2	.17"–.45"	(4.3–11.4)	Gray	**SEC50GA**	**31622003LPK50**
1/2	.17"–.45"	(4.3–11.4)	Black	**SEC50BA**	**31622003LPK50**
3/4	.45"–.71"	(11.4–18.0)	Gray	**SEC75GA**	**31622007LPK50**
3/4	.45"–.71"	(11.4–18.0)	Black	**SEC75BA**	**31622007LPK50**
1	.59"–1.00"	(15–25.4)	Gray	**SEC100GA**	**31622008LPK50**
1	.59"–1.00"	(15–25.4)	Black	**SEC100BA**	**31622008LPK50**

Note: Catalog numbers with "PK50" suffix are bulk packed 50 pieces.



SECP29GA

Low Profile PG∆ Cord Connectors

Hub Size	Cord Diameter Inches	(mm)	Colour	Catalog Number	Non-metallic Locknuts
PG7	.11"–.25"	(2.9–6.4)	Gray	**SECP7GA***	**LNP7BPK100**
PG7	.11"–.25"	(2.9–6.4)	Black	**SECP7BA***	**LNP7BPK100**
PG9	.18"–.31"	(4.6–7.9)	Gray	**SECP9GA***	**LNP9BPK100**
PG9	.18"–.31"	(4.6–7.9)	Black	**SECP9BA***	**LNP9BPK100**
PG11	.23"–.40"	(5.8–10.0)	Gray	**SECP11GA***	**LNP11BPK100**
PG11	.23"–.40"	(5.8–10.0)	Black	**SECP11BA***	**LNP11BPK100**
PG13.5	.17"–.47"	(4.3–11.9)	Gray	**SECP13GA**	**LNP13BPK100**
PG13.5	.17"–.47"	(4.3–11.9)	Black	**SECP13BA**	**LNP13BPK100**
PG16	.23"–.53"	(5.8–13.5)	Gray	**SECP16GA**	**LNP16BPK100**
PG16	.23"–.53"	(5.8–13.5)	Black	**SECP16BA**	**LNP16BPK100**
PG21	.45"–.71"	(11.4–17.9)	Gray	**SECP21GA**	**LNP21BPK100**
PG21	.45"–.71"	(11.4–17.9)	Black	**SECP21BA**	**LNP21BPK100**
PG29	.59"–.99"	(15–25.2)	Gray	**SECP29GA**	**LNP29BPK25**
PG29	.59"–.99"	(15–25.2)	Black	**SECP29BA**	**LNP29BPK25**
PG36	.88"–1.30"	(22.2–32.0)	Gray	**SECP36GA**	**LNP36BPK25**
PG36	.88"–1.30"	(22.2–32.0)	Black	**SECP36BA**	**LNP36BPK25**



LNP29BPK25

Low Profile Metric Cord Connectors

Hub Size	Cord Diameter Inches	(mm)	Colour	Catalog Number	Non-metallic Locknuts
M12	.12"–.25"	(2.9–6.4)	Gray	**SECM12G**	**LNM12BPK100**
M12	.12"–.25"	(2.9–6.4)	Black	**SECM12B**	**LNM12BPK100**
M16	.11"–.31"	(2.7–7.9)	Gray	**SECM16G**	**LNM16BPK100**
M16	.11"–.31"	(2.7–7.9)	Black	**SECM16B**	**LNM16BPK100**
M20	.17"–.45"	(4.3–11.4)	Gray	**SECM20G***	**LNM20BPK100**
M20	.17"–.45"	(4.3–11.4)	Black	**SECM20B***	**LNM20BPK100**
M25	.49"–.71"	(12.3–18.0)	Gray	**SECM25G***	**LNM25BPK100**
M25	.49"–.71"	(12.3–18.0)	Black	**SECM25B***	**LNM25BPK100**
M32	.59"–1.00"	(15.0–25.4)	Gray	**SECM32G***	**LNM32BPK100**
M32	.59"–1.00"	(15.0–25.4)	Black	**SECM32B***	**LNM32BPK100**
M40	.87"–1.30"	(22.0–32.0)	Gray	**SECM40G**	**LNM40BPK100**
M40	.87"–1.30"	(22.0–32.0)	Black	**SECM40B**	**LNM40BPK100**

Note: Catalog numbers above with "PK100" suffix, i.e. LNP7BPK100, are bulk packed 100 per carton.
Catalog numbers above with "PK25" suffix, i.e. LNP29BPK25, are bulk packed 25 per carton.
** Items indicated are UL recognized components.*
∆ Panzergewinde.

ACCESSORIES

Locknuts — Non-Metallic

N.P.T. Hub Size	Catalog Number
1/4	**31622001LPK50**
3/8	**31622002LPK50**
1/2	**31622003LPK50**
3/4	**31622007LPK50**
1	**31622008LPK50**
1-1/4	–
1-1/2	–

Note: Catalog numbers above with "PK50" suffix are bulk packed 50 per carton.
See page T-101 for additional technical data and dimensional drawings.



Non–Metallic Locknuts

Metal Clad Sealing O-Rings

N.P.T. Hub Size	Catalog Number
1/2	**20509001**
3/4	**20509002**
1	**20509003**
1–1/4	**20509004**
1–1/2	**20509005**
2	**20509006**
2–1/2	**20509007**
3	**20509008**



Metal Clad
Sealing O–Rings

HUBBELL JUNIORS® MINIATURE NYLON CORD CONNECTORS

Miniature Nylon Cord Connector

N.P.T. Hub Size	Cord Diameter Range Inches	(mm)	Gray	Black
	.08"–.14"	(1.9–3.4)	HJ1001GPK25	HJ1001BPK25
1/4	.14"–.20"	(3.4–5.1)	HJ1002GPK25	HJ1002BPK25
	.20"–.27"	(5.1–6.7)	HJ1003GPK25	HJ1003BPK25
	.15"–.21"	(3.7–5.3)	HJ1004GPK25	HJ1004BPK25
3/8	.21"–.28"	(5.3–7.0)	HJ1005GPK25	HJ1005BPK25
	.28"–.34"	(7.0–8.6)	HJ1006GPK25	HJ1006BPK25
	.06"–.13"	(1.6–3.2)	HJ1055GPK25	HJ1055BPK25
	.13"–.19"	(3.2–4.7)	HJ1056GPK25	HJ1056BPK25
1/2	.19"–.25"	(4.7–6.3)	HJ1057GPK25	HJ1057BPK25
	.25"–.31"	(6.3–7.9)	HJ1058GPK25	HJ1058BPK25
	.31"–.38"	(7.9–9.5)	HJ1059GPK25	HJ1059BPK25
	.38"–.44"	(9.5–11.1)	HJ1060GPK25	HJ1060BPK25



Gray Cord Connector



Black Cord Connector

Miniature Nylon Cord Connector with Spiral

N.P.T. Hub Size	Cord Diameter Range Inches	(mm)	Gray	Black
	.08"–.14"	(1.9–3.4)	HJ1010GPK25	HJ1010BPK25
1/4	.14"–.20"	(3.4–5.1)	HJ1011GPK25	HJ1011BPK25
	.20"–.27"	(5.1–6.7)	HJ1012GPK25	HJ1012BPK25
	.15"–.21"	(3.7–5.3)	HJ1013GPK25	HJ1013BPK25
3/8	.21"–.28"	(5.3–7.0)	HJ1014GPK25	HJ1014BPK25
	.28"–.34"	(7.0–8.6)	HJ1015GPK25	HJ1015BPK25
	.13"–.19"	(3.2–4.7)	HJ1038GPK25	HJ1038BPK25
	.19"–.25"	(4.7–6.3)	HJ1039GPK25	HJ1039BPK25
1/2	.25"–.31"	(6.3–7.9)	HJ1040GPK25	HJ1040BPK25
	.31"–.38"	(7.9–9.5)	HJ1041GPK25	HJ1041BPK25
	.38"–.44"	(9.5–11.1)	HJ1042GPK25	HJ1042BPK25
3/4	.25"–.49"	(6.4–12.3)	HJ1043GPK25*	HJ1043BPK25*
	.45"–.71"	(11.4–18.0)	HJ1044GPK25*	HJ1044BPK25*



Gray Cord Connector with Spiral



Black Cord Connector with Spiral

Miniature Nylon Snap-In Cord Connector with Spiral

Cord Diameter Range Inches	(mm)	For Chassis Thickness	Gray	Black
.22"–.27"	(5.6–6.9)	.10" (2.5) Max	HS1001GPK25	HS1001BPK25
.28"–.32"	(7.1–8.1)	.10" (2.5) Max	HS1002GPK25	HS1002BPK25
.30"–.36"	(7.6–9.1)	.13" (3.2) Max	HS1003GPK25	HS1003BPK25
.32"–.43"	(8.1–10.9)	.13" (3.2) Max	HS1004GPK25	HS1004BPK25

Note: Catalog numbers above with "PK25" suffix, i.e. HJ1001GPK25, are bulk packed 25 per carton.




Gray Snap–In Cord Connector



Black Snap–In Cord Connector

POLYTUFF® I NON-METALLIC LIQUIDTIGHT CONDUIT

PolyTuff® I Conduit–Gray



Rigid PVC core bonded to flexible PVC jacket

All nonmetallic construction ends metal fatigue and separation problems

UL Listed and CSA Certified

Cuts cleanly with a knife or PVC cutter so there are no jagged metal edges



IP66
SUITABILITY

PolyTuff® I Conduit

Trade Size (metric designator)	Feet (m)	Catalog Number
⅜ (12)	100 (30.5)	**G1038**
½ (16)	100 (30.5)	**G1050**
¾ (21)	100 (30.5)	**G1075**
1 (27)	100 (30.5)	**G1100**
1¼ (35)	100 (30.5)	**G1125**
1½ (41)	50 (15.2)	**G1150**
2 (53)	50 (15.2)	**G1200**

POLYTUFF® II NON-METALLIC LIQUIDTIGHT TUBING

PolyTuff® II Tubing–Black

PVC core with corrugated walls bonded to PVC jacket

Handles twists, turns, bends, switchbacks and straightaways with ease

All nonmetallic construction ends fatigue and separation problems

Can be cut with a knife or PVC cutters

UL Recognized and CSA Certified



IP66
SUITABILITY

PolyTuff® II Tubing

Trade Size (metric designator)	Feet (m)	Catalog Number
¼ (10)	100 (30.5)	**B2025**
⅜ (12)	100 (30.5)	**B2038**
½ (16)	100 (30.5)	**B2050**
¾ (21)	100 (30.5)	**B2075**
1 (27)	100 (30.5)	**B2100**
1¼ (35)	100 (30.5)	**B2125**
1½ (41)	50 (15.2)	**B2150**
2 (53)	50 (15.2)	**B2200**



POLYTUFF® II NON-METALLIC LIQUIDTIGHT FITTINGS

UL Listed to Type 4, 4X, 12 and Type 13

Straight with Male Non-Metallic Liquidtight Fittings

Trade Size (metric designator)	Black Catalog Number	Gray Catalog Number
¼ (6)	F2025	–
⅜ (9)	P038NBKA	P038NGYA
½ (13)	P050NBKA	P050NGYA
¾ (19)	P075NBKA	P075NGYA
1 (25)	P100NBKA	P100NGYA
1¼ (32)	P125NBK	P125NGY
1½ (38)	P150NBK	P150NGY
2 (51)	P200NBK	P200NGY

Note: Fittings are to be used with PolyTuff I and PolyTuff II.
⅜" Liquidtight conduit fitting have ½ N.P.T. male threads.



P075NGYA



P125NGY

SwivelLok® Multi-Position with Male Non-Metallic Liquidtight Fittings

Trade Size (metric designator)	Black Catalog Number	Gray Catalog Number
⅜ (9)	PS0389NBK	PS0389NGY
½ (13)	PS0509NBK	PS0509NGY
¾ (19)	PS0759NBK	PS0759NGY
1 (25)	PS1009NBK	PS1009NGY

Note: Fittings are to be used with PolyTuff I and PolyTuff II.
⅜" Liquidtight conduit fitting have ½ N.P.T. male threads.



PS0509NGY – SwivelLok®

Fixed 90° Fittings for Non-Metallic Conduit

Trade Size (metric designator)	Black Catalog Number	Gray Catalog Number
¼ (6)	F20259	–
⅜ (9)	P0389NBK	P0389NGY
½ (13)	P0509NBK	P0509NGY
¾ (19)	P0759NBK	P0759NGY
1 (25)	P1009NBK	P1009NGY
1¼ (32)	P1259NBK	P1259NGY

Note: Fittings are to be used with PolyTuff I and PolyTuff II.
⅜" Liquidtight conduit fitting have ½ N.P.T. male threads.



P1259NGY

SwivelLok® Flexible Conduit Kit

Trade Size (metric designator)	Fitting and Conduit	Catalog Number
½ (13)	2 PS0509NGY, 6' G1050	PS05GYKIT
¾ (19)	2 PS0759NGY, 6' G1075	PS07GYKIT



PS05GYKIT



tradeSELECT™

Hubbell Canada LP • 870 Brock Road South • Pickering, ON L1W 1Z8
Tel: (905) 839-1138 • Fax: (905) 839-9108 • www.HubbellOnline.com

H2832
09/2011