2019


STAFDA

BUYING GUIDE











GARVIN®

A Southwire Business

847-455-0188 • GARVININDUSTRIES.COM


GARVIN STAFDA BUYING GUIDE • 2019

STRUT FITTINGS

Flat Plates

TWO-HOLE SPLICE PLATE

- ¼" Thick
- Zinc-plated
- Std. Pkg: 50



Item: SFF30

THREE-HOLE SPLICE PLATE


- ¼" Thick
- Zinc-plated
- Std. Pkg: 25



Item: SFF31

FOUR-HOLE SPLICE PLATE

- ¼" Thick
- Zinc-plated
- Std. Pkg: 25



Item: SFF32

TWO-HOLE PARALLEL SPLICE PLATE


- ¼" Thick
- Zinc-plated
- Std. Pkg: 25



Item: SFF34

THREE-HOLE CORNER PLATE – FLAT


- Hole diameter: 9/16"
- Hole C-C: 1⅞"
- Std. Pkg: 25



ITEM	MATERIAL FINISH
SFF50	Zinc
SFF50-GN	Green

FOUR-HOLE CORNER PLATE – FLAT


- Hole diameter: 9/16"
- Hole C-C: 1⅞"
- Std. Pkg: 20



ITEM	MATERIAL FINISH
SFF51	Zinc
SFF51-GN	Green

FOUR-HOLE TEE PLATE – FLAT

- Hole diameter: 9/16"
- Hole C-C: 1⅞"
- Std. Pkg: 20



ITEM	MATERIAL FINISH
SFF60	Zinc
SFF60-GN	Green

TWO-HOLE CORNER ANGLE – STAINLESS STEEL

- 316 Stainless steel
- Std. Pkg: 50



Item: SFL11-SS

TWO-HOLE CORNER ANGLE

- Hole diameter: 9/16"
- Zinc-plated steel
- Std. Pkg: 50



Item: SFL11

TWO-HOLE CORNER ANGLE

- Hole diameter: 9/16"
- Painted green
- Std. Pkg: 50



Item: SFL11-GN

TWO-HOLE "CROSS" CORNER ANGLE


- Zinc-plated steel
- Std. Pkg: 50



Item: SFL20

THREE-HOLE CORNER ANGLE

- Zinc-plated steel
- Std. Pkg: 25



Item: SFL21

THREE-HOLE "3-WAY" CORNER ANGLE

- Zinc-plated steel
- Std. Pkg: 25



Item: SFL30

FOUR-HOLE CORNER ANGLE

- Hole diameter: 9/16"
- Zinc-plated steel
- Std. Pkg: 25



Item: SFL13

FOUR-HOLE CORNER ANGLE

- Hole diameter: 9/16"
- Painted green
- Std. Pkg: 25



Item: SFL13-GN

STRUT FITTINGS

Angle Plates

FOUR-HOLE "3-WAY" CORNER ANGLE

- 316 Stainless steel
- Std. Pkg: 25



Item: SFL31-SS

FOUR-HOLE "3-WAY" CORNER ANGLE

- Zinc-plated steel
- Std. Pkg: 25



Item: SFL31

TWO-HOLE 45° CORNER ANGLE

- Std. Pkg: 25



Item: SFL60

TWO-HOLE 45° CORNER ANGLE

- Std. Pkg: 25



Item: SFL60-GN

FOUR-HOLE 45° CORNER ANGLE

- Std. Pkg: 25




Item: SFL62

Strut-to-Beam Clamps

STRUT TO BEAM CLAMP – WINDOW

- Fits 1⅝" strut
- Std. Pkg: 20



Item: SFBC40

STRUT TO BEAM CLAMP WITH BOLT

- Fits 13/16" & 1⅝" strut
- Std. Pkg: 25



Item: SFBC60

STRUT TO BEAM CLAMP WITH BOLT

- Fits 2 7/16" & 3 1/4" strut
- Std. Pkg: 25



Item: SFBC61

STRUT TO BEAM CLAMP – NOTCHED

- Std. Pkg: 50



Item: SFBC70

"U" Fittings

13/16" FOUR-HOLE U-FITTING SPLICE

- Hole diameter: 9/16"
- Length: 7 1/4"
- Channel depth: 13/16"
- Zinc-plated steel
- Std. Pkg: 10



Item: SFU33

13/16" FOUR-HOLE U-FITTING SPLICE

- Hole diameter: 9/16"
- Length: 7 1/4"
- Channel depth: 13/16"
- Painted green
- Std. Pkg: 10



Item: SFU33-GN

1 5/8" FOUR-HOLE U-FITTING SPLICE

- Hole diameter: 9/16"
- Length: 7 1/4"
- Channel depth: 1 5/8"
- Zinc-plated steel
- Std. Pkg: 10



Item: SFU32

1 5/8" FOUR-HOLE U-FITTING SPLICE

- Hole diameter: 9/16"
- Length: 7 1/4"
- Channel depth: 1 5/8"
- Painted green
- Std. Pkg: 10



Item: SFU32-GN

13/16" INSIDE STRUT JOINER

- Length: 4 7/16"
- Channel depth: 13/16"
- Zinc-plated steel
- Cam screws lock joiner in place
- Std. Pkg: 10



Item: SFEF33-1316

1 5/8" INSIDE STRUT JOINER

- Length: 4 7/16"
- Channel depth: 1 5/8"
- Zinc-plated steel
- Cam screws lock joiner in place
- Std. Pkg: 10



Item: SFEF33-158

STRUT FITTINGS

Swivel Unions

SWIVEL FEMALE/FEMALE



- Serves as a union between two supports or pieces of rod
- Allows for a straight, flush hang
- Std. Pkg: 50

ITEM	THREAD	LOAD CAPACITY	STD. PKG.
SFSW12-3816	⅜-16	620 Lbs	50
SFSW12-1213	½-13	1,150	50

SWIVEL MALE/FEMALE




- Serves as a union between two supports or pieces of rod
- Allows for a straight, flush hang
- Std. Pkg: 50

ITEM	THREAD	LOAD CAPACITY	STD. PKG.
SFSW13-3816	⅜-16	620 Lbs	50
SFSW13-1213	½-13	1,150 Lbs	50

Post Bases

TWO-HOLE SINGLE-CHANNEL POST BASE


- Fits 1⅝" strut
- Base: 4" x 6"
- Zinc-plated steel
- Std. Pkg: 5



Item: SFP10

FOUR-HOLE SINGLE-CHANNEL POST BASE


- Fits 1⅝" strut
- Base: 6" x 6"
- Zinc-plated steel
- Std. Pkg: 5




Item: SFP13

FOUR-HOLE SINGLE-CHANNEL POST BASE

- Fits 1⅝" strut
- Base: 6" x 6"
- Zinc-plated steel
- Std. Pkg: 5






Item: SFP14

FOUR-HOLE SINGLE-CHANNEL POST BASE

- Fits 1⅝" strut
- Base: 6" x 6"
- Painted green
- Std. Pkg: 5



Item: SFP14-GN

Wall Brackets

WALL BRACKET CHANNEL

- For 1⅝" strut
- Zinc-plated steel
- Std. Pkg: 1



ITEM	NO. OF MOUNTING HOLES	LENGTH
SFBR40-6	2	6"
SFBR40-9	2	9"
SFBR40-12	2	12"

End Caps

STRUT END CAP – PLASTIC

- Color: White
- Fits: 1⅝" x 13/16" strut
- Std. Pkg: 100



Item: SFEC08

STRUT END CAP – PLASTIC

- Color: White
- Fits: 1⅝" x 1⅝" strut
- Std. Pkg: 100




Item: SFEC09


STRUT FITTINGS

Washers

"U" STRUT WASHERS

- Zinc-plated steel
- Std. Pkg: 50







ITEM	BOLT SIZE
SFU70-25	¼"-20
SFU70-38	⅜"-16
SFU70-50	½"-13

STAINLESS STEEL STRUT WASHERS

- Outside diameter: 1⅝"
- 316 Stainless steel ¼" thick
- Std. Pkg: 100






ITEM	BOLT SIZE
SW-1/4-SS	¼"
SW-3/8-SS	⅜"
SW-1/2-SS	½"
SW-5/8-SS	⅝"
SW-3/4-SS	¾"

GREEN STRUT WASHERS

- Outside diameter: 1⅝"
- Painted ¼" thick steel
- Std. Pkg: 100






ITEM	BOLT SIZE
SW-1/4-G	¼"
SW-3/8-G	⅜"
SW-1/2-G	½"
SW-5/8-G	⅝"

ZINC PLATED STRUT WASHERS

- Outside diameter: 1⅝"
- Zinc-plated ¼" thick steel
- Std. Pkg: 100







ITEM	BOLT SIZE
SW-1/4	¼"
SW-3/8	⅜"
SW-1/2	½"
SW-5/8	⅝"
SW-3/4	¾"

NOTCHED STRUT WASHERS

- 1⅝" O.D.
- Zinc-plated ¼" thick steel
- Std. Pkg: 100







ITEM	BOLT SIZE
SFF20	¼"
SFF21	⅜"
SFF22	½"
SFF23	⅝"
SFF24	¾"

EXTRA-LARGE 2" SQUARE STRUT WASHERS

- Zinc-plated ¼" thick steel
- Std. Pkg: 100






ITEM	BOLT SIZE
SW-2-3/8	⅜"
SW-2-1/2	½"
SW-2-5/8	⅝"
SW-2-3/4	¾"

STAINLESS STEEL OCTAGON INSIDE – STRUT FLAT SLIDE WASHERS

- 1½" O.D. fits in strut
- 304 Stainless steel
- Std. Pkg: 100






ITEM	BOLT SIZE
12WFSS	¼" or 3/16"
13WFSS	½"
14WFSS	⅜"

OCTAGON INSIDE – STRUT FLAT SLIDE WASHERS

- 1½" O.D. fits in strut
- Std. Pkg: 100






ITEM	BOLT SIZE
12WFS	¼" or 3/16"
13WFS	½"
14WFS	⅜"


STRUT FITTINGS

Nuts & Spring Nuts

SQUEEZE NUTS

- Std. Pkg: 100





ITEM	SIZE
SNSQ1420	¼-20
SNSQ3816	⅜-16
SNSQ1213	½-13

CONE NUTS

- Std. Pkg: 100






ITEM	SIZE
SNCN1420	¼-20
SNCN3816	⅜-16
SNCN1213	½-13

STRUT NUTS – NO SPRING

- Std. Pkg: 50






ITEM	HOLE THREAD
SNWO1420	¼-20
SNWO3816	⅜-16
SNWO1213	½-13

SHORT-SPRING NUTS (FOR 0.813" & 1" SHALLOW STRUT)

- Std. Pkg: 50






ITEM	HOLE THREAD
SNSS1420	¼-20
SNSS3816	⅜-16
SNSS1213	½-13

REGULAR SPRING NUTS (FOR 1.375" & 1.625" DEEP STRUT)

- Std. Pkg: 50






ITEM	HOLE THREAD
SNRS1420	¼-20
SNRS3816	⅜-16
SNRS1213	½-13

LONG-SPRING NUTS (FOR 2.44" & 3.25" DEEP STRUT)

- Std. Pkg: 50







ITEM	HOLE THREAD
SNLS1420	¼-20
SNLS3816	⅜-16
SNLS1213	½-13

UNIVERSAL STRUT STRAPS FOR EMT OR RIGID CONDUIT

- Zinc-plated steel







ITEM	SIZE	STD. PKG.
STU50	½"	100
STU75	¾"	100
STU100	1"	100
STU125	1¼"	50
STU150	1½"	50
STU200	2"	50

EMT STRUT STRAPS

- Zinc-plated steel







ITEM	SIZE	STD. PKG.
STE50	½"	100
STE75	¾"	100
STE100	1"	50
STE125	1¼"	50
STE150	1½"	50
STE200	2"	50

STAINLESS STEEL STRUT STRAPS FOR RIGID CONDUIT

- 316 Stainless steel







ITEM	SIZE	STD. PKG.
STR50-SS	½"	100
STR75-SS	¾"	100
STR100-SS	1"	100
STR125-SS	1¼"	100
STR150-SS	1½"	100
STR200-SS	2"	100
STR250-SS	2½"	100
STR300-SS	3"	100
STR350-SS	3½"	100
STR400-SS	4"	100
STR500-SS	5"	25
STR600-SS	6"	25

RIGID STRUT STRAPS

- Zinc-plated steel





ITEM	SIZE	STD. PKG.
STR50	½"	100
STR75	¾"	100
STR100	1"	50
STR125	1¼"	50
STR150	1½"	50
STR200	2"	50
STR250	2½"	50
STR300	3"	25
STR350	3½"	25
STR400	4"	25
STR500	5"	25
STR600	6"	25


CABLE/CONDUIT

Strut Mount

ONE-PIECE STRUT CLAMPS
(SOFT SADDLE)

- Soft, wide saddle supports cable, conduit & pipes
- Galvanized steel





ITEM	SIZE	STD. PKG.
OPCC-50	½"	100
OPCC-75	¾"	100
OPCC-100	1"	50


UL LISTED

Supports cable or conduits!

ONE-PIECE STRUT CLAMPS
(CONDUIT CRADLE)

- Zinc-plated steel







ITEM	EMT CONDUIT	RIGID CONDUIT	STD. PKG.
OPSC-38	⅜"	—	100
OPSC-50	½"	—	100
OPSC-75	¾"	½"	50
OPSC-100	1"	¾"	50
OPSC-125	1¼"	1"	50
OPSC-150	1½"	1¼"	50
OPSC-200	2"	1½"	50
OPSC-200R	—	2"	25
OPSC-250	2½"	2½"	25
OPSC-300	3"	3"	25
OPSC-350	3½"	3½"	10
OPSC-400	4"	4"	10

UL LISTED

ONE-PIECE STRUT CLAMPS
(SETSCREW)

- Setscrew locks conduit in place
- Twist-mount in strut channel
- Zinc-plated steel





ITEM	EMT CONDUIT	RIGID CONDUIT	STD. PKG.
OPS-50	½"	⅜"	100
OPS-75	¾"	½"	50
OPS-100	1"	¾"	50
OPS-125	1¼"	1"	50


UL LISTED

NEED A CUSTOM PART?
WE CAN DO IT
FASTEST CUSTOMIZATION GUARANTEED
847-455-0188

IRON BEAM CLAMPS

- Zinc-plated iron
- Back & bottom threaded holes







ITEM	JAW OPENING	HOLE THREAD	LOAD (LBS)	STD. PKG.
MBC-1024	7/8"	10-24	375	100
MBC-1420	7/8"	1/4-20	450	50
MBC-3816	1 1/8"	3/8-16	1300	25
MBC-1213	1 3/8"	1/2-13	1700	10

UL LISTED

STAINLESS STEEL MALLEABLE IRON BEAM CLAMPS

- 316 Stainless steel






ITEM	HOLE THREAD	LOAD RATING (LBS)			STD. PKG.
		BOTTOM MOUNT	TOP MOUNT	FLANGE THICKNESS	
MBC-1420-SS	1/4-20	250	—	3/8"	50
MBC-3816-SS	3/8-16	500	—	3/8"	25

WIDE-MOUTH IRON BEAM CLAMPS

- Zinc-plated iron
- Back/bottom threaded holes



GARVIN EXCLUSIVE



UL LISTED

HUGE
3 1/8" Jaw Opening!


ITEM	HOLE	LOAD (LBS)	STD. PKG.
MBC-1420WM	1/4-20	450	50
MBC-3816WM	3/8-16	1300	25
MBC-1213WM	1/2-13	1700	10


BEAM CLAMPS

Standard Malleable Iron

SLIM-BODY IRON BEAM CLAMP

- Zinc-plated iron
- Back/bottom threaded holes
- Std. Pkg: 50







UL LISTED

ITEM	JAW OPENING	HOLE	LOAD (LBS)
MBC-3816EV	13/16"	3/8-16	900

HEAVY-DUTY IRON BEAM CLAMP

- Zinc-plated iron
- Back/bottom threaded holes
- Std. Pkg: 10





Heavy-Duty Body!


UL LISTED


ITEM	JAW OPENING	HOLE	LOAD (LBS)
MBC-1213XL	31/32"	1/2-13	1700

Standard Stamped Steel

SPRING-STEEL BEAM CLAMP – LIGHT DUTY

- Back/bottom threaded holes
- Black-oxide steel
- Std. Pkg: 100






UL LISTED

ITEM	JAW SIZE	HOLES BACK & BOTTOM
BC1	3/4"	10-24 & 1/4-20 Plus 3/8" Hole

STAINLESS STEEL BEAM CLAMPS

- Back/bottom threaded holes
- 316 Stainless steel






UL LISTED

ITEM	JAW SIZE	HOLES BACK & BOTTOM	LOAD (LBS)	STD. PKG.
BC-1420-SS	19/32"	1/4-20	150	100
BC-3816-SS	15/16"	3/8-16	200	25

STEEL BEAM CLAMPS

- Back/bottom threaded holes
- Zinc-plated steel






UL LISTED

ITEM	JAW SIZE	HOLES BACK & BOTTOM	LOAD (LBS)	STD. PKG.
BC-1024	0.59"	10-24	100	100
BC-1420	0.59"	¼-20	100	100
BC-3816	15/16"	⅜-16	200	25

6¼" WIDE-MOUTH BEAM CLAMP

GARVIN EXCLUSIVE





ITEM	JAW SIZE	HOLE THREAD	STD. PKG.
BC-1420-XWM	6¼"	¼-20	20


Spans the Widest Beams!

Reversibe Stamped Steel

STAINLESS STEEL REVERSIBLE BEAM CLAMP

- 304 Stainless steel
- Std. Pkg: 25






ITEM	JAW OPENING	HOLE THREAD
JFCS-3816SS	¾"	⅜-16

STEEL REVERSIBLE BEAM CLAMP

- Zinc-plated steel
- Std. Pkg: 25





UL LISTED

ITEM	JAW OPENING	HOLE THREAD
JFCS-3816	¾"	⅜-16


BEAM CLAMPS

Reversible "C" Clamp – Malleable Iron

JUNIOR REVERSIBLE IRON BEAM CLAMPS

- Zinc-plated







ITEM	HOLE THREAD	LOAD RATING (LBS)		JAW OPENING	STD. PKG.
		BOTTOM MOUNT	TOP MOUNT		
JFC-1420	¼-20	100	250	¾"	50
JFC-3816	⅜-16	250	500	¾"	25
JFC-1213	½-13	250	500	¾"	25
JFC-5811	⅝-11	400	750	⅞"	25

UL LISTED

REVERSIBLE BLACK IRON BEAM CLAMPS






ITEM	HOLE THREAD	LOAD RATING (LBS)		JAW OPENING	STD. PKG.
		BOTTOM MOUNT	TOP MOUNT		
MFC-3816	⅜-16	100	250	1¼"	25
MFC-1213	½-13	250	500	1¼"	25
MFC-5811	⅝-11	250	500	1⅜"	25
MFC-3410	¾-10	400	750	1⅜"	25

UL LISTED



GALVANIZED IRON ROD-HANGER BEAM CLAMPS






ITEM	BOTTOM HOLE THREAD	JAW OPENING	STD. PKG.
MCC-3816	⅜-16	¾"	25
MCC-1213	½-13	¾"	25
MCC-5811	⅝-11	¾"	25
MCC-3410	¾-10	¾"	25

BLACK IRON ROD-HANGER BEAM CLAMPS





ITEM	BOTTOM HOLE THREAD	JAW OPENING	STD. PKG.
MCC-3816BK	⅜-16	¾"	25
MCC-1213BK	½-13	¾"	25
MCC-5811BK	⅝-11	¾"	25
MCC-3410BK	¾-10	¾"	25

GARVIN IS NOW PART OF THE SOUTHWIRE FAMILY


To enhance product breadth, provide custom products and accelerate innovation.


GARVIN®
A Southwire Business

BEAM CLAMPS

Inline Rod Hanger – Stamped Steel


BLACK STEEL ROD-HANGER BEAM CLAMPS






ITEM	BOTTOM HOLE THREAD	JAW OPENING	STD. PKG.
SCC-3816BK	⅜-16	¾"	25
SCC-1213BK	½-13	¾"	25
SCC-5811BK	⅝-11	¾"	25
SCC-3410BK	¾-10	¾"	25


STAINLESS STEEL ROD-HANGER BEAM CLAMPS






ITEM	BOTTOM HOLE THREAD	JAW OPENING	STD. PKG.
SCC-3816SS	⅜-16	¾"	25
SCC-1213SS	½-13	¾"	25
SCC-5811SS	⅝-11	¾"	25
SCC-3410SS	¾-10	¾"	25

GALVANIZED STEEL ROD-HANGER BEAM CLAMPS





ITEM	BOTTOM HOLE THREAD	JAW OPENING	STD. PKG.
SCC-3816	⅜-16	¾"	25
SCC-1213	½-13	¾"	25
SCC-5811	⅝-11	¾"	25
SCC-3410	¾-10	¾"	25




ORDER ONLINE TODAY!


SPEC SHEETS
INSTALLATION VIDEOS
EASY CHECKOUT

WWW.GARVININDUSTRIES.COM

HAMMER-ON BEAM FLANGE CLAMP

- Black spring steel
- Std. Pkg: 100






UL LISTED

ITEM	FLANGE	HOLE THREAD
BC18	1/8"–1/4"	1/4-20
BC516	15/16"–1/2"	
BC916	9/16"–3/4"	

HAMMER-ON BEAM FLANGE CLAMP WITH 1/4-20 STUD

- Black spring steel
- Std. Pkg: 100





UL LISTED

ITEM	FLANGE	HOLE THREAD
BC18ST	1/8"–1/4"	1/4-20
BC516ST	15/16"–1/2"	
BC916ST	9/16"–3/4"	

HAMMER-ON BEAM FLANGE CLIP

- Zinc-plated spring steel
- Std. Pkg: 50





ITEM	FLANGE	LOAD (LBS)
BCX	3/32"–9/64"	160
BCX18	1/8"–1/4"	200
BCX516	15/16"–1/2"	
BCX916	9/16"–3/4"	

THREADED ROD HANGER/ HAMMER-ON BEAM CLAMP ASSEMBLY

- Black spring steel





ITEM	FITS BEAM THICKNESS	ROD SIZE	STD. PKG.
R1814T	1/8"–1/4"	1/4-20	100
R51614T	15/16"–1/2"	1/4-20	100
R91614T	9/16"–3/4"	1/4-20	100

ROD HANGERS

Quick Shot Threaded Rod

"QUICK SHOT" THREADED ROD HANGERS

- Pre-assembled with concrete nail & washer
- Std. Pkg: 50





SHOOT INTO METAL, CONCRETE OR MASONRY!

THREADED ROD

ITEM	DROP ROD	OVERALL LENGTH
STF1424	¼"-20	24"
STF1430	¼"-20	30"
STF1436	¼"-20	36"
STF1448	¼"-20	48"

Call for Custom Lengths

GARVIN FAST FAB

"QUICK SHOT" THREADED-ROD COUPLER

- Pre-assembled with concrete nail & washer
- Std. Pkg: 50





ITEM	ROD COUPLER	OVERALL LENGTH
STF14	¼"-20	6"

"QUICK SHOT" SLICK ROD HANGERS

- Pre-assembled with concrete nail & washer
- Std. Pkg: 50





SHOOT INTO METAL, CONCRETE OR MASONRY!

SLICK ROD

ITEM	THREAD SIZE	OVERALL LENGTH
STF0024	No Thread, Smooth Rod ¼" Dia.	24"
STF0030	No Thread, Smooth Rod ¼" Dia.	30"
STF0036	No Thread, Smooth Rod ¼" Dia.	36"

GARVIN FAST FAB

Call for Custom Lengths

"QUICK-SCREW" THREADED-ROD COUPLER

- Coupler thread: ¼"-20
- Overall length: 6"
- Std. Pkg: 50






Item: STF14NP

"QUICK SHOT" THREADED HANGER CLIPS

- Std. Pkg: 100





THREADED HOLE

ITEM	THREADED HOLE
TRH-1420	¼-20
TRH-3816	⅜-16


ROD HANGERS

Threaded Fasteners

THREADED HANGER FOR WOOD

- Std. Pkg: 100





ITEM	HOLE THREAD	OVERALL LENGTH
SMY142W	¼-20	2"
SMY382W	⅜-16	2½"

THREADED ROD HANGERS FOR MASONRY/BRICK

- Zinc-plated steel
- Std. Pkg: 100





ITEM	HOLE THREAD
SMY141C	¼-20
SMY381C	⅜-16

THREADED HANGER FOR SHEET METAL

- Std. Pkg: 100






ITEM	HOLE THREAD	OVERALL LENGTH
SMY141S	¼-20	1"
SMY381S	⅜-16	1"

SLIP-TIGHT ROD NUT FOR THREADED-ROD







GARVIN EXCLUSIVE

ITEM	ROD SIZE	STD. PKG.
SLN-3816	⅜-16	100

WALL-MOUNT THREADED ROD HANGERS

- Black-oxide & zinc-plated steel






ITEM	THREADED HOLE	STD. PKG.
R014T	¼-20	100
R038T	⅜-16	100

ROD ANGLE BRACKETS

- Zinc-plated steel or 316 stainless steel



NOW IN STAINLESS STEEL (SS)



ITEM	FOR ROD SIZE	THRU HOLE SIZE		STD. PKG.
		SMALL	LARGE	
BA-1/4	¼"	0.250"	0.250"	100
BA-1/4-SS	¼"	0.250"	0.250"	100
BAT-3/8	⅜"	0.280"	0.385"	100
BA-3/8-SS	⅜"	0.280"	0.385"	100

Tough Reinforced Corner!

MULTI-FUNCTION CLIP FOR PLAIN OR THREADED ROD

- Black-oxide spring steel





UL LISTED

ITEM	CONDUIT SIZE	STD. PKG.
APS	Attaches to #12 Wire to ⅜" Rod, Provides #10-24 & ¼-20 Mounting Holes	50

BAR-JOIST WASHERS

- Std. Pkg: 50






ITEM	BOLT SIZE
23WBJ	¼"
24WBJ	⅜"


NEED A CUSTOM PART? WE CAN BUILD IT!

CALL 847-455-0188 NOW FOR A QUOTE.


FASTEST CUSTOMIZATION GUARANTEED



PAINTING



PRE-FAB COMPONENTS



STAMPING



FABRICATION



PRIVATE LABELING



THREADING

GARVIN®

A Southwire Business