Westinghouse





LIGHTING CATALOG

LIGHT FIXTURES, CEILING FANS & ACCESSORIES









WESTINGHOUSE LIGHTING

CONTENTS

INTRODUCTION **2-3**

Our Story 2-3

LIGHT FIXTURES **4-55**

Indoor Hanging 4-15
Indoor Ceiling 16-24
Indoor Wall 25-33
Designer You® 34-37
Outdoor 38-53
Picture Lights 54-55

CEILING FANS **56-81**

52″ and Above 56-66
42″ to 48″ 67-71
24″ to 36″ 72-74
Outdoor 75-76
Ceiling Fan Specifications 77-81

CEILING FAN ACCESSORIES **82-86**

CEILING FAN & LIGHT FIXTURE ACCESSORIES **87-89**

REPLACEMENT GLASSWARE & ASSORTED SHADES **90-91**

LIGHTING HARDWARE **92-97**

INDEX **98-104**

All light fixtures, ceiling fans and accessories in this catalog are Underwriter Laboratories, ETL Listed or RU Certified for safety.

Lamps are not included with product unless otherwise noted. We recommend using Westinghouse lamps in all of our ceiling fans and light fixtures. Westinghouse Lighting reserves the right to make changes and/or improvements (both visually and technically) to the products in this catalog without notice. As a result, some products and/or product information may change.

Visit our website for the latest specifications.

Westinghouse

A Leader in Lighting since 1946



Our Founders: Romolo & Stanley Angelo

It all started in 1946 with two brothers and a small corner store in South Philadelphia. From this humble beginning, Angelo Brothers evolved into Westinghouse Lighting and the industry leader that we are today.

For over 75 years, our customers have always been our top priority. While our company has grown in both size and scope, we have remained committed to our core values of customer service, quality products, and sustainability.

We are proud to be one of the few privately held, multi-generational family businesses in the lighting manufacturing industry. Our team combines generations of experience with exceptional industry knowledge. As the only global lighting company to carry a complete line of lighting fixtures, ceiling fans, lamps, and lighting accessories, we are well-positioned to suit the ever-evolving needs of our residential and commercial customers alike.

1946 — Romolo and Stanley Angelo take a leap of faith and open a small storefront in South Philadelphia.

1948 — Angelo Brothers evolves into a mail-order lamp parts catalog business, supplying lighting showrooms and lamp repair shops.

1958 — Decorative light bulbs are added with the launch of the ABCO line.

1968 — The emerging do-it-yourself market presents the opportunity to reach more customers. Angelo Brothers introduces a line of lighting hardware, glassware, and decorative light bulbs for this industry, featuring consumer-friendly packaging and displays.

1981 — Lighting fixtures are added to the product line.

1996 — The company celebrates its 50th anniversary and creates the Angelo Brothers Founders' Scholarship Foundation to celebrate this milestone.

1998 — Ceiling fans are added to the product line with the acquisition of Encon, a leader in the industry.

1999 — Angelo Brothers secures an exclusive license to market light bulbs under the Westinghouse brand.

2003 — Angelo Brothers rebrands as Westinghouse Lighting and begins marketing lighting fixtures, ceiling fans, lamps (light bulbs), and lighting accessories globally.

2021 — Westinghouse Lighting celebrates its 75th anniversary and continues to expand its product line and develop strong relationships with a diverse customer base in the electrical distribution, e-tail, hardware & home center, and lighting showroom channels.

2025 — Westinghouse Lighting continues to expand and improve our product line and packaging to best suit the needs of our hardware customers. The third generation of Angelo family leadership is firmly in place to lead the company into the future.

What sets us apart



Dedication to Customer Service

Our team strives to deliver the best customer experience every time. Our ability to consistently provide quality products, timely shipments, and friendly service has earned us a reputation of trust with new and long-standing customers alike.



Quality Products & Competitive Pricing

We believe well-made products should also be accessible. Our strong supplier relationships allow us to provide our customers with competitive pricing on our vast assortment of high-quality lighting solutions. We offer a wide selection of indoor & outdoor lighting fixtures, ceiling fans, lamps, and lighting accessories at various price points, to ensure we have the perfect product for any need.

Our Team

Our knowledgeable, experienced, and tight-knit team has been the cornerstone in our continued success and growth throughout the years. Our team is always available to offer support and guidance for all your lighting needs.



Industry Knowledge

Our dedicated team is passionate about lighting and keeping up with the latest trends, styles, and products for both residential and commercial markets.







INDOOR HANGING LIGHT FIXTURES

The perfect lighting fixture adds warm ambience and endless style to your home. From elegant chandeliers to sophisticated pendants, Westinghouse offers a variety of hanging fixtures that blend seamlessly with any home décor.



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61164 Elway
7 Light Chandelier
Antique Ash Finish
with Matte Brushed Gun Metal Accents

Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63514 Elway
7 Light Chandelier
Barnwood Finish
with Washed Copper Accents

Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63515 Elway
7 Light Chandelier
Barnwood Finish
with Galvanized Steel Accents

Height: 29.25" Width: 36.00" Depth: 6.75"
Chain: 36" Cord: 60"

Use (7) Medium (E26) Base Lamps, 60 Watt Maximum



63684 Belle View
4 Light Chandelier
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 27.50" Diameter: 20.00"

Use (4) Candelabra (E12) Base Lamps, 40 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63516 Oak Lane
5 Light Chandelier
Barnwood Finish
with Washed Copper Accents

Height: 20.25" Width: 31.50" Depth: 17.50"
Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63517 Oak Lane
5 Light Chandelier
Barnwood Finish
with Galvanized Steel Accents

Height: 20.25" Width: 31.50" Depth: 17.50"
Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

† **63420** Scholar
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
White Opal Glass

Height: 20.00" Diameter: 23.75" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

† **63433** Iron Hill
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

† **63450** Iron Hill
4 Light Chandelier/Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 16.25" Diameter: 25.25" Chain: 36" Cord: 60"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

† Fixture can be chandelier or semi-flush mount



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61160 Stella Mira
3 Light Chandelier
Walnut Finish with Brushed Nickel Accents

Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"

Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63536 Stella Mira
3 Light Chandelier
Barnwood Finish

Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"

Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61104 Stella Mira
3 Light Chandelier
Antique Ash Finish
with Matte Black Accents

Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"

Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63418 Stella Mira
3 Light Chandelier
Oil Rubbed Bronze Finish
with Highlights

Height: 17.25" Diameter: 15.00" Chain: 36" Cord: 60"

Use (3) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63283 Stella Mira
6 Light Chandelier
Brushed Nickel Finish

Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"

Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63282 Stella Mira
6 Light Chandelier
Oil Rubbed Bronze Finish with Highlights

Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"

Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63336 Stella Mira
6 Light Chandelier
Barnwood and Oil Rubbed Bronze Finish

Height: 27.00" Diameter: 24.00" Chain: 36" Cord: 60"

Use (6) Candelabra (E12) Base Lamps, 40 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63318** Barnwell
3 Light Chandelier
Textured Iron and Barnwood Finish
Clear Hammered Glass

Height: 18.50" Diameter: 19.00" Chain: 36" Cord: 60"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **63319** Barnwell
5 Light Chandelier
Textured Iron and Barnwood Finish
Clear Hammered Glass

Height: 23.25" Diameter: 23.50" Chain: 36" Cord: 60"

Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62275 Sylvestre
3 Light Chandelier
Brushed Nickel Finish
Frosted Seeded Glass

Height: 17.50" Diameter: 18.25" Chain: 36" Cord: 120"
Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

62274 Sylvestre
5 Light Chandelier
Brushed Nickel Finish
Frosted Seeded Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 120"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

• **61153** Sylvestre
5 Light Chandelier
Matte Black Finish
Clear Glass

Height: 18.50" Diameter: 20.75" Chain: 36" Cord: 60"
Use (5) Medium (E26) Base Lamps, 60 Watt Maximum



61037 Kelcie
Mini Pendant
Brushed Nickel Finish
Crystal Jewel Shade

Height: 10.00" Diameter: 7.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63627 Waltz
Mini Pendant
Matte Black Finish
Crystals

Height: 12.25" Diameter: 7.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61115 Derose
Pendant
Brushed Brass Finish

Height: 8.00" Diameter: 11.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



61114 Clover
Pendant
Dark Pewter Finish

Height: 12.50" Diameter: 11.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DIMMABLE LED



• **61184** Marlowe
2 Light LED Pendant
Matte Black Finish
Clear Ribbed Glass

Height: 5.50″ Width: 31.25″ Depth: 5.50″

Includes (2) Medium (E26) Base Lamps, 6.5 Watt T9 LEDs (WL Lamp #35188)

Includes (2) 9.5″ and (2) 4.75″ long rods



61163 Bartley
Pendant
Matte Black Finish with Dark Pewter Accents
Cage Shade

Height: 20.75″ Diameter: 16.25″ Chain: 36″ Cord: 60″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61194 Danzig
Pendant
Brushed Nickel Finish
with Clear Prismatic Lens

Height: 14.00″ Diameter: 13.25″ Chain: 36″ Cord: 60″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63099 Malte
Pendant
Hammered Oil Rubbed Bronze Finish

Height: 6.50″ Diameter: 10.25″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5″ long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63096 Malte
Pendant
Hammered Brushed Nickel Finish

Height: 6.50″ Diameter: 10.25″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5″ long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63456 Madras
Mini Pendant
Hammered Oil Rubbed Bronze Finish
with Highlights

Height: 10.00″ Diameter: 7.75″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5″ long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63455 Madras
Mini Pendant
Hammered Brushed Nickel Finish

Height: 10.00″ Diameter: 7.75″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (3) 9.5″ long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
61184†	2	6.5	75	2700 (Warm White)	800	80	15000	13.6	$0.78

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61012 Phelps
Mini Pendant
Brushed Nickel Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63566 Phelps
Mini Pendant
Matte Black Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63567 Phelps
Mini Pendant
Matte White Finish
Perforated Metal Shade

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63268 Kilian
Pendant
Matte Brushed Gun Metal Finish

Height: 10.00" Diameter: 9.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (3) 9.5" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63621 Stella Mira
Mini Pendant
Washed Copper Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61107 Stella Mira
Mini Pendant
Antique Ash Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63620 Stella Mira
Mini Pendant
Brushed Nickel Finish

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63619 Stella Mira
Mini Pendant
Oil Rubbed Bronze Finish
with Highlights

Height: 10.75" Diameter: 9.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61006
Mini Pendant
Oil Rubbed Bronze Finish
Cage Shade

Height: 9.75" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61180 Langston
Pendant
Oil Rubbed Bronze Finish with Vintage Pine Accents
Cage Shade

Height: 9.75" Diameter: 8.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

61179 Langston
Pendant
Matte Black Finish with Barnwood Accents
Cage Shade

Height: 9.75" Diameter: 8.25"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63698 Holly
Pendant
Brushed Nickel Finish

Height: 15.50" Diameter: 15.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



63372 Nathaniel
Mini Pendant
Brushed Nickel Finish
Cage Shade

Height: 9.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63236 Nolan
Mini Pendant with Turn Knob
Oil Rubbed Bronze Finish
Cage Shade

Height: 10.25" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63697 Holly
Pendant
Champagne Brass Finish

Height: 15.50" Diameter: 15.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63623 Isadora
Mini Pendant
Brushed Nickel Finish

Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63512 Holly
Pendant
Champagne Brass Finish

Height: 17.50" Width: 18.25" Depth: 13.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63622 Isadora
Mini Pendant
Oil Rubbed Bronze Finish
with Highlights

Height: 11.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63082A Boswell
LED Mini Pendant
Oil Rubbed Bronze Finish with Highlights
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"

Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)

Includes (3) 9.5" long rods

DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63346 Boswell
LED Mini Pendant
Brushed Nickel Finish
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"

Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)

Includes (3) 9.5" long rods

DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63084A Boswell
LED Mini Pendant
Washed Copper Finish
Frosted Prismatic Lens

Height: 9.50" Diameter: 8.75"

Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)

Includes (3) 9.5" long rods

DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63085A Boswell
LED Pendant
Chrome Finish
Frosted Prismatic Lens

Height: 11.75" Diameter: 10.75"

Includes (1) Medium (E26) Base Lamp,
9 Watt Omni A19 LED (WL Lamp #51331)

Includes (3) 9.5" long rods

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
63082A†	1	9	60	3000 (Warm White)	800	80	25000	22.8	$1.08
63346†	1	9	60	3000 (Warm White)	800	80	25000	22.8	$1.08
63084A†	1	9	60	3000 (Warm White)	800	80	25000	22.8	$1.08
63085A†	1	9	60	3000 (Warm White)	800	80	25000	22.8	$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63079 Cava
LED Mini Pendant
Chrome Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63723 Cava
LED Mini Pendant
Matte Black Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63553 Cava
LED Mini Pendant
Champagne Brass Finish
Bubble Glass

Height: 8.50" Diameter: 5.00" Adjustable Cord: 50"
Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED



61111 Rayman
LED Mini Pendant
Brushed Brass Finish

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"
Includes 7.5 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61009** Percy
Mini Pendant
Black Finish
Black Glass

Height: 11.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61013 Percy
Mini Pendant
Brushed Nickel Finish
Perforated Metal Shade

Height: 12.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63079	*	8	60	3000 (Warm White)	800	80	25000	22.8	$0.96
63723	*	8	40	3000 (Warm White)	600	80	25000	22.8	$0.96
63553	*	8	60	3000 (Warm White)	800	80	25000	22.8	$0.96
61111	*	7.5	40	3000 (Warm White)	560	80	40000	36.5	$0.90

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63447 Iron Hill
Pendant
Oil Rubbed Bronze Finish
with Highlights

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



◆ **63632** Iron Hill
Pulley Pendant
Oil Rubbed Bronze Finish
with Highlights

Minimum Height: 25.50" Maximum Height: 49.25"
Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



◆ **63325** Iron Hill
3 Light Island Pulley Pendant
Oil Rubbed Bronze Finish
with Highlights

Minimum Height: 32.00" Maximum Height: 59.00"
Width: 40.00" Depth: 12.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61166** Iron Hill
Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 7.00" Diameter: 11.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63546 Iron Hill
Pendant
Galvanized Steel Finish

Height: 8.25" Diameter: 12.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

• Hand Blown Glass
◆ Includes an adjustable pulley for adaptability in rooms with low or high ceilings.

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63563 Cindy
Mini Pendant
Oil Rubbed Bronze Finish with Barnwood Accents
Clear Seeded Glass

Height: 11.00" Diameter: 8.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Includes (2) 9.5" and (2) 4.75" long rods

INTEGRATED DIMMABLE LED



• **61195** Moretti
LED Pendant
Brushed Nickel Finish
Frosted Opal Glass

Height: 19.50" Diameter: 11.75" Adjustable Cord: 50"

Includes 12 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63384 Sophie
Mini Pendant
Oil Rubbed Bronze Finish
Crystal Prism Glass

Height: 11.50" Diameter: 6.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63465 Wanda
Mini Pendant with Turn Knob
Oil Rubbed Bronze Finish
Frosted White Opal Glass

Height: 8.25" Diameter: 8.75" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61195	*	12	60	3000 (Warm White)	1000	80	50000	45.6	$1.45

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63714** Carmen
Mini Pendant
Antique Brass Finish
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63715** Carmen
Mini Pendant
Washed Copper Finish
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63713** Carmen
Mini Pendant
Barnwood Finish
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63289** Carmen
Mini Pendant
Oil Rubbed Bronze Finish
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63290** Carmen
Mini Pendant
Brushed Nickel Finish
Clear Textured Glass

Height: 11.00" Diameter: 5.00" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63663** Soren
Mini Pendant
Brushed Nickel Finish
Turquoise Glass

Height: 13.00" Diameter: 6.50" Adjustable Cord: 50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61008** Fiona
Mini Pendant
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61007** Fiona
Mini Pendant
Brushed Nickel Finish
Clear Seeded Glass

Height: 9.00" Diameter: 7.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61026** Wes
Mini Pendant
Oil Rubbed Bronze Finish
Clear Glass

Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63565** Fiona
Mini Pendant
Antique Brass Finish
Clear Seeded Glass

Height: 8.75" Diameter: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63564** Fiona
Mini Pendant
Washed Copper Finish
Clear Seeded Glass

Height: 8.75" Diameter: 7.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum
Includes (2) 9.5" and (2) 4.75" long rods

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61064** Wes
Mini Pendant
Brushed Nickel Finish
Clear Glass

Height: 10.25" Diameter: 7.50" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63288** Basset
Mini Pendant
Brushed Nickel Finish
Clear Hammered Glass

Height: 8.25" Diameter: 6.75" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61057** Carsley
Mini Pendant
Brushed Nickel Finish
Clear Crackle Glass

Height: 11.00" Diameter: 6.25" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63092
Mini Pendant
Brushed Nickel Finish
Clear Crackle Glass

Height: 8.50" Diameter: 6.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR CEILING LIGHT FIXTURES

Our diverse assortment of ceiling fixture designs ensures the perfect combination of styles and finishes to complement any décor.

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63422** Scholar
7 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish
White Opal Glass

Height: 9.00" Diameter: 7.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63360 Louis
9 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish

Height: 7.00" Diameter: 9.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DAMP LOCATION



• **61193** Judd
8 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 11.25" Diameter: 8.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63702 Iron Hill
12 in. 1 Light Semi-Flush
Brushed Nickel Finish

Height: 5.75" Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63703 Iron Hill
12 in. 1 Light Semi-Flush
Oil Rubbed Bronze Finish
with Highlights

Height: 5.75" Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



61174
11 in. 20W LED Flush
Matte Black Finish
Acrylic Shade

Height: 2.25" Diameter: 11.00"

Includes 20 Watt Integrated LED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63706 Meadowbrook
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
with Highlights
Frosted Glass

Height: 5.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63241 Meadowbrook
13 in. 2 Light Flush
Matte Black Finish
Frosted Glass

Height: 5.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61174	✶	20	75	3000 (Warm White)	1400	80	25000	22.8	$2.41

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



61120
7 in. 17W LED Flush with Color Temperature Selection
White Finish
White Frosted Shade

Height: 0.50" Diameter: 7.00"

Includes 17 Watt Integrated LED



61119
5 in. 11W LED Flush with Color Temperature Selection
White Finish
White Frosted Shade

Height: 0.50" Diameter: 5.00"

Includes 11 Watt Integrated LED



66223 Wensley
10 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 7.25" Diameter: 10.25"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61119	*	11	60	2700, 3000, 3500, 4000, 5000 (Multi 5)	910	90	50000	45.6	$1.32
61120	*	17	75	2700, 3000, 3500, 4000, 5000 (Multi 5)	1250	90	50000	45.6	$2.05

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65738 Dunmore
15 in. 2 Light Semi-Flush
Brushed Nickel Finish
Frosted Glass

Height: 12.25" Diameter: 14.50"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63065 Dunmore
15 in. 2 Light Semi-Flush
Oil Rubbed Bronze Finish
Frosted Glass

Height: 12.25" Diameter: 14.50"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

† Fixture can be pendant or semi-flush mount

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61159 Basset
13 in. 2 Light Flush
Brushed Nickel Finish
Clear Seeded Glass

Height: 6.00" Diameter: 13.00"
Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



61177
11 in. 1 Light Flush
Matte Black Finish
Crystal Ribbed Glass

Height: 6.25" Diameter: 11.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



64005
11 in. 14W LED Flush
Brushed Nickel Finish
White Alabaster Glass

Height: 4.75" Diameter: 11.00"

Includes 14 Watt Integrated LED



64291
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
Frosted White Alabaster Glass

Height: 6.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64302
13 in. 2 Light Flush
Polished Brass Finish
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



64292
15 in. 3 Light Flush
Oil Rubbed Bronze Finish
Frosted White Alabaster Glass

Height: 6.75" Diameter: 15.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64005	*	14	75	3000 (Warm White)	1200	80	50000	45.6	$1.69

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



64304
11 in. 1 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.00" Diameter: 11.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



64305
13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

2 PACK



63444
13 in. 2 Light Flush
Brushed Nickel Finish
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

2 PACK



63445
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
Frosted Swirl Glass

Height: 6.75" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63048 Harwell
13 in. 2 Light Flush
Amber Bronze Finish
with Highlights
Frosted Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66297
12 in. 1 Light Flush
Brushed Nickel Finish
White Alabaster Glass

Height: 4.25" Diameter: 12.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



67345
9 in. 2 Light Flush
Pull Chain
White Finish
White and Clear Glass

Height: 5.25" Diameter: 8.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66206
13 in. 2 Light Semi-Flush
White Finish
White Scroll Design Glass

Height: 6.25" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



• **61071**
7 in. 10W LED Flush
White Finish
White Opal Glass

Height: 4.75" Diameter: 7.25"

Includes 10 Watt Integrated LED



66699
7 in. 1 Light Flush
White Finish
White Glass

Height: 4.75" Diameter: 7.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66611
9 in. 2 Light Flush
White Finish
White Glass

Height: 5.00" Diameter: 8.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



67210
9 in. 2 Light Flush
Pull Chain
Brushed Nickel Finish
Frosted Fluted Glass

Height: 4.25" Diameter: 8.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



67202
9 in. 2 Light Flush
Pull Chain
Sienna Finish
Frosted Fluted Glass

Height: 4.25" Diameter: 8.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66610
10 in. 2 Light Flush
Antique Brass Finish
Clear Faceted Glass

Height: 5.50" Diameter: 9.50"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

64011
11 in. 15W LED Flush
White Finish
White Acrylic Shade

Height: 3.50" Diameter: 11.00"

Includes 15 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61071	*	10	60	3000 (Warm White)	1000	80	25000	22.8	$1.20
64011	*	15	75	3000 (Warm White)	1500	80	50000	45.6	$1.81

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



- **61070**
  6 in. 8W LED Flush
  White Finish
  White Opal Glass Globe

  Height: 7.25" Diameter: 6.00"

  Includes 8 Watt Integrated LED



66680
6 in. 1 Light Flush
Pull Chain
White Finish
White Glass Globe

Height: 7.25" Diameter: 6.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66607
6 in. 1 Light Flush
White Finish
White Glass Globe

Height: 7.25" Diameter: 6.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



67208
6 in. 1 Light Flush
Pull Chain
Brushed Nickel Finish
White Glass Globe

Height: 7.25" Diameter: 6.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61070	*	8	60	3000 (Warm White)	800	80	50000	45.6	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Westinghouse

INDOOR WALL LIGHT FIXTURES

Utilize the versatility of wall fixtures to enhance the beauty of a fireplace, accentuate nooks and quiet spaces, or add a decorative touch around a bathroom mirror. The possibilities are endless.

DAMP LOCATION

All wall fixtures in this section are damp location approved.



• **61192** Marla
1 Light Wall Fixture
Brushed Nickel Finish
Clear Glass
Height: 14.50" Width: 9.25" Extends: 10.75"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



* **63691** Exton
1 Light Wall Fixture
Distressed Aluminum Finish
Gun Metal Shade
Height: 7.75" Width: 8.00" Extends: 9.00"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63240 Meadowbrook
1 Light Wall Fixture
Matte Black Finish
Height: 9.25" Width: 4.75" Extends: 6.00"
Use (1) Candelabra (E12) Base Lamp, 40 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



* **63695** Enzo James
1 Light Wall Fixture
Brushed Nickel Finish
Frosted Glass
Height: 10.75" Width: 6.25" Extends: 5.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* **63316** Barnwell
1 Light Wall Fixture
Textured Iron and Barnwood Finish
Clear Hammered Glass
Height: 8.50" Width: 5.00" Extends: 6.50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

• Hand Blown Glass
* Fixture can be installed up or down



▲● **61183** Cava
15W 1 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 15.00" Width: 5.00" Extends: 3.75"
Includes 15 Watt Integrated LED



63721 Cava
22W 3 Light LED Wall Fixture
Brushed Nickel Finish
Bubble Glass
Height: 13.00" Width: 21.75" Extends: 5.50"
Includes (3) x 7.3 Watt Integrated LEDs



* **63726** Cava II
21W 3 Light LED Wall Fixture
Matte Black Finish
Bubble Glass
Height: 5.50" Width: 19.75" Extends: 3.00"
Includes (3) x 7 Watt Integrated LEDs



▲ **61121** Ashwin
25W 1 Light LED Wall Fixture
with Color Temperature Selection
Brushed Nickel Finish
White Frosted Shade
Height: 4.50" Width: 24.75" Extends: 4.75"
Includes 25 Watt Integrated LED



▲ **61122** Ashwin
30W 1 Light LED Wall Fixture
with Color Temperature Selection
Brushed Nickel Finish
White Frosted Shade
Height: 4.50" Width: 36.00" Extends: 4.75"
Includes 30 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61183	*	15	75	3000 (Warm White)	1150	80	50000	45.6	$1.81
63726	*	21	100	3000 (Warm White)	1800	80	40000	36.5	$2.53
63721	*	22	100	3000 (Warm White)	1800	80	40000	36.5	$2.65
61121	*	25	125	2700, 3000, 3500, 4000, 5000 (Multi 5)	2375	80	50000	45.6	$3.01
61122	*	30	175	2700, 3000, 3500, 4000, 5000 (Multi 5)	2850	80	50000	45.6	$3.61

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
*Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

* Fixture can be installed up or down
● Fixture listed for dry locations only
▲ Fixture can be installed horizontal or vertical

DAMP LOCATION *All wall fixtures in this section are damp location approved.*

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61161 Boswell
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Frosted Prismatic Acrylic Lens

Height: 10.00" Width: 7.00" Extends: 8.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61162 Boswell
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Frosted Prismatic Acrylic Lens

Height: 11.00" Width: 23.50" Extends: 8.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



• **61182** Cindy
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 11.25" Width: 24.00" Extends: 8.50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



•* **65745** Ashton
1 Light Wall Fixture
Black-Bronze Finish
with Highlights
Clear Seeded Glass

Height: 12.00" Width: 4.75" Extends: 8.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63332** Eldon
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights
Clear Seeded Glass

Height: 12.25" Width: 6.25" Extends: 8.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63266 Basset
1 Light Wall Fixture
Dark Pewter Finish
Smoke Grey Hammered Glass

Height: 10.25" Width: 5.00" Extends: 6.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 61157 Basset
1 Light Wall Fixture
Brushed Nickel Finish
Clear Seeded Glass

Height: 10.25" Width: 5.00" Extends: 6.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 61158 Basset
3 Light Wall Fixture
Brushed Nickel Finish
Clear Seeded Glass

Height: 10.25" Width: 22.75" Extends: 7.25"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 62278 Sylvestre**
1 Light Wall Fixture
Brushed Nickel Finish
Frosted Seeded Glass

Height: 8.25" Width: 4.75" Extends: 6.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63540 Sylvestre
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 8.25" Width: 4.75" Extends: 6.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 61155 Sylvestre
1 Light Wall Fixture
Matte Black Finish
Clear Glass

Height: 8.25" Width: 4.75" Extends: 6.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 62279 Sylvestre**
3 Light Wall Fixture
Brushed Nickel Finish
Frosted Seeded Glass

Height: 8.25" Width: 15.75" Extends: 6.25"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63541 Sylvestre
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 8.25" Width: 15.75" Extends: 6.25"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 61156 Sylvestre
3 Light Wall Fixture
Matte Black Finish
Clear Glass

Height: 8.25" Width: 15.75" Extends: 6.25"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63040 Alexander
3 Light Wall Fixture
Brushed Nickel Finish
Rippled White Glazed Glass

Height: 11.25" Width: 22.50" Extends: 6.00"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63041 Alexander
4 Light Wall Fixture
Brushed Nickel Finish
Rippled White Glazed Glass

Height: 11.25" Width: 30.25" Extends: 6.00"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

• Hand Blown Glass
* Fixture can be installed up or down

DAMP LOCATION *All wall fixtures in this section are damp location approved.*

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63278 Morrison**
1 Light Wall Fixture
Brushed Nickel Finish
Mesh Shade

Height: 9.00″ Width: 6.25″ Extends: 8.25″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



*** 63438B Hansen**
3 Light Wall Fixture
Chrome Finish
White Linen Glass

Height: 7.75″ Width: 19.75″ Extends: 6.50″

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 63379 Sophie**
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Crystal Prism Glass

Height: 12.25″ Width: 26.50″ Extends: 8.00″

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63073 Midori
1 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass

Height: 8.50″ Width: 5.00″ Extends: 7.00″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63074 Midori
2 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass

Height: 10.75″ Width: 15.00″ Extends: 7.00″

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* 63075 Midori
3 Light Wall Fixture
Oil Rubbed Bronze Finish
Amber Linen Glass

Height: 10.00″ Width: 20.75″ Extends: 7.00″

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63421 Scholar
3 Light Wall Fixture
Oil Rubbed Bronze Finish
White Opal Glass

Height: 10.00″ Width: 24.00″ Extends: 8.00″

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63435 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights

Height: 8.00" Width: 8.75" Extends: 9.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61103 Iron Hill
2 Light Wall Fixture
Brushed Nickel Finish

Height: 7.75" Width: 19.75" Extends: 9.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63434 Iron Hill
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights

Height: 7.75" Width: 29.00" Extends: 9.75"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63448 Iron Hill
1 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights

Height: 8.00" Width: 8.75" Extends: 9.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63548 Iron Hill
2 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights

Height: 7.75" Width: 19.75" Extends: 9.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63449 Iron Hill
3 Light Wall Fixture
Oil Rubbed Bronze Finish
with Highlights

Height: 7.75" Width: 29.00" Extends: 9.75"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63704 Iron Hill
1 Light Wall Fixture
Washed Copper Finish

Height: 8.00" Width: 8.75" Extends: 9.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



63363 Maggie
2 Light Wall Fixture
Brushed Nickel Finish

Height: 8.25" Width: 22.00" Extends: 10.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

All wall fixtures in this section are damp location approved.

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* **63015** Harwell
3 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50" Width: 24.25" Extends: 7.75"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



•* **63019** Harwell
4 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50" Width: 32.50" Extends: 7.75"

Use (4) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 66496 Trinity**
1 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 9.00″ Width: 5.25″ Extends: 8.00″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 64617 Trinity**
2 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50″ Width: 13.50″ Extends: 8.50″

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



*** 66497 Trinity**
3 Light Wall Fixture
Brushed Nickel Finish
White Opal Glass

Height: 8.50″ Width: 17.25″ Extends: 8.25″

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



66402
1 Light Wall Fixture with Ground Convenience Outlet and Pull Chain
Chrome Finish
Base White and Crystal Glass

Height: 4.75″ Width: 5.25″ Extends: 7.25″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

66403
2 Light Wall Fixture with Ground Convenience Outlet
White Finish
Base White and Crystal Glass

Height: 4.50″ Width: 14.00″ Extends: 5.00″

Use (2) Medium (E26) Base Lamps, 75 Watt Maximum

 *** Fixture can be installed up or down**

All wall fixtures in this section are damp location approved.



▲ 61175
3 Light Wall Fixture
Matte Black Finish
Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66406
3 Light Bath Bar
Chrome Finish
Height: 4.50" Width: 18.00" Extends without Lamps: 2.00"
Use (3) Medium (E26) Base Lamps, 100 Watt Maximum



66449
4 Light Bath Bar
Beveled Mirror
Height: 4.25" Width: 24.00" Extends without Lamps: 3.25"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



▲ 61176
4 Light Wall Fixture
Matte Black Finish
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66411
4 Light Wall Fixture
Chrome Finish
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum



66450
6 Light Bath Bar
Beveled Mirror
Height: 4.25" Width: 36.00" Extends without Lamps: 3.25"
Use (6) Medium (E26) Base Lamps, 100 Watt Maximum



66595
4 Light Bath Bar
White Finish
Height: 4.50" Width: 24.00" Extends without Lamps: 2.00"
Use (4) Medium (E26) Base Lamps, 100 Watt Maximum

DesignerYou®
YOUR LIGHT, YOUR CHOICE...

Customizable fixtures inspire creativity for quick and easy home upgrades. It's as easy as 1-2-3. Imagine the endless opportunities to design and combine lighting to match any style.



Choose Your Fixture and Finish...



Choose Your Shade...





Enjoy new lighting designed by YOU!

CHOOSE YOUR FIXTURE AND FINISH



70285
Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70286
Mini Pendant
White Finish

Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70284
Mini Pendant
Brushed Nickel Finish

Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



70287
Mini Pendant
Antique Brass Finish

Height: 3.75" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61024
Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.00" Diameter: 5.00" Adjustable Cord: 50"
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

Transform existing recessed lighting into a pendant or other light fixture!

Patent No. 9,496,699



01011
Recessed Light Converter


- Quick and easy home upgrade with no remodeling.
- Adjust to any recessed can size between 4" - 6" diameter.
- Works with existing recessed cans that use medium base lamps.
- 50 lb. maximum load rating.



63012
3 Light Mini Pendant
Brushed Nickel Finish

Height: 3.50" Width: 23.50" Depth: 4.50"
Adjustable Cord: 50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



63013
3 Light Mini Pendant
Oil Rubbed Bronze Finish

Height: 3.50" Width: 23.50" Depth: 4.50"
Adjustable Cord: 50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63005**
2 Light Wall Fixture
Brushed Nickel Finish

Height: 6.50" Width: 11.00" Extends: 5.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63008**
3 Light Wall Fixture
Brushed Nickel Finish

Height: 7.00" Width: 19.50" Extends: 6.50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum



*** 63006**
3 Light Wall Fixture
Oil Rubbed Bronze Finish

Height: 7.00" Width: 19.50" Extends: 6.50"

Use (3) Medium (E26) Base Lamps, 60 Watt Maximum

CHOOSE YOUR GLASSWARE & ASSORTED SHADES

Versatile glass shades are the perfect upgrade for pendants, vanity fixtures and ceiling fans.



85033
Oil Rubbed Bronze Finish
Cage Shade
with Closed Bottom

Fitter: 2.25″
Height: 8.00″
Diameter: 6.75″

81333
Honey Swirl Scavo
Shade

Fitter: 2.25″
Height: 4.38″
Diameter: 6.88″



• **81095**
Clear Seeded
Bell Shade

Fitter: 2.25″
Height: 5.25″
Diameter: 4.81″



81272
Milky Scavo
Bell Shade

Fitter: 2.25″
Height: 4.75″
Diameter: 5.38″



81422
Brown Marbleized
Bell Shade

Fitter: 2.25″
Height: 4.65″
Diameter: 5.40″

SHELF DISPLAY



PATENT NO.
9,496,699

0101108
Recessed Light Converter Shelf Display
11.3″ L x 9.1″ W x 10.3″ H

- Easily change ordinary recessed lights into beautiful, modern lighting.
- Display the Recessed Light Converter using our Shelf Merchandiser.
- The perfect way to display inventory and increase your sales.
- Each display comes with 6 pieces of the Recessed Light Converter.

OUTDOOR LIGHT FIXTURES

Make a welcoming statement to visitors with the timeless design and durable craftsmanship of our outdoor lighting fixtures.

INDOOR OUTDOOR WET RATED

All outdoor fixtures in this section are wet rated unless otherwise noted.

INTEGRATED DIMMABLE LED
DARK SKY FRIENDLY
FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



65807 Mayslick
Dimmable LED Wall Fixture
Nickel Luster Finish
Frosted Glass

Height: 7.00" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 5.00" W: 5.00"

Includes 8.5 Watt Integrated LED

INTEGRATED DIMMABLE LED
DARK SKY FRIENDLY
FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



63156 Mayslick
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 7.00" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 3.54"
Back Plate: H: 5.00" W: 5.00"

Includes 8.5 Watt Integrated LED

INTEGRATED DIMMABLE LED
FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



63157 Mayslick
Dimmable LED Up and Down Light Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 12.25" Width: 5.00" Extends: 5.25"
Height from Center of Outlet Box: 6.10"
Back Plate: H: 5.00" W: 5.00"

Includes (2) x 8.5 Watt Integrated LEDs

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63157	*	17	75	2700 (Warm White)	1280	80	20000	18.2	$2.05
65807	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	$1.02
63156	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	$1.02

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

- **63399** Brynn

Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 12.25" Diameter: 8.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

- **63470** Brynn

Post Top Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 14.75" Diameter: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **65796** Jamestown
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 11.75″ Width: 5.50″ Extends: 7.75″
Height from Center of Outlet Box: 2.25″
Back Plate: D: 4.72″

Use (1) Medium (E26) Base Lamp, 60W Maximum



• **61141** Sargut
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 12.75″ Width: 7.00″ Extends: 9.50″
Height from Center of Outlet Box: 3.15″
Back Plate: H: 7.50″ W: 4.88″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61134** Courtland Grove
Wall Fixture
Matte Black and Antique Pewter Finish
Clear Hammered Glass

Height: 13.75″ Width: 6.50″ Extends: 6.00″
Height from Center of Outlet Box: 2.50″
Back Plate: D: 4.92″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61146** Mosley
Wall Fixture
Textured Black Finish
Clear Crackle Glass

Height: 11.75″ Width: 6.00″ Extends: 7.25″
Height from Center of Outlet Box: 9.25″
Back Plate: D: 5.00″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61144** Galtero
Wall Fixture
Matte Black and Distressed Aluminum Finish
White Frosted Glass

Height: 15.00″ Width: 6.00″ Extends: 6.00″
Height from Center of Outlet Box: 2.95″
Back Plate: H: 5.91″ W: 4.72″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61135** Isabelle
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 16.75″ Width: 7.50″ Extends: 8.75″
Height from Center of Outlet Box: 5.50″
Back Plate: D: 6.50″
Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63588** Armin
Wall Fixture
Textured Black Finish with Barnwood Accents
Clear Seeded Glass

Height: 15.50" Width: 7.50" Extends: 9.00"
Height from Center of Outlet Box: 2.72"
Back Plate: D: 5.43"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63351** Canyon
Wall Fixture
Textured Black and Barnwood Finish
Clear Glass

Height: 12.25" Width: 7.50" Extends: 8.50"
Height from Center of Outlet Box: 5.24"
Back Plate: H: 7.40" W: 4.56"

Use (1) Medium (E26) Base Lamp, 60W Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65788** Canyon
Post Top Fixture
Textured Black and Barnwood Finish
Clear Glass

Height: 18.50" Diameter: 9.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



• **63478** Barkley
LED Wall Fixture
Galvanized Steel Finish
Clear Seeded Glass

Height: 12.00" Width: 6.00" Extends: 7.25"
Height from Center of Outlet Box: 2.20"
Back Plate: H: 5.11" W: 5.11"

Includes 13 Watt Integrated LED



• **63577** Rezner
Wall Fixture
Galvanized Steel Finish
Clear Seeded Glass

Height: 12.75" Width: 5.00" Extends: 7.00"
Height from Center of Outlet Box: 5.75"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63478	✶	13	60	2700 (Warm White)	1000	80	25000	22.8	$1.57

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61130** Emma Jane
7 in. 1 Light Semi-Flush
Amber Bronze Finish
Clear Seeded Glass

Height: 9.25″ Diameter: 6.75″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **62040** Emma Jane
Wall Fixture
Amber Bronze Finish with Highlights
Clear Seeded Glass

Height: 10.00″ Width: 6.75″ Extends: 8.75″
Height from Center of Outlet Box: 5.43″
Back Plate: D: 6.38″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63610** Emma Jane
Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 10.00″ Width: 6.75″ Extends: 8.75″
Height from Center of Outlet Box: 5.43″
Back Plate: D: 5.00″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61128 Aurelie
Pendant
Textured Black Finish
Clear Waffle Glass

Height: 13.75″ Square: 7.25″ Chain: 36″ Cord: 60″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **61125** Kellen
Wall Fixture
Textured Black Finish
Clear Seeded Glass

Height: 13.75″ Width: 7.50″ Extends: 8.50″
Height from Center of Outlet Box: 5.75″
Back Plate: D: 7.00″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63479** Ferry
Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 17.00″ Width: 8.25″ Extends: 10.50″
Height from Center of Outlet Box: 9.65″
Back Plate: H: 9.44″ W: 5.51″

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR OUTDOOR DAMP RATED



61143 Wyndham
12 in. 2 Light Flush
Textured Black Finish
Clear Seeded Glass

Height: 5.50″ Square: 12.00″

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



• **63348** Crestview
Pendant
Textured Black Finish
Clear Seeded Glass

Height: 13.50" Diameter: 5.25" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum



• **63135** Delmont
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 14.25" Width: 10.00" Extends: 12.25"
Height from Center of Outlet Box: 5.83"
Back Plate: D: 6.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



• **63731** Santa Fe
Wall Fixture
Washed Copper Finish
Clear Seeded Glass

Height: 13.75" Width: 9.25" Extends: 11.50"
Height from Center of Outlet Box: 5.75"
Back Plate: H: 6.75" W: 4.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65783** Scholar
9 in. 1 Light Semi-Flush
Textured Black Finish
White Opal Glass

Height: 10.50" Diameter: 9.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DUSK TO DAWN

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63137 Eddystone
Wall Fixture with Dusk to Dawn Sensor
Oil Rubbed Bronze Finish
Clear Diamond Cut Glass

Height: 9.50" Width: 6.75" Extends: 8.75"
Height from Center of Outlet Box: 4.65"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63143 Eddystone
Wall Fixture
Textured Black Finish
White Opal Glass

Height: 8.25" Width: 6.00" Extends: 8.75"
Height from Center of Outlet Box: 4.65"
Back Plate: D: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62301 Weatherby
Wall Fixture
Weathered Bronze Finish
Clear Glass

Height: 12.75" Width: 6.00" Extends: 7.50"
Height from Center of Outlet Box: 7.25"
Back Plate: H: 7.88" W: 4.38"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61133** Weatherby
Post-Top Fixture
Weathered Bronze Finish
Clear Glass

Height: 18.50" Diameter: 7.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR
DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **61126** Weatherby
14 in. 2 Light Flush
Barnwood Finish
Clear Glass

Height: 7.25" Diameter: 14.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63394** Grandview
Pendant
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60W Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **65785** Grandview
Pendant
Matte Black Finish
Frosted Glass

Height: 17.00" Diameter: 8.00" Chain: 36" Cord: 60"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



• **63393** Grandview
Wall Fixture
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 17.00" Width: 7.25" Extends: 10.00"
Height from Center of Outlet Box: 7.91"
Back Plate: D: 6.49"

Use (1) Medium (E26) Base Lamp, 60W Maximum

INDOOR OUTDOOR
DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65781 Meadowbrook
13 in. 2 Light Flush
Matte Black Finish
Frosted Glass

Height: 5.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INDOOR OUTDOOR
DAMP RATED



62309 Naveen
13 in. 2 Light Flush
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 6.00" Diameter: 13.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63150 Glenwillow
Wall Fixture
Victorian Bronze Finish
Amber Frosted Glass

Height: 10.75" Width: 5.50" Extends: 7.00"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 6.97" W: 4.33"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE

63120 Glenwillow
LED Wall Fixture
Victorian Bronze Finish
Clear Seeded Glass

Height: 10.75" Width: 5.50" Extends: 7.00"
Height from Center of Outlet Box: 3.50"
Back Plate: H: 6.97" W: 4.33"

Includes 8.5 Watt Integrated LED



67328 Burnham
Wall Fixture
Oil Rubbed Bronze Finish
Honey Art Glass

Height: 12.50" Width: 6.00" Extends: 9.00"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 5.00" W: 5.00"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
63120	*	8.5	40	2700 (Warm White)	640	80	20000	18.2	$1.02

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



61129 Watts Creek
11 in. 1 Light Semi-Flush
Textured Black Finish

Height: 6.50" Diameter: 11.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DARK SKY FRIENDLY

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63609 Watts Creek
Wall Fixture
Galvanized Steel Finish

Height: 11.00" Width: 11.00" Extends: 12.50"
Height from Center of Outlet Box: 6.14"
Back Plate: D: 5.71"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DARK SKY FRIENDLY

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62044 Watts Creek
Wall Fixture
Textured Black Finish

Height: 11.00" Width: 11.00" Extends: 12.50"
Height from Center of Outlet Box: 6.14"
Back Plate: D: 5.71"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DARK SKY FRIENDLY

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



63608 Watts Creek
Wall Fixture
Textured Black Finish

Height: 14.75" Width: 15.00" Extends: 17.00"
Height from Center of Outlet Box: 8.27"
Back Plate: D: 6.69"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED

FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



61132 Orson
9 in. 1 Light Semi-Flush
Textured Black Finish
Frosted Prismatic Lens

Height: 7.75" Diameter: 8.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY

FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



62034 Orson
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 9.50" Width: 8.75" Extends: 10.00"
Height from Center of Outlet Box: 4.21"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED

DARK SKY FRIENDLY

FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



62046 Orson
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Prismatic Lens

Height: 11.50" Width: 10.75" Extends: 11.50"
Height from Center of Outlet Box: 5.08"
Back Plate: D: 6.18"

Includes 9 Watt Integrated LED

DARK SKY FRIENDLY

FIXTURE FAMILY COORDINATING ITEMS AVAILABLE



62043 Roosevelt
Wall Fixture
Amber Bronze Finish with Highlights

Height: 9.50" Width: 7.50" Extends: 8.75"
Height from Center of Outlet Box: 3.11"
Back Plate: D: 4.88"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



62041 Darcy
LED Wall Fixture
Victorian Bronze Finish
Amber Frosted Glass

Height: 12.00" Width: 7.00" Extends: 8.00"
Height from Center of Outlet Box: 2.36"
Back Plate: D: 4.53"

Includes 8.5 Watt Integrated LED

INTEGRATED LED



64003
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Clear Crackle Glass

Height: 9.75" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
62034	*	9	40	2700 (Warm White)	640	80	20000	18.2	$1.08
62046	*	9	40	2700 (Warm White)	640	80	20000	18.2	$1.08
62041	*	8.5	40	2700 (Warm White)	748	80	20000	18.2	$1.02
64003	*	9	60	3000 (Warm White)	800	80	35000	31.9	$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



66741 Senecaville
Wall Fixture
Weathered Bronze Finish
White Alabaster Glass

Height: 13.25" Width: 6.50" Extends: 8.00"
Height from Center of Outlet Box: 5.25"
Back Plate: H: 6.13" W: 5.25"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

INDOOR OUTDOOR DAMP RATED

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



66746 Senecaville
12 in. 2 Light Flush
Weathered Bronze Finish
White Alabaster Glass

Height: 6.00" Diameter: 12.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED



62303 Bonneville
13 in. 2 Light Flush
Weathered Bronze Finish
Frosted Glass

Height: 5.75" Diameter: 12.75"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



65784 Orwell
11 in. 2 Light Flush
Oil Rubbed Bronze Finish with Highlights
Clear Seeded Glass

Height: 4.50" Square: 11.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62048 Orwell
11 in. 2 Light Flush
Textured Black Finish
Frosted Seeded Glass

Height: 4.50" Square: 11.00"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum

DUSK TO DAWN



62045 Caliste
Wall Fixture with Dusk to Dawn Sensor
Textured Black Finish
Clear Water Glass

Height: 10.00" Width: 6.00" Extends: 7.75"
Height from Center of Outlet Box: 4.00"
Back Plate: H: 8.00" W: 5.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INTEGRATED DIMMABLE LED



64000
Dimmable LED Wall Fixture
Weathered Patina Finish
Clear Seeded Glass

Height: 12.25" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED

INTEGRATED DIMMABLE LED



64002
Dimmable LED Wall Fixture
Oil Rubbed Bronze Finish
Frosted Glass

Height: 14.75" Width: 6.25" Extends: 8.75"
Height from Center of Outlet Box: 9.06"
Back Plate: H: 7.88" W: 4.50"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64000	✶	9	60	3000 (Warm White)	900	80	35000	31.9	$1.08
64002	✶	9	40	3000 (Warm White)	550	80	35000	31.9	$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INTEGRATED DIMMABLE LED



64001
Dimmable LED Wall Fixture
Black Finish
Clear Seeded Glass

Height: 11.00" Width: 6.00" Extends: 8.00"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.38" W: 4.38"

Includes 9 Watt Integrated LED



67831
Wall Fixture
Textured Black Finish
Clear Beveled Glass Panels

Height: 12.00" Width: 6.50" Extends: 7.75"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.75" W: 4.38"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



62306 New Haven
Wall Fixture
Oil Rubbed Bronze Finish
Clear Seeded Glass

Height: 13.75" Width: 6.50" Extends: 8.75"
Height from Center of Outlet Box: 4.88"
Back Plate: H: 6.88" W: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



64688
Wall Fixture
Antique Silver Finish
Clear Curved Glass Panels

Height: 7.75" Width: 6.00" Extends: 6.50"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

FIXTURE FAMILY
COORDINATING ITEMS AVAILABLE



62307 Parksville
Wall Fixture
Oil Rubbed Bronze Finish
White Alabaster Glass

Height: 11.00" Width: 6.25" Extends: 8.25"
Height from Center of Outlet Box: 2.25"
Back Plate: D: 4.75"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66898
Wall Fixture
Textured Black Finish
Frosted Acrylic Lens

Height: 10.00" Width: 7.75" Extends: 4.25"
Height from Center of Outlet Box: 4.25"
Back Plate: H: 9.38" W: 7.00"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



64684
Wall Fixture
Antique Silver Finish
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66972
Wall Fixture
Textured Black Finish
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

INTEGRATED DIMMABLE LED



• **61075**
Dimmable LED Wall Fixture
Textured Black Finish
Frosted Glass

Height: 8.50" Width: 4.50" Extends: 6.00"
Height from Center of Outlet Box: 2.63"
Back Plate: D: 4.53"

Includes 9 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
64001	✶	9	60	3000 (Warm White)	900	80	35000	31.9	$1.08
61075	✶	9	60	3000 (Warm White)	800	80	35000	31.9	$1.08

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66924
Wall Fixture
Polished Brass Finish
Clear Curved Beveled Glass Panels

Height: 18.50" Width: 5.75" Extends: 6.00"
Height from Center of Outlet Box: 11.50"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66964
Wall Fixture
Polished Brass Finish
Clear Glass Panels

Height: 13.50" Width: 4.75" Extends: 5.75"
Height from Center of Outlet Box: 8.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66983
Wall Fixture
Matte Black Finish
Clear Glass Panels

Height: 13.50" Width: 4.75" Extends: 5.75"
Height from Center of Outlet Box: 8.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66853
Wall Fixture
Polished Brass Finish
Clear Beveled Glass Panels

Height: 12.00" Width: 7.00" Extends: 7.00"
Height from Center of Outlet Box: 2.75"
Back Plate: H: 5.50" W: 4.75"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



67834
Wall Fixture
Textured White Finish
Clear Beveled Glass

Height: 12.00" Width: 6.50" Extends: 7.75"
Height from Center of Outlet Box: 2.83"
Back Plate: H: 5.75" W: 4.38"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66971
Wall Fixture
White Finish
Clear Glass Panels

Height: 8.25" Width: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 3.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

INTEGRATED DIMMABLE LED
DUSK TO DAWN



61069
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
Oil Rubbed Bronze Finish
Clear Ribbed Glass

Height: 7.50" Width: 4.50" Extends: 6.00"
Height from Center of Outlet Box: 2.36"
Back Plate: D: 4.41"

Includes 6 Watt Integrated LED

INTEGRATED DIMMABLE LED
DUSK TO DAWN

• **61068**
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
White Finish
Frosted Opal Glass

Height: 6.75" Width: 5.00" Extends: 5.50"
Height from Center of Outlet Box: 2.90"
Back Plate: H: 5.08" W: 4.96"

Includes 8 Watt Integrated LED

INTEGRATED DIMMABLE LED
DUSK TO DAWN



• **61067**
Dimmable LED Wall Fixture with Dusk to Dawn Sensor
Black Finish
Frosted Opal Glass

Height: 6.75" Width: 5.00" Extends: 5.50"
Height from Center of Outlet Box: 2.90"
Back Plate: H: 5.08" W: 4.96"

Includes 8 Watt Integrated LED

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
61069	*	6	40	3000 (Warm White)	600	80	25000	22.8	$0.72
61068	*	8	40	3000 (Warm White)	620	80	35000	31.9	$0.96
61067	*	8	40	3000 (Warm White)	620	80	35000	31.9	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



65790 Winslett
Dimmable LED Wall Fixture
Textured Black Finish
Frosted Glass

Height: 6.25″ Width: 6.25″ Extends: 3.50″
Height from Center of Outlet Box: 3.00″
Back Plate: D: 6.25″

Includes 12 Watt Integrated LED



63643
2 Light LED Security Light Wall Fixture
with Dusk to Dawn/Motion Sensor
Bronze Finish
Acrylic Lens

Height: 8.75″ Width: 9.75″ Extends: 5.25″
Height from Center of Outlet Box: 6.30″
Back Plate: D: 5.16″

Includes (2) x 9 Watt Integrated LEDs



63642
2 Light LED Security Light Wall Fixture
with Dusk to Dawn/Motion Sensor
White Finish
Acrylic Lens

Height: 8.75″ Width: 9.75″ Extends: 5.25″
Height from Center of Outlet Box: 6.30″
Back Plate: D: 5.16″

Includes (2) x 9 Watt Integrated LEDs



67835
Wall Fixture
White Finish
White Glass Lens

Height: 5.00″ Width: 8.25″ Extends: 4.25″
Back Plate: H: 5.00″ W: 8.25″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



61139
Dimmable LED Wall Fixture
Textured White Finish
White Glass

Diameter: 7.75″ Extends: 4.00″
Back Plate: D: 7.75″

Includes 12 Watt Integrated LED



67836
Wall Fixture
White Finish
White Glass Lens

Diameter: 7.75″ Extends: 4.00″
Back Plate: D: 7.75″

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
65790	✶	12	40	3000 (Warm White)	700	80	25000	22.8	$1.45
63643	✶	18	100	4000 (Cool White)	1900	80	50000	45.6	$2.17
63642	✶	18	100	4000 (Cool White)	1900	80	50000	45.6	$2.17
61139	✶	12	75	3000 (Warm White)	1100	80	50000	45.6	$1.45

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



66803
Polycarbonate Wall Fixture
Black Finish
White Glass Globe

Height: 7.25" Diameter: 6.00" Extends: 7.00"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66800
Polypropylene Wall Fixture
Black Finish
Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED



66818
5 in. 1 Light Flush
Antique Brass Finish
Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66878
Wall Fixture
White Finish
Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum

DUSK TO DAWN



66949
Polycarbonate Wall Fixture
with Dusk to Dawn Sensor
Black Finish
Clear Glass

Height: 6.00" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.50"
Back Plate: H: 4.38" W: 4.50"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

INDOOR OUTDOOR DAMP RATED



66919
5 in. 1 Light Flush
Matte Black Finish
Clear Glass

Height: 6.00" Diameter: 4.75"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66885
Wall Fixture
Matte Black Finish
Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66882
Wall Fixture
Oil Rubbed Bronze Finish
Clear Glass

Height: 7.50" Diameter: 4.50" Extends: 5.75"
Height from Center of Outlet Box: 2.00"
Back Plate: D: 4.50"

Use (1) Medium (E26) Base Lamp, 100 Watt Maximum



66822
8 in. 1 Light Polypropylene Flush
Black Finish
Frosted Glass Panels

Height: 4.75" Square: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum



66975
8 in. 1 Light Polypropylene Flush
White Finish
Frosted Glass Panels

Height: 4.75" Square: 8.25"

Use (1) Medium (E26) Base Lamp, 60 Watt Maximum

DUSK TO DAWN



66955
Fixture Post with Ground Convenience Outlet
Dusk to Dawn Sensor
Black Finish

Height: 84.00" Width: 3.00"

(Includes ladder rest)



66823
10 in. 2 Light Polypropylene Flush
Black Finish
Frosted Glass Panels

Height: 5.50" Square: 10.25"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66976
10 in. 2 Light Polypropylene Flush
White Finish
Frosted Glass Panels

Height: 5.50" Square: 10.25"

Use (2) Medium (E26) Base Lamps, 60 Watt Maximum



66808
Fixture Post
Black Finish

Height: 84.00" Width: 3.00"

(Includes ladder rest)



67901
Pedestal Mount for Post Top Fixture
Textured Black Finish

Height: 3.00" Square: 5.75"

(Designed for use with post top lanterns
that fit a 3" diameter post.
Not intended to be used with a lantern post.)



66991
Ladder Rest
Black Finish with Brass Accents

Height: 1.50" Width: 15.75"

PICTURE LIGHTS

Picture lights amplify the natural beauty of treasured artwork and photographs.



75007
7 in. 2W Adjustable
LED Picture Light
Antique Brass Finish, 3000K

Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"

Includes 2 Watt Integrated LED



75008
7 in. 2W Adjustable
LED Picture Light
Brushed Nickel Finish, 3000K

Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"

Includes 2 Watt Integrated LED



75009
7 in. 2W Adjustable
LED Picture Light
Oil Rubbed Bronze Finish, 3000K

Height: 3.50" Width: 7.25"
Extends: 8.00"
Adjustable Cord: 96"

Includes 2 Watt Integrated LED



75013
14 in. 4W Adjustable
LED Picture Light
with Decorative Hinge
Antique Brass Finish, 3000K

Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"

Includes 4 Watt Integrated LED



75011
14 in. 4W Adjustable
LED Picture Light
Brushed Nickel Finish, 3000K

Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"

Includes 4 Watt Integrated LED



75014
17 in. 15W Hardwire Adjustable
Dimmable LED Picture Light
Antique Brass Finish, 3000K

Height: 7.25" Width: 17.00"
Extends: 8.75"

Includes 15 Watt Integrated
Dimmable LED



75015
17 in. 15W Hardwire Adjustable
Dimmable LED Picture Light
Brushed Nickel Finish, 3000K

Height: 7.25" Width: 17.00"
Extends: 8.75"

Includes 15 Watt Integrated
Dimmable LED



75016
17 in. 15W Hardwire Adjustable
Dimmable LED Picture Light
Matte Black Finish, 3000K

Height: 7.25" Width: 17.00"
Extends: 8.75"

Includes 15 Watt Integrated
Dimmable LED



75012
14 in. 4W Adjustable
LED Picture Light
Oil Rubbed Bronze Finish, 3000K

Height: 3.50" Width: 14.50"
Extends: 8.00"
Adjustable Cord: 96"

Includes 4 Watt Integrated LED

All plug-in picture lights include:

- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)	Equiv. Incand. Wattage	Color Temperature (Kelvin)	Brightness (Lumens)	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **
75007	*	2	40	3000 (Warm White)	100	90	35000	31.9	$0.24
75008	*	2	40	3000 (Warm White)	100	90	35000	31.9	$0.24
75009	*	2	40	3000 (Warm White)	100	90	35000	31.9	$0.24
75011	*	4	40	3000 (Warm White)	206	90	35000	31.9	$0.48
75014	*	15	40	3000 (Warm White)	794	90	35000	31.9	$1.81
75015	*	15	40	3000 (Warm White)	794	90	35000	31.9	$1.81
75016	*	15	40	3000 (Warm White)	794	90	35000	31.9	$1.81
75012	*	4	40	3000 (Warm White)	206	90	35000	31.9	$0.48
75013	*	4	40	3000 (Warm White)	206	90	35000	31.9	$0.48

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
* Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

PLUG-IN Design



75052
7" Picture Light
Antique Brass Finish

Height: 4.00" Width: 7.50"
Extends: 6.00"
Adjustable Cord: 96"

Includes (1) T6, 15 Watt Frost Lamp
(WL Lamp #03723)

PLUG-IN Design



75053
14" Picture Light
Antique Brass Finish

Height: 4.00" Width: 14.50"
Extends: 6.00"
Adjustable Cord: 96"

Includes (2) T6, 15 Watt Frost Lamps
(WL Lamp #03723)

PLUG-IN Design



75051
14" Picture Light
Polished Brass Finish

Height: 4.00" Width: 14.50"
Extends: 6.00"
Adjustable Cord: 96"

Includes (2) T6, 15 Watt Frost Lamps
(WL Lamp #03723)

All plug-in picture lights include:

- 8' Cord Set
- Adjustable Neck and Shade
- In-line On/Off Switch
- Polarized Plug
- Mounting Hardware

52" AND ABOVE CEILING FANS

Incorporating modern-day enhancements in design and technology, this selection of ceiling fans, size 52" and above, ensures maximum performance, decorative appeal, and year-round comfort in larger rooms.

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



74003B Cayuga
60 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Opal Glass
Smart WiFi Technology

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)

Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
74003B†	2	8	60	3000 (Warm White)	800	80	25000	22.8	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



73057 Stella Mira

52 in. Brushed Nickel Finish
Reversible Blades (Wengue/Rustic Birch)
Cage Shade

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Remote Control Included

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72171 Stella Mira

52 in. Oil Rubbed Bronze Finish with Highlights
Reversible Blades (Applewood with Shaded Edge/Catalpa Wood)
Cage Shade

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Remote Control Included

DIMMABLE LED



73049 Brinley

52 in. Brushed Nickel Finish
Reversible Blades (Silver/Gray Teak)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)

Pull Chains Included

INTEGRATED DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72059 Alta Vista

52 in. Matte Black Finish
Reversible Blades (Black/Bleached Cherry)
Opal Frosted Glass

Includes 16 Watt Integrated LED

Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
73057†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72171†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
73049†	2	8	60	3000 (Warm White)	800	80	25000	22.8	$0.96
72059	✶	16	75	3000 (Warm White)	1300	90	25000	22.8	$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp. ✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72077 Cayuga
60 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)

Remote Control Included



72078 Cayuga
60 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #05161)

Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72077†	2	8	60	3000 (Warm White)	800	80	25000	22.8	$0.96
72078†	2	8	60	3000 (Warm White)	800	80	25000	22.8	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



72091 Castle LED
52 in. Brushed Nickel Finish
Reversible Blades (Weathered Maple/Beech)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72091†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

DC MOTOR | INDOOR OUTDOOR DAMP RATED | FAN FAMILY COORDINATING ITEMS AVAILABLE





* **72248** Widespan
100 in. Matte Black Finish
Black Blades

Remote Control Included

DC MOTOR | FAN FAMILY COORDINATING ITEMS AVAILABLE





* **72249** Widespan
100 in. Brushed Nickel Finish
Aluminum Blades

Remote Control Included

***CAUTION!** All Westinghouse 100 in. industrial ceiling fans must be installed with blades at least 10 feet from the floor.





72255 Julien
54 in. Brushed Nickel Finish
Clear Acrylic Blades

Remote Control Included

Fan Performance Specifications can be found on Page 78-81.

FAN FAMILY
COORDINATING ITEMS AVAILABLE





78003 Jax
56 in. Brushed Nickel Finish
Black Steel Blades

Wall Control Included

FAN FAMILY
COORDINATING ITEMS AVAILABLE





72381 Jax
56 in. Brushed Nickel Finish
Brushed Nickel Steel Blades

Remote Control Included

FAN FAMILY
COORDINATING ITEMS AVAILABLE





78614 Jax
56 in. Brushed Nickel Finish
Brushed Nickel Steel Blades

Wall Control Included

J-Hook Installation System



FAN FAMILY
COORDINATING ITEMS AVAILABLE



78409 Jax
56 in. White Finish
White Steel Blades
J Hook Installation System

Wall Control Included

FAN FAMILY
COORDINATING ITEMS AVAILABLE





78127 Jax
56 in. White Finish
White Steel Blades

Wall Control Included



72090 Alloy
52 in. Brushed Nickel Finish
Reversible Blades (Beech/Wengue)
Opal Frosted Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72090†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

DIMMABLE LED



73054 Comet

52 in. Brushed Nickel Finish
Reversible Blades (Charcoal/Wengue)
Frosted Glass

Includes (2) Candelabra (E12) Base, 5.5 Watt G 16-1/2 LED Lamps

Pull Chains Included



INTEGRATED DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72341 Comet

52 in. Brushed Pewter Finish
Reversible Blades (Light Maple/White)
Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included



INTEGRATED DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72242 Comet

52 in. Matte Black Finish
Reversible Blades (Black/Black Marble)
Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included



INTEGRATED DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72336 Comet

52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
73054†	2	5.5	60	2700 (Warm White)	500	80	15000	13.6	$0.66
72242	✶	16	75	3000 (Warm White)	1135	80	25000	22.8	$1.93
72336	✶	16	75	3000 (Warm White)	1135	80	25000	22.8	$1.93
72341	✶	16	75	3000 (Warm White)	1135	80	25000	22.8	$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp. ✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72371 Vintage
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Frosted Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included



DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72338 Vintage
52 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Clear Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included



DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72364 Vintage
52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Ribbed Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72364†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72371†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72338†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.



72096 Carolina LED
52 in. Oil Rubbed Bronze Finish
Reversible Blades (Applewood/Cherry)
Amber Alabaster Glass

Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps
(WL Lamp #33199)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72096†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72320 Contempra IV
52 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Bird's Eye Maple)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included





73038 Contractor's Choice
52 in. Black Finish
Matte Black Blades

Pull Chains Included

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72324 Contempra IV
52 in. Polished Brass Finish
Reversible Blades (Walnut/Oak)
Clear Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included





78024 Contractor's Choice
52 in. White Finish
White Blades

Pull Chains Included

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72323 Contempra IV
52 in. White Finish
Reversible Blades (White/White Washed Pine)
Frosted Ribbed Glass

Includes (4) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72320†	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72324†	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72323†	4	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Westinghouse

42" TO 48" CEILING FANS

Capturing the essence of today's lifestyle trends, this collection of 42" to 48" ceiling fans offers distinctive styles to ensure a comfortable environment in medium-sized rooms.

Fan Performance Specifications can be found on Page 78-81.

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE





74001B Barnett
48 in. Barnwood Finish
Reversible Blades (Reclaimed Hickory/Pewter Ash)
Cage Shade
Smart WiFi Technology

Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)

Remote Control Included



DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE





72205 Barnett
48 in. Barnwood Finish
Reversible Blades (Reclaimed Hickory/Pewter Ash)
Cage Shade

Includes (3) Medium (E26) Base, 4.5 Watt Filament ST15 LED Lamps (WL Lamp #45186)

Remote Control Included



INTEGRATED DIMMABLE LED





72251 Carla
46 in. White Finish
White ABS Blades
Opal Frosted Glass

Includes 16 Watt Integrated LED

Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
74001B†	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	$0.54
72205†	3	4.5	40	2700 (Warm White)	470	80	15000	13.6	$0.54
72251	✶	16	75	3000 (Warm White)	1190	80	25000	22.8	$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp. ✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72216 Alloy
42 in. Brushed Nickel Finish
Reversible Blades (Beech/Wengue)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



73051 Alloy
42 in. Brushed Nickel Finish
Reversible Blades (Weathered Oak/Walnut)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



73050 Alloy
42 in. Matte Black Finish
Reversible Blades (Charcoal/Riverbed)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72215 Alloy
42 in. Gun Metal Finish
Reversible Blades (Black/Graphite)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72225 Alloy
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Walnut/Family Oak)
Opal Frosted Glass
Includes (2) Medium (E26) Base, 8 Watt T7 LED Lamps (WL Lamp #33199)
Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72216†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96
73051†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96
73050†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96
72215†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96
72225†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96
72216†	2	8	60	3000 (Warm White)	800	80	15000	13.6	$0.96

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp. ✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

INTEGRATED DIMMABLE LED



73052 Drake

48 in. Gun Metal Finish
Reversible Blades (Weathered Oak/Walnut)
Opal Frosted Glass
Includes 16 Watt Integrated LED
Remote Control Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
73052	*	16	75	3000 (Warm White)	1160	90	25000	22.8	$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72319 Contempra Trio
42 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Bird's Eye Maple)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included





72313 Contempra Trio
42 in. Oil Rubbed Bronze Finish
Reversible Blades (Dark Cherry/Walnut)
Frosted Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72319†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72313†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72312 Casanova Supreme
42 in. White Finish
Reversible Blades (White/White Washed Pine)
Opal Schoolhouse Glass

Includes (1) Medium (E26) Base, 5.5 Watt Omni A15 LED Lamp (WL Lamp #45136)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72312†	1	5.5	60	2700 (Warm White)	600	80	15000	13.6	$0.66

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Westinghouse

24" TO 36" CEILING FANS

Featuring a wide range of décor-enhancing styles, this assortment of 24" to 36" down rod and hugger-mount ceiling fans offers decorative options to create complete comfort in smaller rooms.

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72344 Turbo Swirl
30 in. White Finish
White Blades
Opal Frosted Glass

Includes (1) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamp
Pull Chains Included

DIMMABLE LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72240 Turbo Swirl
30 in. Brushed Aluminum Finish
Light Maple Blades
Opal Frosted Glass

Includes (1) Candelabra (E12) Base, 5.5 Watt G16-1/2 LED Lamp
Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72240†	1	5.5	60	2700 (Warm White)	500	80	15000	13.6	$0.66
72344†	1	5.5	60	2700 (Warm White)	500	80	15000	13.6	$0.66

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

Fan Performance Specifications can be found on Page 78-81.

LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72307 Petite
30 in. Brushed Nickel Finish
Reversible Blades (Rosewood/Light Maple)
Opal Mushroom Glass

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)

Pull Chains Included



LED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72308 Petite
30 in. White Finish
Reversible Blades (White/White Washed Pine)
Opal Mushroom Glass

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)

Pull Chains Included



LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72308†	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	$1.18
72307†	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh



72236 Roundabout
30 in. Brushed Nickel Finish
Reversible Blades (Multi-Color/White)
Opal Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included





72247 Quince
24 in. White Finish
Reversible Blades (White/Beech)
Opal Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included





72246 Quince
24 in. Gun Metal Finish
Reversible Blades (Black/Graphite)
Opal Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included





72366 Quince
24 in. Chrome Finish
Reversible Blades (Wengue/Beech)
Opal Frosted Glass

Includes 16 Watt Integrated LED

Pull Chains Included



Fan Performance Specifications can be found on Page 78-81.

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
72236	✶	16	75	3000 (Warm White)	1150	80	25000	22.8	$1.93
72247	✶	16	75	3000 (Warm White)	1150	80	25000	22.8	$1.93
72246	✶	16	75	3000 (Warm White)	1150	80	25000	22.8	$1.93
72366	✶	16	75	3000 (Warm White)	1150	80	25000	22.8	$1.93

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp. ✶ Integrated LED Light Source

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR/OUTDOOR CEILING FANS

Westinghouse ceiling fans designed for patios, verandahs and gazebos create ambience and style in any outdoor living space. Our indoor/outdoor ceiling fans inspire creativity in indoor and outdoor spaces alike.

Fan Performance Specifications can be found on Page 78-81.



74004B Halley
44 in. Black-Bronze Finish
Reversible ABS Blades (Dark Cherry/Mahogany)
Frosted Opal Glass
Smart WiFi Technology

Includes (2) Medium (E26) Base, 9 Watt Omni A19 LED Lamps (WL Lamp #51331)

Remote Control Included



72334 Brentford
52 in. Aged Walnut Finish
Reversible ABS Blades (Dark Cherry with Shaded Edge/Walnut)
Clear Seeded Glass

Includes (3) Candelabra (E12) Base, 4.5 Watt B11 LED Lamps (WL Lamp #43168)

Pull Chains Included



72178 Halley
44 in. Oil Rubbed Bronze Finish
Reversible ABS Blades (Dark Cherry/Mahogany)
Frosted Opal Glass

Includes (2) Medium (E26) Base, 9.8 Watt Omni LED Lamps

Remote Control Included



72362 Oasis
48 in. Oil Rubbed Bronze Finish
Mahogany ABS Blades
Yellow Alabaster Glass

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp (WL Lamp #50581)

Pull Chains Included

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost **†
74004B†	2	9	60	3000 (Warm White)	800	80	25000	22.8	$1.08
72334†	3	4.5	60	2700 (Warm White)	500	80	15000	13.6	$0.54
72178†	2	9.8	60	2700 (Warm White)	800	80	25000	22.8	$1.18
72362†	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	$1.18

For a complete list of compatible dimmers, visit www.westinghouselighting.com.
†Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

INDOOR OUTDOOR DAMP RATED

FAN FAMILY
COORDINATING ITEMS AVAILABLE



72170 Contempra
48 in. Oil Rubbed Bronze Finish
Dark Walnut ABS Blades

Pull Chains Included

INDOOR OUTDOOR DAMP RATED


FAN FAMILY
COORDINATING ITEMS AVAILABLE



72172 Contempra
48 in. White Finish
White ABS Blades

Pull Chains Included

Fan Performance Specifications can be found on Page 78-81.



A. Ceiling to bottom of blade
B. Ceiling to bottom of switch housing
C. Ceiling to bottom of canopy
D. Width of motor housing
E. Width of canopy
F. Ceiling to bottom of light kit

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Alloy	3/4 X 4"	6.38"	11.00"	2.50"	6.75"	5.13"	11.75"
Alloy (72090)	3/4 X 4"	8.07"	11.42"	2.44"	7.05"	5.12"	13.19"
Alta Vista	3/4 X 4"	10.83"	8.39"	2.44"	7.87"	5.12"	13.70"
Barnett	3/4 X 4"	11.81"	12.60"	2.20"	11.42"	5.98"	21.26"
Brentford	3/4 X 4"	9.96"	11.65"	2.06"	12.36"	5.83"	18.78"
Brinley	3/4 X 6"	10.90"	14.84"	2.13"	7.68"	5.90"	14.85"
Carla	N/A	9.75"	N/A	N/A	7.75"	N/A	11.00"
Carolina LED	N/A	6.88"	9.75"	N/A	11.10"	N/A	13.75"
Casanova Supreme	N/A	8.27"	9.05"	N/A	8.90"	N/A	15.35"
Castle LED	3/4 X 6"	11.43"	12.63"	2.40"	10.49"	5.13"	15.98"
Cayuga	3/4 X 6"	13.78"	11.54"	2.56"	10.63"	5.12"	17.13"
Comet	3/4 X 4"	11.88"	14.25"	2.25"	11.50"	5.13"	14.25"
Contempra	N/A	7.48"	7.48"	N/A	10.24"	N/A	N/A
Contempra IV	N/A	7.13"	8.13"	N/A	11.50"	N/A	13.00"
Contempra Trio	N/A	9.45"	9.84"	N/A	10.24"	N/A	15.35"
Contractor's Choice	3/4 X 4"	10.25"	12.50"	2.25"	9.00"	5.12"	N/A
Damen	3/4 X 8"	12.40"	11.02"	2.06"	7.87"	5.86"	16.54"
Drake	3/4 X 4"	9.92"	12.25"	2.50"	7.88"	5.13"	16.06"
Halley	N/A	9.45"	2.95"	2.95"	9.45"	9.06"	13.78"

Family Name	Size of Down Rod Included	A	B	C	D	E	F
Jax (72381)	1/2 X 12"	17.32"	15.55"	2.44"	7.22"	5.13"	N/A
Jax (78003)	1/2 X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Jax (78127 & 78614)	1/2 X 12"	17.32"	15.55"	2.44"	7.72"	5.13"	N/A
Jax (78409)	1/2 X 12"	18.50"	17.32"	4.02"	7.72"	5.71"	N/A
Julien	3/4 X 6"	12.32"	7.59"	2.40"	7.87"	5.16"	16.45"
Oasis	3/4 X 4"	13.63"	13.38"	2.38"	9.00"	5.13"	18.75"
Petite	N/A	8.46"	9.45"	N/A	9.37"	N/A	14.84"
Quince	3/4 X 4"	9.00"	10.38"	2.50"	6.75"	5.13"	12.13"
Roundabout	3/4 X 4"	11.42"	13.75"	2.36"	7.68"	5.12"	15.92"
Stella Mira	3/4 X 10"	16.22"	N/A	2.56"	8.27"	5.12"	27.36"
Turbo Swirl	3/4 X 4"	10.00"	11.50"	2.25"	7.00"	5.00"	14.50"
Vintage	3/4 X 4"	10.87"	12.92"	2.41"	11.02"	5.12"	18.43"
Widespan	3/4 X 24"	33.00"	N/A	3.00"	11.75"	7.50"	N/A

If a Combo Style Fan with a 4" Down Rod is Installed without the Down Rod, Subtract 3" from the Dimensions Listed (A, B, F).
If a Combo Style Fan with a 6" Down Rod is Installed without the Down Rod, Subtract 5" from the Dimensions Listed (A, B, F).

Family Name	Page#	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Alloy (72215, 72216, 72225)	68	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	78"	Dual	3	Adaptable	Yes
Alloy (73050 & 73051)	68	42"	3	MDF	13°	Silicon Steel	153mm x 12mm	24"	Dual	3	Adaptable	Yes
Alloy (72090)	62	52"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Alta Vista (72059)	57	52"	3	Plywood	12°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Barnett (72205)	67	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Barnett (74001B)	67	48"	5	Plywood	11.5°	Silicon Steel	153mm x 15mm	54"	Dual	4	Included	Yes
Brentford	75	52"	5	ABS	13°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Brinley	57	52"	3	Plywood	12°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Carla	67	46"	3	ABS	24°	Silicon Steel	153mm x 15mm	12"	Single	4	Included	Yes
Carolina LED	65	52"	5	MDF	12°	Silicon Steel	153mm x 17mm	12"	Triple	3	Not Adaptable	Yes
Casanova Supreme	71	42"	4	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Castle LED	59	52"	5	Plywood	12°	Cold Rolled Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Cayuga (72077 & 72078)	58	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Cayuga (74003B)	56	60"	6	Plywood	11°	Silicon Steel	188mm x 22mm	54"	Single	4	Included	Yes
Comet (72242, 72336 & 72341)	63	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	78"	Triple	3	Adaptable	Yes
Comet (73054)	63	52"	5	Plywood	11°	Silicon Steel	153mm x 17mm	54"	Triple	3	Adaptable	Yes
Contempra	76	48"	5	ABS	12°	Silicon Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra IV	65-66	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	12"	Triple	3	Not Adaptable	Yes
Contempra Trio	71	42"	5	MDF	12°	Cold Rolled Steel	153mm x 10mm	12"	Triple	3	Not Adaptable	Yes
Contractor Choice	66	52"	5	MDF	12°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Damen	58	68"	8	Plywood	12°	DC165M	165mm x 25mm	54"	N/A	6	Included	Yes
Drake	69	48"	3	Plywood	13°	Silicon Steel	153mm x 17mm	54"	Dual	4	Included	Yes
Halley (72178)	75	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes
Halley (74004B)	75	44"	3	ABS	13°	Silicon Steel	153mm x 17mm	12"	Dual	4	Included	Yes

All ceiling fans that include a light kit are LED technology fans.
*For sloped ceiling applications up to 45°, use item #70032 (sold separately).

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
13°	Down Rod Only	2176	51	42	$12	-	-	-	-	214	0.44
13°	Down Rod Only	2176	51	42	$12	-	-	-	-	214	0.44
12°	Down Rod Only	2618	67	39	$11	-	-	-	-	170	0.51
N/A	Down Rod Only	3334	84	40	$11	-	-	-	-	175	0.52
N/A	Down Rod Only	2947	75	39	$11	-	-	-	-	180	0.53
N/A	Down Rod Only	3264	89	37	$10	-	-	-	-	200	0.49
16°	Down Rod Only	3321	92	36	$10	-	-	-	-	151	0.47
16°	Down Rod Only	3413	94	36	$10	-	-	-	-	174	0.46
N/A	Hugger	-	-	-	-	2352	63	37	$10	167	0.49
N/A	Hugger	-	-	-	-	2480	73	34	$9	157	0.44
N/A	Hugger	-	-	-	-	2165	70	31	$9	217	0.4
18°	Combo	3387	87	39	$11	3211	82	39	$11	163	0.51
N/A	Down Rod Only	4420	78	57	$16	-	-	-	-	145	0.68
N/A	Down Rod Only	4383	85	52	$14	-	-	-	-	141	0.72
15°	Combo	3210	82	39	$11	2492	64	39	$11	147	0.53
15°	Combo	3210	82	39	$11	2492	64	39	$11	147	0.53
N/A	Hugger	-	-	-	-	3075	85	36	$10	204	0.46
N/A	Hugger	-	-	-	-	3225	82	39	$11	166	0.51
N/A	Hugger	-	-	-	-	2232	72	31	$9	207	0.4
11°	Combo	2981	77	39	$11	2893	75	39	$11	175	0.54
10°	Down Rod Only	5213	257	20	$6	-	-	-	-	115	0.44
N/A	Down Rod Only	3597	92	39	$11	-	-	-	-	225	0.5
N/A	Hugger	-	-	-	-	3158	90	35	$10	260	0.43
N/A	Hugger	-	-	-	-	3072	87	35	$10	249	0.42

Visit www.westinghouselighting.com for FTC energy guide information.

Family Name	Page #	Size	# of Blades	Blade Material	Blade Pitch	Motor Type	Motor Size	Lead Wire Length	Capacitor Type	# of Speeds	Remote Control	Reverse Airflow
Jax (72381)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	N/A	4	Included	Yes
Jax (78003)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	4	Wall Control	Yes
Jax (78127 & 78614)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	5	Wall Control	Yes
Jax (78409)	61	56"	3	Steel	9°	Silicon Steel	172mm x 15mm	54"	Single	5	Wall Control	Yes
Julien	60	54"	3	Polycarbonate	12°	Silicon Steel	153mm x 18mm	54"	Single	4	Included	Yes
Oasis	75	48"	5	ABS	13°	Silicon Steel	153mm x 15mm	54"	Triple	3	Adaptable	Yes
Petite	73	30"	6	MDF	18°	Cold Rolled Steel	153mm x 12mm	12"	Triple	3	Not Adaptable	Yes
Quince	74	24"	6	MDF	18°	Silicon Steel	153mm x 12mm	78"	Triple	3	Adaptable	Yes
Roundabout	74	30"	5	MDF	18°	Silicon Steel	153mm x 10mm	78"	Triple	3	Adaptable	Yes
Stella Mira (72171)	57	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Stella Mira (73057)	57	52"	5	Plywood	11°	Silicon Steel	153mm x 22mm	54"	Dual	4	Included	Yes
Turbo Swirl	72	30"	6	MDF	18°	Silicon Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Vintage	64	52"	5	MDF	11°	Cold Rolled Steel	153mm x 15mm	78"	Triple	3	Adaptable	Yes
Widespan (72248)	60	100"	6	Aluminum	17°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes
Widespan (72249)	60	100"	8	Aluminum	12°	DC Motor	165mm x 30mm	30"	N/A	6	Included	Yes

All ceiling fans that include a light kit are LED technology fans.
*For sloped ceiling applications up to 45°, use item #70032 (sold separately).
**For performance values please refer to the spec sheet.

Slope Angle	Mount Type	WITH DOWN ROD				HUGGER / WITHOUT DOWN ROD				RPM (High)	Amp (High)
		Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*	Airflow (CFM)*	Airflow Efficiency (CFM/W)*	Energy Use (Watts)*	Est. Yearly Energy Cost*		
N/A	Down Rod Only	3366	96	37	$10	-	-	-	-	204	0.47
24°	Down Rod Only	3314	96	35	$10	-	-	-	-	212	0.49
24°	Down Rod Only	3438	84	41	$11	-	-	-	-	196	0.5
N/A	Down Rod Only	3438	84	41	$11	-	-	-	-	196	0.5
N/A	Down Rod Only	3471	89	41	$11	-	-	-	-	180	0.49
11°	Combo	3046	91	33	$9	2962	89	33	$9	146	0.42
N/A	Hugger	-	-	-	-	1649	60	28	$8	271	0.35
18°	Down Rod Only	965	45	21	$6	-	-	-	-	309	0.26
18°	Down Rod Only	1609	62	26	$7	-	-	-	-	262	0.34
N/A	Down Rod Only	3521	88	40	$11	-	-	-	-	168	0.51
N/A	Down Rod Only	3113	83	38	$11	-	-	-	-	165	0.48
18°	Down Rod Only	1690	57	30	$8	-	-	-	-	227	0.38
16°	Combo	3256	87	38	$11	2986	80	38	$11	174	0.49
N/A	Down Rod Only	-	**	-	-	-	-	-	-	75	1.55
N/A	Down Rod Only	-	**	-	-	-	-	-	-	75	1.55

Visit www.westinghouselighting.com for FTC energy guide information.

CEILING FAN ACCESSORIES

Complement your Westinghouse ceiling fans with decorative pull chains and energy-saving light kits, while enjoying the convenience of our fan remote controls.

CEILING FAN CONTROLS

All fan controls are single AC motor fan usage only and indoor use only.



77879
Backlit Display 4 Speed Ceiling Fan and Light Remote Control

- Backlit buttons make it easy to use in the dark
- On/Off switch for both fan and light kit
- Adjust light levels on fan light with dimmable light bulbs
- Operates up to a distance of 40 feet
- High/Medium/Medium-Low/Low fan speeds
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Transmitter and Wall Bracket included
- Operates on (2) AAA batteries (not included)

Max. Fan Amp 1.20
Max. Light 100 Watt



77870
3 Speed Ceiling Fan and Light Remote Control

- High/Medium/Low fan speeds
- Full range light dimmer
- Operates up to a distance of 40 feet
- Universal receiver fits most ceiling fans
- Installs quickly, even in pre-mounted fans
- Wall Bracket included
- Operates on (1) 9 Volt battery (not included)

Max. Fan Amp 1.00
Max. Light 190 Watt



77875
3 Speed Ceiling Fan and Incandescent Light Wall Control

- High/Medium/Low fan speeds
- Full range light dimmer for incandescent light bulbs
- Wireless communication between transmitter and receiver
- Operates up to a distance of 40 feet
- Easy 2 wire installation in standard junction box
- Universal receiver fits most ceiling fans
- Matching wall plate included

Max. Fan Amp 1.25
Max. Light 300 Watt Incandescent



77872
Single Slide 4 Speed Ceiling Fan Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Easy 2 wire installation in standard junction box
- Matching wall plate included

Max. Fan Amp 1.25



77873
Dual Slide 4 Speed Ceiling Fan and Incandescent Light Wall Control

- Change any fan into a 4 speed fan
- High/Medium-High/Medium/Low fan speeds
- Full range sliding light dimmer for incandescent light bulbs
- Easy 3 wire installation in standard junction box
- Replaces toggle switch
- Matching wall plate included

Max. Fan Amp 1.25
Max. Light 300 Watt Incandescent

All remotes in this catalog are Underwriter Laboratories Listed for safety.

CEILING FAN LIGHT KITS



77845
LED Cluster Ceiling Fan Light Kit
Polished Brass Finish
Frosted Ribbed Glass

Diameter: 12.75" Height: 7.00"

Includes (3) Medium (E26) Base, 5 Watt Omni A15 LED Lamps



77849
LED Cluster Ceiling Fan Light Kit
Brushed Nickel Finish
Frosted Ribbed Glass

Diameter: 12.75" Height: 7.00"

Includes (3) Medium (E26) Base, 5 Watt Omni A15 LED Lamps



77848
LED Cluster Ceiling Fan Light Kit
Antique Brass Finish
Frosted Ribbed Glass

Diameter: 12.75" Height: 7.00"

Includes (3) Medium (E26) Base, 5 Watt Omni A15 LED Lamps



77847
LED Cluster Ceiling Fan Light Kit
White Finish
Frosted Ribbed Glass

Diameter: 12.75" Height: 7.00"

Includes (3) Medium (E26) Base, 5 Watt Omni A15 LED Lamps



77846
LED Schoolhouse Ceiling Fan Light Kit
Oil Rubbed Bronze Finish
White Opal Glass

Diameter: 8.25" Height: 6.75"

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp



77853
LED Schoolhouse Ceiling Fan Light Kit
White Finish
White Opal Glass

Diameter: 8.25" Height: 6.75"

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp



77851
LED Schoolhouse Ceiling Fan Light Kit
Antique Brass Finish
White Opal Glass

Diameter: 8.25" Height: 6.75"

Includes (1) Medium (E26) Base, 9.8 Watt Omni A19 LED Lamp

LED LIGHT SOURCE SPECIFICATIONS

Item No.	Number of Lamps	Energy Used (Watts)†	Equiv. Incand. Wattage†	Color Temperature (Kelvin)	Brightness (Lumens)†	CRI	Average Rated Hours	Life in Years*	Est. Yearly Energy Cost**†
77845†	3	5	40	2700 (Warm White)	450	80	15000	13.6	$.60
77849†	3	5	40	2700 (Warm White)	450	80	15000	13.6	$.60
77848†	3	5	40	2700 (Warm White)	450	80	15000	13.6	$.60
77847†	3	5	40	2700 (Warm White)	450	80	15000	13.6	$.60
77846	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	$1.18
77853	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	$1.18
77851	1	9.8	60	3000 (Warm White)	800	80	15000	13.6	$1.18

† Values are per lamp.

*Based on 3hrs./day **Based on operating 3hrs./day 11¢/kWh

EXTENSION DOWN RODS



Brushed Nickel



White

For optimum performance, ceiling fan blades should be at least 7' from the floor but no higher than 8-9' in order to best cool a room.

For ceilings 9' and higher, an extension down rod is recommended to bring the ceiling fan down to the proper height above the floor.

1/2 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77492	Brushed Nickel	24"
77240	White	12"
77243	White	24"

1/2 ID is the nominal dimension of these rods.

3/4 ID EXTENSION DOWN RODS

Item No.	Finish	Length (in.)
77526	Brushed Nickel	12"
77254	White	24"

3/4 ID is the nominal dimension of these rods.

PULL CHAINS



77224
Fan Coin
Antique Brass Finish



77220
Light Bulb Coin
Antique Brass Finish



77217
Ball
Brushed Nickel Finish



77103
Pendant
Brushed Nickel Finish



77005
Teardrop
Polished Brass Finish



77087
Natural Finish Wooden Handle
Polished Brass Finish



77013
Walnut Wooden Knob
Polished Brass Finish



77014
White Wooden Knob
Polished Brass Finish



70661 36" Chain
Walnut Wooden Ball
Polished Brass Finish



77007
Sculptured Walnut Wooden Ball
Polished Brass Finish



77084
Prismatic Acrylic Sphere
Polished Brass Finish



77093
Prismatic Acrylic Diamond
Polished Brass Finish

All pull chains include a 12" beaded chain unless otherwise noted.
CARDED PRODUCT SOLD IN INNER PACK ONLY.

CEILING FAN ACCESSORIES



70032
Cathedral Ceiling Fan Canopy Kit
Oil Rubbed Bronze Finish

Use With 1/2 or 3/4 ID Down Rods

Can be mounted onto a cathedral ceiling with up to a 45˚ angle with or without remote.

85 lb. Load Rating




77059
Canopy Bracket

Designed For Use With 1/2 or 3/4 ID Down Rods and Canopy Ball

Mounting Hardware Included

100 lb. Load Rating



77015
Fan Blade Balancing Kit

Includes:

- 2-5 Gram Self-Adhering Weights
- 1 Balancing Clip



77047
10-Piece Motor Screw Kit
Polished Brass Finish

For Mounting Fan Blade Arm to Motor Housing



77401
42" White Finish
Replacement Fan Blade Arms

77406
52" White Finish
Replacement Fan Blade Arms

5 Piece Set

Installation Hardware Included



77402
42" Antique Brass Finish
Replacement Fan Blade Arms

5 Piece Set

Installation Hardware Included



77417
52" Oil Rubbed Bronze Finish
Replacement Fan Blade Arms

5 Piece Set

Installation Hardware Included

77414
52" White Outdoor ABS Fan Blades

Length: 20.5" Width: 5.38"

5 Blade Set



77411
42" White/Bleached Oak
Reversible Fan Blades

Length: 16.5" Width: 5"

77416
52" White/Bleached Oak
Reversible Fan Blades

Length: 20.5" Width: 5.38"

5 Blade Set




77415
52" Oak/Walnut
Reversible Fan Blades

Length: 20.5" Width: 5.38"

5 Blade Set

FAN BLADE HOLE DIMENSIONS



Reference fan blade hole dimensions listed below when ordering replacement fan blade arms shown above.
(Item numbers - 77401, 77402, 77406, and 77417).

FAN BLADE HOLE DIMENSIONS

Dimension	52" Parts	42" Parts
A	3 15/16"	3½"
B	2¾"	2⅝"
C	2 1/16"	1½"

CEILING FAN ACCESSORIES



77064 3 Ft.
Beaded Chain with Connector
Antique Brass Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




70168 5 Ft.
Beaded Chain with Connector
Brass Finish
Diameter: 0.13"
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




77012 1 Ft.
Beaded Chain with Connector
Solid Brass
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot




77050 3 Ft.
Beaded Chain with Connector
Solid Brass
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77238 3 Ft.
Beaded Chain with Connector
Brushed Nickel Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77049 3 Ft.
Beaded Chain with Connector
Stainless Steel
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77054 3 Ft.
Beaded Chain with Connector
Oil Rubbed Bronze Finish
.011 Gauge 1/8" Diameter Ball
75 Balls per Foot



77066
Six Beaded Chain Connectors
Antique Brass Finish
For use with .011 Gauge 1/8"
Diameter Ball Chain




77044
Six Beaded Chain Connectors
Solid Brass
For use with .011 Gauge 1/8"
Diameter Ball Chain



77022
Fan Light Switch
with Chrome Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC



77023
Fan Light Switch
with Polished Brass Finish Pull Chain
2 Wire, Single Pole Switch
3' Braided Cord
3A, 250 VAC
6A, 125 VAC



77052
3-Way Fan Light Switch
with Polished Brass Finish Pull Chain
3 Wire, Single Pole Switch
2' Braided Cord
3A, 250 VAC
6A, 125 VAC



77021
3-Speed Fan Switch
with Polished Brass Finish Pull Chain
Single Capacitor 4-Wire Unit
2' Braided Cord
3A, 250 VAC
6A, 125 VAC

CARDED PRODUCT SOLD IN INNER PACK ONLY.

CEILING FAN & LIGHT FIXTURE ACCESSORIES

From ornamental ceiling medallions to secure support braces and boxes, Westinghouse offers a full line of both decorative and functional accessories to enhance and complete any ceiling fan or light fixture installation.

MOLDED PLASTIC MEDALLIONS

Adhesive or additional mounting hardware required.

77027 Victorian
White Finish
Diameter: 8.67″ Center Opening: 4.00″



77037 Smooth
White Finish
Diameter: 9.75″ Center Opening: 4.00″



77028 Victorian
White Finish
Diameter: 15.50″ Center Opening: 4.00″



77035 Textured
White Finish
Diameter: 15.75″ Center Opening: 4.00″



77733 Round Beaded
White Finish
Diameter: 15.75″ Center Opening: 4.00″



77732 Smooth
White Finish
Diameter: 15.88″ Center Opening: 4.00″

SAF-T-BRACE® AND SAF-T-BAR®

Fits 16" to 24" ceiling joists
Attic access is not required for any items unless otherwise noted.




Four teeth and single screw on each end for additional security

REMODEL USE



◆01010
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Extra Strong Grip

Mounting Hardware





Teeth twist and lock into joist for a secure connection

REMODEL USE



◆01100
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Strong Grip
Convenient rare earth magnet holds box to brace during installation

Mounting Hardware





Teeth twist and lock into joist

REMODEL USE



◆01400
Saf-T-Brace® Fan/Fixture Support Brace and Box
Box Depth 2.13"
Heavy Duty, 21.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Strong Grip
Larger Box for Increased Wire Capacity
Convenient rare earth magnet holds box to brace during installation

Mounting Hardware





End bracket has 90° angled lip for easy placement

NEW CONSTRUCTION



✚01525 (0152511 Bulk Packed)
Saf-T-Bar® Fan/Fixture Support Brace and Box
Box Depth 1.5"
Heavy Duty, 15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
Can be used with Engineered Truss

Mounting Hardware



SAF-T-BOX®



NEW CONSTRUCTION
OR APPLICATIONS WITH ATTIC ACCESS

▲01020 (0102011 Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Electrical Box
3 Knockouts for Conduit or Romex®



NEW CONSTRUCTION
OR APPLICATIONS WITH ATTIC ACCESS

▲01050 (0105011 Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
1 Romex® Clamp



NEW CONSTRUCTION
OR APPLICATIONS WITH ATTIC ACCESS

▲0105211 (Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 1.5"
Heavy Duty
15.5 Cubic Inch Dual Mount* Electrical Box
6 Knockouts for Conduit or Romex®
1 Romex® Connector



NEW CONSTRUCTION
OR APPLICATIONS WITH ATTIC ACCESS

▲0104011 (Bulk Packed)
Saf-T-Box® Fan/Fixture Support Box
Box Depth 2.13"
Heavy Duty
21.5 Cubic Inch Dual Mount* Electrical Box
3 Knockouts for Conduit or Romex®
1 Romex® Clamp
Larger Box for Increased Wire Capacity

◆ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 50 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.
✚ For fixture support of 150 lbs. or less on 16" centers. / For fixture support of 90 lbs. or less on 24" centers. / Acceptable for fan support of 70 lbs. or less.
▲ For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
* Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).

All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.
All Items Meet or Exceed NEC® Safety Codes.

SAF-T-GRID®



Turnbuckle for easy height adjustment

All weight is carried by building structure, not by gridwork



SUSPENDED CEILING APPLICATIONS

Mounting Hardware



✖ **01070**
Saf-T-Grid® Fan/Fixture Support Brace and Box for Suspended Ceilings
Box Depth 1.5″
Heavy Duty, 15.5 Cubic Inch Dual Mount✱ Electrical Box
6 Knockouts for Conduit or Romex®
Fits 2′ x 2′ and 2′ x 4′ ceiling tile gridwork

SAF-T-PAN®

NEW OR REMODEL CONSTRUCTION



● **01030 (0103011 Bulk Packed)**
Saf-T-Pan® Fan/Fixture Support Pan
Box Depth 0.63″
Heavy Duty, 8 Cubic Inch Dual Mount✱ Electrical Pan
2 Knockouts for Conduit or Romex®

NEW OR REMODEL CONSTRUCTION



● **01036 (0103611 Bulk Packed)**
Saf-T-Pan® Fan/Fixture Support Pan
Box Depth 0.5″
Heavy Duty, 6 Cubic Inch Dual Mount✱ Electrical Pan
5 Knockouts for Conduit or Romex

FAN MASTER JR.® & FAN MASTER®



Clips inside box hold screws during installation

NEW CONSTRUCTION



● **0252511 (Bulk Packed)**
Fan Master Jr.® Fan/Fixture Support
Height 4″
Box Depth 0.5″
13.4 Cubic Inch Wiring Capacity
2 Knockouts for Conduit or Romex®
2 Hour Fire Rating



Clips inside box hold screws during installation

NEW CONSTRUCTION



● **0200011 (Bulk Packed)**
Fan Master® Fan/Fixture Support
Height 4-13/16″
Box Depth 0.63″
16.5 Cubic Inch Wiring Capacity
2 Knockouts for Conduit or Romex®
2 Hour Fire Rating

SIDEMOUNT PLUS FAN BOX®

NEW OR REMODEL CONSTRUCTION



■ **01240**
Sidemount Plus Fan/Fixture Box®
Box Depth 2.13″
Heavy Duty, 21.5 Cubic Inch Dual Mount✱ Electrical Box
3 Knockouts for Conduit or Romex®
Removable Sidemount Bracket
Larger Box for Increased Wire Capacity

■ For fixture support of 70 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
● For fixture support of 150 lbs. or less. / Acceptable for fan support of 70 lbs. or less.
✖ For fixture support of 50 lbs. or less. / Acceptable for fan support of 50 lbs. or less.
✱ Dual Mount = Box is threaded for 8-32 (ideal for box covers and light weight fixtures) and 10-24 screws (ideal for heavier fixtures and fans).
All Items Meet or Exceed UL Standards Regarding Exposed Threads Within Box.
All Items Meet or Exceed NEC® Safety Codes.

Westinghouse

REPLACEMENT GLASSWARE & ASSORTED SHADES

Refreshing a light fixture or ceiling fan with our unique selection of shades is an easy design upgrade. From classic glass diffusers to vibrant art glass shades, Westinghouse offers choices for all of your lighting needs.

6 PACK



85617
Clear Glass Shade, 6-Pack
Fitter: 3.25″
Height: 4.75″
Diameter: 3.63″
Sold as 6-Pack Only



81242
Satin Crimp Shade
Fitter: 2.25″
Height: 4.13″
Diameter: 5.00″



81819
Clear Dot Pattern Diffuser
Height: 1.25″
Diameter: 13.00″

6 PACK



• **85578**
Opal Schoolhouse Shade, 6-Pack
Fitter: 4.00″
Height: 6.25″
Diameter: 7.25″
Sold as 6-Pack Only



• **81592**
White Schoolhouse Shade
Fitter: 3.25″
Height: 4.94″
Diameter: 5.75″



81609
White and Clear Drum Shade
Fitter: 10.00″
Height: 4.25″
Diameter: 11.00″

6 PACK

• **85757**
White Mushroom Shade, 6-Pack
Fitter: 8.00″
Height: 4.00″
Diameter: 9.50″
Sold as 6-Pack Only

6 PACK



• **85613**
White Mushroom Shade, 6-Pack
Fitter: 6.00″
Height: 3.75″
Diameter: 7.50″
Sold as 6-Pack Only

6 PACK



85606
White and Clear Drum Shade, 6-Pack
Fitter: 6.00″
Height: 3.38″
Diameter: 6.50″
Sold as 6-Pack Only

6 PACK



85608
White and Clear Drum Shade, 6-Pack
Fitter: 8.00″
Height: 4.00″
Diameter: 7.63″
Sold as 6-Pack Only



81720
White Diffuser
Height: 1.50″
Square: 12.00″




81800
Clear Wheat Design on White Ruffled Edge Diffuser
Height: 1.50″
Square: 12.00″



81807
Clear Floral Design on White Diffuser
Height: 1.50″
Square: 12.00″

• **85571**
Gloss White Globe,
6-Pack
Fitter: 4.00″
Diameter: 8.00″

6 PACK



• **85570**
Gloss White Globe,
6-Pack
Fitter: 3.25″
Diameter: 6.00″
Sold as 6-Pack Only

81869
White Polycarbonate Globe
Fitter: 3.25″
Diameter: 6.00″

6 PACK



• **85707**
Frosted Victorian Globe,
6-Pack
Fitter: 3.25″
Diameter: 6.00″
Sold as 6-Pack Only

6 PACK



85254
Clear Prismatic Globe,
6-pack
Fitter: 3.25″
Diameter: 6.38″
Sold as 6-Pack Only

6 PACK



• **85705**
Smoke Lustre Globe,
6-Pack
Fitter: 3.25″
Diameter: 6.00″
Sold as 6-Pack Only



81493
Acrylic Prismatic Dome
Clip-On Shade
Height: 4.75″
Diameter: 8.00″
Clips onto an A-Shape bulb.



81494
Acrylic White Dome
Clip-On Shade
Height: 4.75″
Diameter: 7.75″
Clips onto an A-Shape bulb.

• **83091**
3/4 Frosted Glass Chimney
Fitter: 3.00″
Height: 8.50″
Top Opening: 2.00″
Bulge: 4.00″

• **83062**
Clear Glass Chimney
Fitter: 2.63″
Height: 7.50″
Top Opening: 1.63″
Bulge: 3.50″

• **83070**
Clear Glass Chimney
Fitter: 2.63″
Height: 8.50″
Top Opening: 2.00″
Bulge: 3.63″

• **83090**
Clear Glass Chimney
Fitter: 3.00″
Height: 8.50″
Top Opening: 2.00″
Bulge: 4.00″

• **83072**
Clear Glass Chimney
Fitter: 2.63″
Height: 10.00″
Top Opening: 2.00″
Bulge: 3.63″

• **83100**
Clear Glass Chimney
Fitter: 3.00″
Height: 10.00″
Top Opening: 2.00″
Bulge: 4.00″



81759
White Channel
Height: 3.75″
Width: 12.00″
Depth: 3.00″
Hole Size: .38″
Centered Hole

LIGHTING HARDWARE

For every repair or replacement need, Westinghouse has you covered. From sockets to switches, canopies to crossbars, we have the hard-to-find parts required to make your fixtures perform like new. Available in bulk and packaged.



***22259**
Twin Cluster Socket
with Male Threads on Each End

Medium Base
6" Wire Leads, 18 Gauge
105° Leads
660 Watts Max., 250 Volts
⅛-IP Nipple
Height - 4⅜"



70145
Horizontal Phenolic Snap-In Socket

Fits into ⅞" x ¼" Hole
Medium Base
660 Watts Max.
250 Volts



70407
Keyless Phenolic Socket

⅛-IP Hickey
Medium Base
660 Watts Max.
250 Volts



***22504**
3-Way Turn-Knob Socket

Medium Base
250 Watts Max.
250 Volts
Height - 1¹⁵⁄₁₆"



***22381 – 3 Light**
***22382 – 4 Light**
Black Harness Set

Candelabra Base
Fits ¾" Hole
Includes Lock Nuts
SPT-2, 18 Gauge, 105° Leads
75 Watts Max. Per Socket, 125 Volts
6¼" Between Sockets
12" on End
Height - 1¼"



***22215**
1 ½" Socket

6" Wire Leads and Straight Bracket
Medium Base
18 Gauge, 105° Leads
Bracket Extends 1⅜"
Measured Center to Center
660 Watts Max., 250 Volts
Height - 1½"



***22213**
1 ½" Snap-in Socket

6" Wire Leads
Medium Base
Fits 1¼" Hole
18 Gauge
105° Leads
660 Watts Max., 250 Volts
Height - 1½"



***22217**
1 ½" Snap-in Socket

9" Wire Leads
Medium Base
Fits ⅜" x ¼" Hole
18 Gauge
105° Leads
660 Watts Max., 250 Volts
Height - 1½"



70413 - On/Off
70421 - 2 Circuit
Turn-Knob Socket

Brass Finish
Medium Base
Tapped ⅛-IP
250 Watts Max., 250 Volts



=70431 - 3-Way
Pull Chain Socket

Brass Finish
Medium Base
Tapped ⅛-IP
250 Watts Max., 250 Volts



***70403 (Carded 2-Pack)**
Two 2" Keyless Sockets

Candelabra Base
Threaded ⅛-IP Hickey
75 Watts Max., 125 Volts



***22127**
Adjustable Keyless Sockets

Candelabra Base
Threaded ⅛-IP Hickey
75 Watts Max., 125 Volts
Height Adjustable from 3¼" - 4¾"



***22267**
Porcelain Keyless Socket

Medium Base
⅛-IP Hickey
660 Watts Max.
250 Volts
Height - 2"
1875 Pulse Rated



***22372**
Porcelain Snap-In Socket

Medium Base
9" Wire Leads
Fits ⅜" x ¼" Hole
18 Gauge, 105° Leads
660 Watts Max., 250 Volts
Height - 2"



***22370**
70425
Porcelain Fixture Socket

Medium Base
10" Wire Leads, Height - 2½"
⅛-IP Hickey
18 Gauge, 105° Leads
660 Watts Max., 250 Volts



***22371**
Porcelain Fixture Socket

Medium Base
Height - 2"
¼-IP Hickey
660 Watts Max.
250 Volts



***22212**
Porcelain Snap-In Socket

Medium Base
6" Wire Leads
Fits 1½" Hole
18 Gauge, 125° Leads
660 Watts Max., 250 Volts
Height - 1¾"

CARDED PRODUCT SOLD IN INNER PACK ONLY.
*Bulk Pack



***11104**
Porcelain Halogen Socket

5" Wire Leads
SF-1 200° C 300V Leads
100 Watts Max., 250 Volts
Fits G4, GX5.3, GV5.3
and G6.35 Lamp Bases
Height - ⅜"



***22471 - GX5.3 Base**
Mini BiPin Quartz MR16 Socket

12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - 1"



***22470 - GY6.35 Base**
Mini BiPin Quartz MR16 Socket

12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - ⅜"



***22472 - GX5.3 Base**
Mini BiPin Quartz MR16 Socket

12" 18 Gauge Leads
SF-1 200° C Leads
100 Watts Max., 250 Volts
Height - ⅜"



***22490**
Stationary End Lamp Holder

For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts
Non Shunted



***22491**
Plunger End Lamp Holder

For HO, VHO, SHO Lamps
660 Watts Max., 1000 Volts
Non Shunted



***22453**
Medium BiPin Lamp Holder

Low Profile Size
660 Watts Max., 600 Volts
T8/T12 Non Shunted



***22456**
Medium BiPin Turn Type
Lamp Holder

Standard Size
No. 18/20 Gauge
Panel Mount
660 Watts Max., 600 Volts
Non Shunted




***22454**
Medium BiPin Turn Type Lamp
Holder

Low Profile Size
No. 18/20 Gauge
Panel Mount, Captive
Mount and Screw
660 Watts Max., 600 Volts
Non Shunted



***22150**
Porcelain Socket Extender

Medium Base
660 Watts Max., 250 Volts
Extension - 1¼"
Overall Length - 2¼"



***22411**
Socket Adapter Enlarger

Enlarges Candelabra Base
to Medium Base
75 Watts Max., 125 Volts



***22403**
Socket Adapter Reducer

Reduces Intermediate Base to
Candelabra Base
With Rubber Ring
75 Watts Max., 120 Volts




***22560 - FS-2**
Fluorescent Lamp Starter
FS-2 RoHS Compliant

14, 15 and 20 Watt Lamps




***22562 - FS-5**
Fluorescent Lamp Starter
FS-5 RoHS Compliant

4, 6 and 8 Watt Lamps



70160
2 Socket Keys

Brass Finish
With ½" Extensions
Tapped ⁴⁄₃₆-F x ⁴⁄₃₆-M



70161
2 Replacement Knobs

Black Finish
With ½" Extensions
Tapped ⁴⁄₃₆-F x ⁴⁄₃₆-M



70290
Replacement Canopy Light Switch
with Brass Finish Pull Chain

3' Braided Cord
6" Wire Leads
Height - 1¼"
Fits ⅜" Hole



***22306**
Push Canopy Switch

4¾" Wire Leads
18 Gauge, 105° Leads
Fits ⅜" Hole
3A, 250 VAC
6A, 125 VL
6A, 125 VAC
Height - 1¼"

CARDED PRODUCT SOLD IN INNER PACK ONLY.
* Bulk Pack



70112
4" Offset Crossbar

Two ½" Mounting Screws
and 2 Tapped 8-32 Holes
Spaced 2¾" Apart
Slips ⅜-IP



***21003**
70113
Crossbar 4" Long

Tapped ⅛-IP
45 lb. Load Rating



70111
Adjustable All-Purpose Crossbar

Slips ⅜-IP
Holes Tapped 8-32
Adjusts from 3⅞" to 5" for
Slot Mounting on 3", 3¼" or 4" Box
Two ½" Head Screws Included
Two ¼" Head Screws Included
35 lb. Load Rating



70350 - Brass Finish
Screw Collar Loop Kit

Fits Canopies with a 1⅛" Center Hole
Tapped ¼-IP, 35 lb. Load Rating
Includes:
• 1 Crossbar 4" Long
• 1 Screw Collar Loop • 2 Locknuts
• 1 Lock Washer • 1¼-IP x 1½" Nipple
• 1⅜-IP x ¼-IP Reducing Hickey
• 2 8-32 x ½" Mounting Screws



***21008**
Crossbar 3⅞" Long

Ground Screw Inserted
Tapped ¼-IP
45 lb. Load Rating



***21005**
Crossbar 4" Long

Tapped ¼-IP
45 lb. Load Rating



70114
Offset Crossbar 4" Long

Tapped 8-32 Holes
Green Ground Screw
35 lb. Load Rating



***13206 - ¾" Long**
***13212 - 1½" Long**
70601 - 1½" Long
(Carded 4-Pack)

Steel Nipple
Zinc-Plated, Threaded ⅛-IP



70602 - 2" Long
(Carded 2-Pack)
70603 - 3" Long
(Carded 2-Pack)

Steel Nipple

Zinc-Plated, Threaded ⅛-IP



70604 - 4" Long
(Carded 2-Pack)
***13248 - 6" Long**
70606 - 6" Long
(Carded 2-Pack)

Steel Nipples

Zinc-Plated, Threaded ⅛-IP



70151
6 Assorted Nipples

Zinc-Plated
Includes:
• 2 ¼-IP x ¾"
• 2 ¼-IP x 1½"
• 2 ¼-IP x 2"



70150
8 Assorted Nipples

Zinc-Plated
Includes:
• 2 ⅛-IP x ½"
• 2 ⅛-IP x 1"
• 2 ⅛-IP x 1½"
• 2 ⅛-IP x 2"



70270
30" Steel Brass-Plated
All-Thread Pipe

Threaded ⅛-IP




70272
12" All-Thread Lamp Pipe Kit

Zinc-Plated Steel
Includes:
• 2 ⅛-IP x 12" Threaded Pipe
• 2 ⅛-IP Couplings
• 2 ⅛-IP Locknuts
• 2 ⅛-IP Knurled Locknuts, 2 Washers




70162 - (Carded 2-Pack)
2 Couplings Polished Brass Finish

Tapped ⅛-IP



70621 - Solid Brass
70622 - Steel
6 Hex Nuts

Tapped ⅛-IP



70172
12 Hex Nuts Solid Brass

Tapped ⅛-IP



70628
6 Assorted Nuts and Washers

Brass-Plated Steel
For ⅛-IP Nipples
Includes:
• 2 Lock Washers
• 2 Flat Washers
• 2 Hex Nuts



70153
12 Assorted Locknuts

Solid Brass
Includes:
• 2 8-32 Battery Nuts
• 2 Threaded ¼-27 Knurled Locknuts
• 2 ⅛-IP Knurled Locknuts
• 4 ⅛-IP Hex Nuts
• 2 ¼-IP Knurled Locknuts

CARDED PRODUCT SOLD IN INNER PACK ONLY.
*Bulk Pack



70660
4 Cap Nuts

Solid Brass
Diameter - ⅜"
Tapped 8-32



70156
13 Assorted Screws

Includes:
- 3 - 8-32 x ½" Brass-Plated
- 3 - 8-32 x ½" Nickel-Plated
- 3 - 8-32 x ¾" Brass-Plated
- 2 - 8-32 x 1" Brass-Plated
- 2 - 8-32 x 2" Brass-Plated



70635
14 Piece Lighting Fixture Repair Kit

Includes:
- 2 - 8-32 x ⅜" Philips Head Screws
- 2 - 8-32 x ½" Knurled Head Screws
- 2 - 8-32 x ⅜" Philips Head Screws
- 2 - 8-32 x ⅜" Knurled Head Screws
- 2 - 8-32 x 1" Cross Bar Screws
- 4 - 8-32 Knurled Knobs



70632 - Brass-Plated ½" Long
70634 - Brass-Plated ¾" Long
3 Knurled Head Steel Screws

Threaded 8-32



70250
Two 1" Diameter Female and Male Loops

Brass Finish
Threaded ⅛-IP
45 lb. Load Rating



70053
Traditional Canopy Kit with Center Hole

Antique Brass Finish
5⅛" Diameter, 7⁄16" Center Hole,
50 lb. Load Rating
Includes: 1 Canopy, 1 Crossbar,
4 Mounting Screws, 1 Lock Washer,
1 Locknut, 1 Screw Collar Loop,
2 Cap Nuts



70038
Modern Canopy Kit with Center Hole

Oil Rubbed Bronze Finish
5" Diameter, 7⁄16" Center Hole,
40 lb. Load Rating
Includes: 1 Canopy, 1 Screw Collar Loop, 2 Mounting Screws,
1 Lock Washer, 1 Locknut



70037
Modern Canopy Kit with Center Hole

White Finish
5" Diameter, 7⁄16" Center Hole
40 lb. Load Rating
Includes: 1 Canopy, 1 Screw Collar Loop, 2 Mounting Screws,
1 Lock Washer, 1 Locknut

70158
2 Lock-Up Caps

White Finish
Diameter - 1 1⁄16"
Tapped ⅛-IP



70169 - Brass Finish
70640 - Nickel Finish
2 Lock-Up Caps

Diameter - 9⁄16"
Tapped ⅛-IP



70052
Traditional Canopy Kit with Center Hole

Brass Finish
5⅛" Diameter, 7⁄16" Center Hole,
50 lb. Load Rating
Includes: 1 Canopy, 1 Crossbar,
4 Mounting Screws, 1 Lock Washer,
1 Locknut, 1 Screw Collar Loop,
2 Cap Nuts



70050
Traditional Canopy Kit with Center Hole

Oil Rubbed Bronze Finish
5⅛" Diameter, 7⁄16" Center Hole,
50 lb. Load Rating
Includes: 1 Canopy, 1 Crossbar,
4 Mounting Screws, 1 Lock Washer,
1 Locknut, 1 Screw Collar Loop,
2 Cap Nuts



†**29453**
70064
White Outlet Concealer

Holes Spaced 2 ¾" Apart
Diameter - 4¾"
Mounts on 3" or 4" Outlet Box
Includes:
- 2 8-32 x ¾" White Head Screws

†Polybagged Bulk Items



†**29452**
70065
White Outlet Concealer Holes

Spaced 3 ½" Apart
Diameter - 4¾"
Holes Spaced 3½" Apart
Mounts on 4" Outlet Box
Includes:
- 2 8-32 x ¾" White Head Screws

†Polybagged Bulk Items

70045
Ceiling Blank-Up Kit

White Finish
Diameter - 5⅛", 7⁄16" Center Hole
Includes:
- 1 Canopy
- 1⅛-IP x 2½" Nipple
- 1⅜-IP x ⅛-IP Reducing Bushing
- 1 Cap Nut

70058
Blank-Up Kit

White Finish
Diameter - 5"
Holes Spaced, 2¾" Apart
Includes:
1 Canopy, 1 Crossbar,
2 Mounting Screws, 2 Cap Nuts



70440
Large 2 ½" Swag Hook Kit

Polished Brass Finish
Includes:
- 1 Hook
- 1 Spring Toggle Wing
- 1 Running Thread Stud: ¼-20 x 2⅞"
- 1 Wood Screw: #14 x 1⅜"
- 45 lb. Load Rating



70770
1 1/2" Swag Hook Kit

White Finish
Includes:
- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2⅞"
- 2 Wood Screws: #10 x 1¼"
- 30 lb. Load Rating



70454
1 1/2" Swag Hook Kit

Oil Rubbed Bronze Finish
Includes:
- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2⅞"
- 2 Wood Screws: #10 x 1¼"
- 30 lb. Load Rating



70444
1 ½" Swag Hook Kit

Brushed Pewter Finish
Includes:
- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2⅞"
- 2 Wood Screws: #10 x 1¼"
- 30 lb. Load Rating



70450
1 ½" Swag Hook Kit

Polished Brass Finish
Includes:
- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2⅞"
- 2 Wood Screws: #10 x 1¼"
- 30 lb. Load Rating



70451
1 ½" Swag Hook Kit

Antique Brass Finish
Includes:
- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2⅞"
- 2 Wood Screws: #10 x 1¼"
- 30 lb. Load Rating



70452
1 ½" Swag Hook Kit

Black Finish
Includes:
- 2 Hooks
- 2 Spring Toggle Wings
- 2 Running Thread Studs: #10-24 x 2⅞"
- 2 Wood Screws: #10 x 1¼"
- 30 lb. Load Rating

CARDED PRODUCT SOLD IN INNER PACK ONLY.
* Bulk Pack



70070
3′ 11 Gauge Fixture Chain

Polished Brass Finish
35 lb. Load Rating



70071
3′ 11 Gauge Fixture Chain

Antique Brass Finish
35 lb. Load Rating



70670
3′ 11 Gauge Fixture Chain

White Finish
35 lb. Load Rating



70481
12′ Swag Kit

Antique Brass Finish
12 Ft. Chain, 15 Ft. Cord
Opaque Gold Cord with Brown Switch
35 lb. Load Rating
Includes:
11 Gauge Chain, SPT-1 Cord Set,
Cord Switch, 2 Swag Hooks,
Mounting Hardware



***21457**
8 Gauge Fixture Chain
Flat Black Finish

50 lb. Load Rating
Sold by the Yard



70219
Clip-On Lamp Adapter

Brass Finish
Threaded ¼-27
Height - 3 1⁄16″, Width - 2⅛″
Depth - ½″
Overall Height - 4″
Clips Onto Medium Base
A Shape Lamps



70220 - 8″
70222 - 10″
70224 - 12″
2-Piece Detachable Harp
Polished Brass Finish



70136 (Carded 2-Pack)
2 Lamp Finials
Brass Finish

Height - 1″
Tapped ¼-27



70131 (Carded 2-Pack)
2 Lamp Finials
Brass Finish

Height - 1¼″
Tapped ¼-27

Box Depth: 0.88″



70130 (Carded 2-Pack)
2 Lamp Finials
Solid Brass

Height - 2″
Tapped ¼-27



70005
Classic Ball Lamp Finial
Oil Rubbed Bronze Finish

Height - 1½″
Tapped ¼-27



70006
Classic Ball Lamp Finial
Brushed Nickel Finish

Height - 1½″
Tapped ¼-27



70133
Acorn Knob Lamp Finial
Brass Finish

Height - 1½″
Tapped ¼-27
Finial Thread Reducer
Tapped ⅛-M to ¼-27- F



70321
Victorian Lamp Finial
Tiffany Antique Brass Finish

Height - 1¼″
Tapped ¼-27



70025
Electrified Candlestick
and Bottle Adapter

Includes:
- 8′ 18 Gauge Cord Set
- Push-Through
  Medium Base Socket
- 150 Watts Max. Rating
- 3 Rubber Bottle Adapters
- Hardware



70099
Fixture Chain Pliers

7″ Long
Works with up to 3 Gauge Chain
Used for Easy Opening
and Closing of Chain Links

CARDED PRODUCT SOLD IN INNER PACK ONLY.
*Bulk Pack



***24109 - 4" Long White**
70370 - 4" Long White (Carded 2-Pack)
Plastic Candle Socket Cover

Candelabra Base
I.D. - 25/32" O.D. - 7/8"



***24140 - 4" Long White**
70371 - 4" Long White (Carded 2-Pack)
Plastic Candle Socket Cover

Medium Base
I.D. - 1 3/32", O.D. - 1¼"



***22532**
Snap-in Outlet with Ground Wire

Black
6" Wire Leads
14 Gauge
15A, 125 Volts
Fits 1" Square Opening
with Green Ground Wire
Height - 7/8"



***21494**
Bare Copper Ground Wire with Lug

18 Gauge
Slips 8/32 Thread
9" Lead



70506 - Brown
Feed-Through On/Off Switch

For Use with No. 18,
SPT-1 Wire Only
3A



70105
8' Cord Set

Gold
Polarized Plug
18-2 SPT-2, 105° Wire
Free ends are Split, Stripped and Tipped



70103
15' Cord Set

Gold
Polarized Plug
18-2 SPT-2, 105° Wire
Free ends are Split, Stripped and Tipped



70098
8' Cord Set

Silver
Polarized Plug
18-2 SPT-2, 105° Wire
Free ends are Split, Stripped and Tipped



70100
8' Cord Set

White
Polarized Plug
18-2 SPT-2, 105° Wire
Free ends are Split, Stripped and Tipped



70101
8' Cord Set

Brown
Polarized Plug
18-2 SPT-2, 105° Wire
Free ends are Split, Stripped and Tipped



70108 - White
6' Cord Set with Snap-In Pigtail Candelabra Base Socket and Cord Switch

No. 18-2, SPT-1, 105° Wire
75 Watts, 125 Volts
Snap-In Spring Fits 1" Hole
Switch is 12" from Socket



***23311 - White**
6' Cord Set with Snap-In Pigtail Candelabra Base Socket

No. 18-2, SPT-1, 105° Wire
75 Watts
125 Volts
Snap-In Spring Fits 1" Hole

CARDED PRODUCT SOLD IN INNER PACK ONLY.
* Bulk Pack

Item#	Page#
01010	88
01011	35
0101108	37
01020	88
0102011	88
01030	89
0103011	89
01036	89
0103611	89
0104011	88
01050	88
0105011	88
0105211	88
01070	89
01100	88
01240	89
01400	88
01525	88
0152511	88
0200011	89
0252511	89
11104	93
12060	94
13206	94
13212	94
13248	94
21003	94
21004	94
21005	94
21006	94
21008	94
21457	96
21494	97

Item#	Page#
22127	92
22150	93
22212	92
22213	92
22215	92
22217	92
22220	92
22259	92
22267	92
22306	93
22370	92
22371	92
22372	92
22381	92
22382	92
22403	93
22411	93
22453	93
22454	93
22456	93
22457	93
22470	93
22471	93
22472	93
22490	93
22491	93
22504	92
22532	97
22560	93
22562	93
23311	97
24109	97
24140	97

Item#	Page#
29452	95
29453	95
61006	9
61007	15
61008	15
61009	11
61012	8
61013	11
61024	34
61026	15
61037	6
61057	15
61064	15
61067	50
61068	50
61069	50
61070	24
61071	23
61075	49
61103	30
61104	5
61107	8
61111	11
61114	6
61115	6
61119	18
61120	18
61121	26
61122	26
61125	42
61126	44
61128	42
61129	46

Item#	Page#
61130	42
61132	47
61133	44
61134	40
61135	40
61139	51
61141	40
61143	42
61144	40
61146	40
61153	6
61155	28
61156	28
61157	28
61158	28
61159	20
61160	5
61161	27
61162	27
61163	7
61164	4
61166	12
61174	17
61175	33
61176	33
61177	20
61179	9
61180	9
61182	27
61183	26
61184	7
61192	25
61193	16

Item#	Page#
61194	7
61195	13
62034	47
62040	42
62041	47
62043	47
62044	46
62045	48
62046	47
62048	48
62274	6
62275	6
62278	28
62279	28
62301	44
62303	48
62306	49
62307	49
62309	44
63005	35
63006	35
63008	35
63012	35
63013	35
63015	31
63019	31
63040	28
63041	28
63048	22
63065	19
63073	29
63074	29
63075	29
63079	11
63082A	10
63084A	10
63085A	10
63092	15
63096	7
63099	7
63120	45
63135	43
63137	43
63143	43
63150	45
63156	38
63157	38
63236	9
63240	25
63241	17
63266	28
63268	8
63276	29
63278	29
63282	5
63283	5
63288	15
63289	14
63290	14
63316	25
63318	5
63319	5
63325	12
63332	27
63336	5
63346	10
63348	43
63351	41
63360	16
63363	30
63372	9
63379	29
63384	13
63393	44
63394	44
63399	39
63418	5
63420	4
63421	29
63422	16
63433	4
63434	30
63435	30
63438B	29
63444	22
63445	22
63447	12
63448	30
63449	30
63450	4
63455	7
63456	7
63465	13
63470	39
63478	41
63479	42
63512	9
63514	4
63515	4
63516	4
63517	4
63536	5
63540	28
63541	28
63546	12
63548	30
63553	11
63563	13
63564	15
63565	15
63566	8
63567	8
63577	41
63588	41
63608	46
63609	46
63610	42
63619	8
63620	8
63621	8
63622	9
63623	9
63627	6
63632	12
63642	51
63643	51
63663	14
63684	4
63691	25
63695	25
63697	9
63698	9

Item#	Page#
63702	16
63703	16
63704	30
63706	17
63713	14
63714	14
63715	14
63721	26
63723	11
63726	26
63731	43
64000	48
64001	49
64002	48
64003	47
64005	21
64011	23
64291	21
64292	21
64302	21
64304	22
64305	22
64617	32
64684	49
64688	49
65738	19
65745	27
65781	44
65783	43
65784	48
65785	44
65788	41
65790	51

Item#	Page#
65796	40
65807	38
66206	22
66223	18
66297	22
66402	32
66403	32
66406	33
66411	33
66449	33
66450	33
66496	32
66497	32
66595	33
66607	24
66610	23
66611	23
66680	24
66699	23
66741	48
66746	48
66800	52
66803	52
66808	53
66818	52
66822	53
66823	53
66853	50
66878	52
66882	52
66885	52
66898	49
66919	52

Item#	Page#
66924	50
66949	52
66955	53
66964	50
66971	50
66972	49
66975	53
66976	53
66983	50
66991	53
67202	23
67208	24
67210	23
67328	45
67345	22
67831	49
67834	50
67835	51
67836	51
67901	53
70005	96
70006	96
70025	96
70032	85
70037	95
70038	95
70045	95
70050	95
70052	95
70053	95
70058	95
70064	95
70065	95

Item#	Page#
70070	96
70071	96
70098	97
70099	96
70100	97
70101	97
70103	97
70105	97
70108	97
70111	94
70112	94
70113	94
70114	94
70130	96
70131	96
70133	96
70136	96
70145	92
70150	94
70151	94
70153	94
70156	95
70158	95
70160	93
70161	93
70162	94
70168	86
70169	95
70172	94
70219	96
70220	96
70222	96
70224	96

Item#	Page#
70250	95
70270	94
70272	94
70284	34
70285	34
70286	34
70287	34
70290	93
70321	96
70350	94
70370	97
70371	97
70403	92
70407	92
70413	92
70421	92
70425	92
70431	92
70440	95
70444	95
70450	95
70451	95
70452	95
70454	95
70481	96
70506	97
70601	94
70602	94
70603	94
70604	94
70606	94
70621	94
70622	94

Item#	Page#
70628	94
70632	95
70634	95
70635	95
70640	95
70660	95
70661	84
70670	96
70770	95
72059	57
72077	58
72078	58
72090	62
72091	59
72096	65
72170	76
72171	57
72172	76
72178	75
72205	67
72215	68
72216	68
72225	68
72236	74
72240	72
72242	63
72246	74
72247	74
72248	60
72249	60
72251	67
72255	60
72307	73

Item#	Page#
72308	73
72312	71
72313	70
72319	70
72320	66
72323	66
72324	66
72334	75
72336	63
72338	64
72341	63
72344	72
72362	75
72364	64
72366	74
72371	64
72381	61
73038	66
73049	57
73050	68
73051	68
73052	69
73054	63
73057	57
74001B	67
74003B	56
74004B	75
75007	54
75008	54
75009	54
75011	54
75012	54
75013	54

Item#	Page#
75014	54
75015	54
75016	54
75051	55
75052	55
75053	55
77005	84
77007	84
77012	86
77013	84
77014	84
77015	85
77021	86
77022	86
77023	86
77027	87
77028	87
77035	87
77037	87
77044	86
77047	85
77049	86
77050	86
77052	86
77054	86
77059	85
77064	86
77066	86
77084	84
77087	84
77093	84
77103	84
77217	84

Item#	Page#
77220	84
77224	84
77238	86
77240	83
77243	83
77254	83
77401	85
77402	85
77406	85
77411	85
77414	85
77415	85

Item#	Page#
77416	85
77417	85
77492	83
77526	83
77732	87
77733	87
77845	83
77846	83
77847	83
77848	83
77849	83
77851	83

Item#	Page#
77853	83
77870	82
77872	82
77873	82
77875	82
77879	82
78003	61
78024	66
78127	61
78409	61
78614	61
81095	37

Item#	Page#
81242	90
81272	37
81277	37
81333	37
81422	37
81493	91
81494	91
81592	90
81609	90
81720	90
81759	91
81800	90

Item#	Page#
81807	90
81819	90
81869	91
83062	91
83070	91
83072	91

Item#	Page#
83090	91
83091	91
83100	91
85033	36
85100	90
85254	91

Item#	Page#
85570	91
85571	91
85578	90
85606	90
85608	90
85613	90

Item#	Page#
85617	90
85705	91
85707	91
85757	90

NOTES

Westinghouse

2022 WESTINGHOUSE LIGHTING / 0125 / MADP0124 / 1500 / 125350 / 0033324L

Call 1-800-999-2226 or visit www.westinghouselighting.com.

Ⓦ and Westinghouse are trademarks of Westinghouse Electric Corporation.
Used under license by Westinghouse Lighting. All Rights Reserved.