SAFETY DATA SHEET

SDS-00041 [Thomas & Betts HM53A]

Section 1. Identification

GHS product identifier : SDS-00041 [Thomas & Betts HM53A]

Product code : (See Section 16)

Other means of identification : Not available.

Product type : Solid.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Corrosion inhibitor.

Area of application : Consumer applications.

Manufacturer : ABB Installation Products Inc.
860 Ridge Lake Blvd.
Memphis, TN 38120, US

Telephone no.: 1-888-862-3289

Emergency telephone number (with hours of operation) : INFOTRAC – 24 Hours 1-800-535-5053
+1 352-323-3500 (Outside USA)

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.

Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Other means of identification : Not available.

Ingredient name	Other names	%	Identifiers
zinc oxide	-	≥1 - ≤5	CAS: 1314-13-2

Chemical name, CAS number and/or exact concentration have been withheld as a trade secret.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use dry chemical or CO_2. Foam

Unsuitable extinguishing media : Do not use water jet.

Specific hazards arising from the chemical : No specific fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition products may include the following materials:
metal oxide/oxides
carbon oxides

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : Keep away from children.Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
zinc oxide	**ACGIH TLV (United States, 1/2025)** TWA 8 hours: 2 mg/m³. Form: Respirable fraction. STEL 15 minutes: 10 mg/m³. Form: Respirable fraction. **NIOSH REL (United States, 10/2020)** TWA 10 hours: 5 mg/m³. Form: Dust and fumes. STEL 15 minutes: 10 mg/m³. Form: Fume. CEIL: 15 mg/m³. Form: Dust. **OSHA PEL (United States, 5/2018)** TWA 8 hours: 15 mg/m³. Form: Total dust. TWA 8 hours: 5 mg/m³. Form: Respirable fraction. TWA 8 hours: 5 mg/m³. Form: Fume. **CAL OSHA PEL (United States, 1/2025)** TWA 8 hours: 5 mg/m³. Form: respirable fraction. TWA 8 hours: 10 mg/m³. Form: total dust. STEL 15 minutes: 10 mg/m³. Form: fumes. TWA 8 hours: 5 mg/m³. Form: fumes.

Biological exposure indices

None known.

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Section 8. Exposure controls/personal protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state : Solid. [Paste.Thick grease.]

Color : Gray.

Odor : Not available.

Odor threshold : Not available.

pH : Not available.

Melting point/freezing point : Not available.

Boiling point or initial boiling point and boiling range : Not available.

Flash point : Closed cup: >260°C (>500°F)

Evaporation rate : Not available.

Flammability : Not Flammable

Lower and upper explosion limit/flammability limit : Not applicable.

Vapor pressure : Not available.

Relative vapor density : Not applicable.

Relative density : Not available.

Density : Not available.

Solubility(ies) : Not available.

Partition coefficient: n-octanol/water : Not applicable.

Auto-ignition temperature : Not applicable.

Decomposition temperature : Not available.

SADT : Not available.

Viscosity : Dynamic (room temperature): Not applicable.
Kinematic (room temperature): Not applicable.
Kinematic (40°C (104°F)): Not applicable.

Particle characteristics

Median particle size : Not available.

Other information

Physical/chemical properties comments : No additional information.

United States

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.
Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : Avoid excessive heat.

Incompatible materials : No specific data.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	
zinc oxide	**Rat - Male, Female - Dermal - LD50** >2000 mg/kg	OECD [Acute Dermal Toxicity]

Conclusion/Summary [Product] : Not available.

Skin corrosion/irritation

Product/ingredient name	Result
zinc oxide	**Rabbit - Skin - Mild irritant** Duration of treatment/exposure: 24 hours Amount/concentration applied: 500 mg

Conclusion/Summary [Product] : Not available.

Serious eye damage/eye irritation

Product/ingredient name	Result
zinc oxide	**Rabbit - Eyes - Mild irritant** Duration of treatment/exposure: 24 hours Amount/concentration applied: 500 mg

Conclusion/Summary [Product] : Not available.

Respiratory corrosion/irritation

Conclusion/Summary [Product] : Not available.

Section 11. Toxicological information

Respiratory or skin sensitization

Skin

Conclusion/Summary [Product] : Not available.

Respiratory

Conclusion/Summary [Product] : Not available.

Germ cell mutagenicity

Conclusion/Summary [Product] : Not available.

Carcinogenicity

Conclusion/Summary [Product] : Not available.

Reproductive toxicity

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Not available.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

United States

Section 11. Toxicological information

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary [Product] : Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Reproductive toxicity : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral(mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
SDS-00041 [Thomas & Betts HM53A]	N/A	50000	N/A	N/A	N/A
zinc oxide	N/A	2500	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	
zinc oxide	**Acute - LC50 - Fresh water** Fish - Rainbow trout,donaldson trout - *Oncorhynchus mykiss* Weight: 0.78 g 1.1 ppm [96 hours]	Effect: Mortality US EPA
	Acute - EC50 - Fresh water Daphnia - Water flea - *Daphnia magna* - Neonate Age: <24 hours 0.481 mg/l [48 hours]	Effect: Intoxication OECD
	Acute - IC50 - Marine water Algae - Diatom - *Skeletonema costatum* 1.85 mg/l [96 hours]	Effect: Population ASTM, OECD
	Chronic - NOEC - Fresh water Daphnia - *Daphnia magna* 0.04 mg/l [21 days]	OECD [Daphnia Magna Reproduction Test]

United States

Section 12. Ecological information

Conclusion/Summary [Product] : Not available.

Persistence and degradability

Conclusion/Summary [Product] : Not available.

Bioaccumulative potential

Product/ingredient name	$LogP_{ow}$	BCF	Potential
zinc oxide	-	28960	High

Mobility in soil

Soil/Water partition coefficient : Not available.



Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	IMDG	IATA
UN number	Not regulated.	UN3077	UN3077
UN proper shipping name	-	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide)
Transport hazard class(es)	-	9 	9 
Packing group	-	III	III
Environmental hazards	No.	Yes.	Yes.

Additional information

United States

Section 14. Transport information

IMDG : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

IATA : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) CDR Exempt/Partial exemption**: Not determined

United States inventory (TSCA 8b): All components are active or exempted.

Clean Water Act (CWA) 307: zinc oxide

TSCA 12(b) - Chemical export notification

Not applicable.

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Classification
zinc oxide	≥1 - ≤5	EYE IRRITATION - Category 2B

SARA 313

Section 15. Regulatory information

	Product name	CAS number	%
Form R-Reporting requirements	zinc oxide	1314-13-2	≥1 - ≤5
Supplier notification	zinc oxide	1314-13-2	≥1 - ≤5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts : The following components are listed: ZINC OXIDE FUME

New York : None of the components are listed.

New Jersey : The following components are listed: ZINC OXIDE

Pennsylvania : The following components are listed: ZINC OXIDE FUME

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

Other special considerations : **Product codes**

3244, 1 A 2129-750, 1 A 2264-400, 1 A 2264-500, 1 A 2270-250, 1 A 2270-3/0, 1YRJ1, 1YRJ2, 1YRJ3, 1YRJ4, 1YRJ5, 1YRJ6, 1YRJ7, 1YRJ8, 1YRJ9, 1YRK1, 1YRK2, 1YRK3, 1YRK4, 1YRK5, 1YRK6, 1YRK7, 1YRK8, 1YRK9, 1YRL1, 1YRL2, 1YRL3, 1YRL4, 1YRL5, 1YRL6, 20001 80610033518, 20002 (80611627649), 20003 (80610033534), 20004 (80610033542), 20005 (80610033559), 20006 (80610033567), 20007 (80610033575), 20008 (80610033583), 20009 (80610033591), 20010 (80610033609), 20011 (80610033617), 20012 (80610033625), 20014 (80610033633), 20016 (80610033641),20019(80610033658), 20020 (80610033666), 20024 (80610033674), 2051-4, 2051-7, 2081-1000, 2081-350, 2081-4/0, 2081-500, 2081-750, 2081-75608, 2098-1, 2098-2, 3000-1, 3000-10, 3000-11, 3000-12, 3000-15, 3000-16, 3000-17, 3000-19, 3000-2, 3000-20, 3000-22, 3000-23, 3000-24, 3000-25, 3000-26, 3000-3, 3000-4-HM, 3000-5, 3000-6, 3000-7, 3000-9-HM, 3010-1, 3010-13, 3010-2 TN, 3010-24, 3010-28 TN, 3010-36 TN, 3010-4, 3010-43 TN, 3010-7, 3010-8 TN, 3164-1, 3164-2, 3164-3, 3164-4, 3164-5, 3164-6, 3164-6 TN, 3164-7, 3M 69KV,500KCMIL SPL, 40016 (80610033682), 40020 (80610033690), 40024 (80610033708), 40025 (80610033716), 40028 (80610033724), 40029 (80610033732), 40032 (80610033740), 40033 (80610033757), 40037 (80610033765), 40041 (80610033773), 40045 (80610033781), 40046 (80610033799), 40049 (80610033807), 40050 (80610033815), 40053 (80610033823), 40056 (80610033831), 40057 (80610033849), 40067 (80610033856), 40073 (80610033864), 40079 (80610033872), 40132 (80610033880), 40137

Section 16. Other information

(80610033898), 40141 (80610033906), 40145 (80610033914), 40149 (80610033922), 40153 (80610033930), 40156 (80610033948), 40160 (80610033955), 40166 (80610033963), 40170 (80610033971), 40172 (80610033989), 40178 (80610033997), A 350 B 350 T 60, A 4/0 B 4/0 T 45, A6M2T2-250-250, A7M-40-4NN-MBH, AAL 500 N, AAPT 1/0, AAPT 1/0-90, AAPT 2/0-90, AAPT 2-90, AAPT 350, AAPT 350-90, AAPT 4/0-90, AAPT 4-90, AAPT 500-90, AAPT 700-90, AASL 500 N, AAT 350-350, AAT 4/0-4/0,ABB 2GHV036168A0001, ABB 552A054-01, ABB 552A054-02, ABB 552A054-03, ABB 552A054-04, ABB 552A054-05, ABB 552A054-06, ABB 552A054-07, ABB 552A054-08, ABB 552A054-09, ABB 552A054-10, ABB 552A054-11, ABB 552A054-12, ABB 552A054-13, ABB 552A054-14, ABB 552A054-15, ABB 552A054-16, ABB 552A054-19, ABB 552A054-20, ABB 552A054-25, ABB 552A054-26, ABB 552A054-27, ABB 552A054-30, ABB 552A054-32, ABB 552A054-33, ABB 552A054-34, ABB 552A054-36, ABB 552A054-37, ABB 552A054-38, ABB 552A054-39, ABB 552A064-01, ABCE-P-90-MBH, ABC-L-MBH, ABD 350-66 SL, ABD 4350 SLL, ABD 4500-1, ABD 4500-58, ABD 6350 SL, ABD 6350 SL SB 12CLR, ABD 6350 SLL, ABD 6350-1 SL, ABD 6350-1 SLL, ABD 6500-1 SL,ABD 6500-1 SLC, ABD 6500-58 SL, ABD 8350 SL, ABD 8350 SLC, ABD 8350 SLCSS, ABD 8350 SLL, ABD 8350 SLLCSS, ABD 8350-1 SL,ABD 8350-1 SLC, ABD 8350-1 SLCSS, ABD 8350-1 SLL, ABD 8350-1 SLLCSS, ABPG 4350 SLECC, ABPG 4350 SLECCK, ABR2-P-250-MBH, ABR-P-250-MBH, AC 1 TN, AC 1/0 R 2, AC 1/0 R 2 TN, AC 1/0 R 3, AC 1/0 R 4, AC 1/0 R 6, AC 1/0 TN, AC 1/0-HM, AC 1000, AC 1000 R 750, AC 1000 T, AC 2 R 4, AC 2 TN, AC 2/0 TN, AC 2/0-HM, AC 250 TN, AC 2-HM, AC 3/0 R 1/0, AC 3/0 TN, AC 300 TN, AC 350 R 4/0, AC 350 R 4/0 TN, AC 350 T, AC 350 TN, AC 350-HM, AC 4 TN, AC 4/0 R 2/0, AC 4/0 TN, AC 4/0-HM, AC 400 TN, AC 500, AC 500 R 350, AC 500 R 400 TN, AC 500 TN, AC 500-10 TNWE, AC 600, AC 600 R 350, AC 600 R 400, AC 600 TN, AC 750, AC 750 R 500, AC 750 TN, AC 800, AC 800 R 600, AC 800-608, ACL-1036-4NNR, ACL-1216-3NNP-8-EHV, ACL-1246-4N15R, ACL-1246-4NNR, ACL-1737-4NR, ACL2-1036-9NNP-8-EHV,ACL-2200-4NN90R, ACL-2200-4NNR, ACL-372-4NN, ACL-736-4NN90R, ACL-736-4NR, AL 1/0 N, AL 1/0 NGSH, AL 1/0 NTN, AL 1/0-38 TN, AL 1/0-48, AL 1/0-48 TN, AL 100 MMNTN, AL 100 MMNTN 45, AL 1000 CPTNTN, AL 1000 N, AL 1000 N 90, AL 1000 NCP, AL 1000 NGSH, AL 1000 NMS, AL 1000 NMS 45, AL 1000 NMSNP, AL 1000 NTN, AL 1000 NTNV, AL 1000 SSN, AL 1000-4 N, AL 1000-4 N 45, AL 1000-4 N 90, AL 1000-4 NTN, AL 1000-48 TN, AL 1000-58 MS, AL 1033-4 N, AL 1033-4 N 90, AL 1-14 TN, AL 1250 NGSH, AL 1250 NTN, AL 1250-4 NTN, AL 1272-4 N 90, AL 1-38 TN, AL 1500 N, AL 1500 NTN, AL 1590-4NN-EHV-TP, AL 2/0 N, AL 2/0 NTN, AL 2/0-38 TN, AL 2/0-48, AL 2/0-48 TN, AL 2000-4 NEHV, AL 2000-4NN, AL 2-14 TN, AL 2-38, AL 2-38 TN, AL 2-48, AL 2-48 TN, AL 250 N, AL 2500-4 N, AL 250-48, AL 250-48 TN, AL 3/0 N, AL 3/0 NTN, AL 3/0 NULP, AL 3/0-38 TN, AL 3/0-48, AL 3/0-48 TN, AL 300 N, AL 300 NTN, AL 300-48 TN, AL 3061-1, AL 3061-2, AL 336 NSC, AL 336 NSC 90, AL 350 N, AL 350 N 15, AL 350 N 20 HS, AL 350 N 24 HS, AL 350 NLLTN, AL 350 NLTN (LEFT), AL 350 NRTN (RIGHT), AL 350 NTN, AL 350 NTN 90, AL 350-48, AL 350-48 LTN (LEFT), AL 350-48 TN, AL 4/0 N, AL 4/0 NGSH, AL 4/0 NTN, AL 4/0 NTN 45, AL 4/0 NTN 90, AL 4/0 NTNV, AL 4/0 NUTN, AL 4/0-38 TN, AL 4/0-48, AL 4/0-48 RTN, AL 4/0-48 TN, AL 400 N, AL 400 N 16 HS, AL 400 N 24 HS, AL 400 N 90, AL 400 NTN, AL 400-38 TN, AL 400-48, AL 400-48 TN, AL 400-58 TN, AL 4-14 TN, AL 4-38 TN, AL 4-516, AL 4-516 TN, AL 500 N, AL 500 N 20 HS, AL 500 N 24 HS, AL 500 N 32 HS, AL 500 N 608, AL 500 N 90, AL 500 NLTN, AL 500 NRTN, AL 500 NTN, AL 500 NTN 45, AL 500 NTN 90, AL 500-38, AL 500-4 N, AL 500-4 NTN, AL 500-48, AL 500-48 SB, AL 500-48 TN, AL 500-58 TN, AL 600 N, AL 600 N 20 HS, AL 600 N 32 HS, AL 600 N 608 TN, AL 600 NTN, AL 600-48 TN, AL 600-58 TN, AL 605 NSC, AL 605 NSC 90, AL 6-14 TN, AL 700 N 608, AL 700 N 608 TN, AL 700-258-608 TN, AL 750 CPTNTN, AL 750 N, AL 750 N 20 HS, AL 750 N 32 HS, AL 750 N 608, AL 750 N 608 GSH, AL 750 N 608 TN, AL 750 N 90, AL 750 N 90, AL 750 NTN, AL 750 NTN 90, AL 750-48 TN, AL 750-58 TN, AL 800 N, AL 800 N 608, AL 800 NTN, AL 800 NTN-SSH, AL 954 NMS, AL250 NTN / SA4/0NTN, ALCC-50-4N, AMT20, AMT20-B1-5R, AMT250, AMT350, AMT500, AMTC4, AMTD20142, AMTD20143, AMTD20144, AMTD20145, AMTD20146, AMTD250103, AMTD250104, AMTD250105,

Section 16. Other information

AMTD250106, AMTD25062, AMTD25063, AMTD25064, AMTD25065, AMTD25066, AMTD350103, AMTD350104, AMTD350105, AMTD350106, AMTD35062, AMTD35063, AMTD35064, AMTD35065, AMTD35066, AMTD4142, AMTD4143, AMTD4144, AMTD4145, AMTD4146, AMTD50042, AMTD50043, AMTD50044, AMTD50045, AMTD50046, AMTD50063, AMTD50064, AMTD50065, AMTD50066, AMTD7502502, AMTD7502503, AMTD7502504, AMTD7502505, AMTD7502506, AMTS20142, AMTS20143, AMTS20144, AMTS20145, AMTS20146, AMTS250108, AMTS25062, AMTS25063, AMTS25064, AMTS25065, AMTS25066, AMTS350103, AMTS350104, AMTS350105, AMTS350106, AMTS35062, AMTS35063, AMTS35064, AMTS35065, AMTS35066, AMTS414, AMTS4142, AMTS4143, AMTS4144, AMTS4145, AMTS4146, AMTS50042, AMTS50043, AMTS50044, AMTS50045, AMTS50046, AMTS7502502, AMTS7502503, AMTS7502504, AMTS7502505, AMTS7502506, AMTSR10, AMTSR250, AMTSR350, AMTSR500, AMTT20, AMTT250, AMTTC4, APA-1, APA-1/0, APA-2, APA-2/0, APA-250, APA-3/0, APA-300, APA-350, APA-4, APA-4/0, APA-400, APA-500, APA-6, APA-600, APA-750, APH 2/0, APH 350, APH 4/0, APH 500, ARU-50C-40C, ARU-75C-40C, ARU-75C-40C-BC, ASA 6 N 1 W/JAM NUT, ASA 6 N W/JAM NUT, ASC 1 TN, ASC 1/0, ASC 1/0 NCS, ASC 1/0 TN, ASC 1000, ASC 1000 CPT, ASC 1000 TN, ASC 1250, ASC 1250 TN, ASC 1250-6.5, ASC 1250-6.5 TN, ASC 1500, ASC 1500 TN, ASC 2, ASC 2 TN, ASC 2/0, ASC 2/0 R 1/0, ASC 2/0 R 1/0 TN, ASC 2/0 R 2, ASC 2/0 TN, ASC 250, ASC 250 TN, ASC 3/0, ASC 3/0 TN, ASC 300, ASC 300 TN, ASC 350, ASC 350 TN, ASC 4, ASC 4 TN, ASC 4/0, ASC 4/0 R 2/0, ASC 4/0 TN, ASC 400, ASC 400 TN, ASC 4225, ASC 4226, ASC 4227, ASC 500, ASC 500 R 2 TN, ASC 500 R 2/0, ASC 500 TN, ASC 6, ASC 6 TN, ASC 600 TN, ASC 6001 TN, ASC 6003 TN, ASC 6012, ASC 6037, ASC 750, ASC 750 R 400 STN, ASC 750 R 500, ASC 750 R 500 TN, ASC 750 R 500-608, ASC 750 TN, ASC 750-608, ASC 800 TN, ASC1250 R750-7046 TN, ASL 1/0 N, ASL 1/0 NK, ASL 1/0 NTN, ASL 1000 N, ASL 1000 NTN, ASL 1000 SSN, ASL 1000 SSNTN, ASL 2 N, ASL 2 NTN, ASL 2/0 N, ASL 2/0 NTN, ASL 2/0-48, ASL 250 N, ASL 3/0 N, ASL 3/0 NTN, ASL 300 N, ASL 300 NTN, ASL 350 N, ASL 350 NK, ASL 350 NTN, ASL 350 NTNK, ASL 350-48 TN, ASL 4 NTN, ASL 4/0 N, ASL 4/0 NK, ASL 4/0 NTN, ASL 4/0 NTNK, ASL 4/0-48 TN, ASL 400 N, ASL 400 NTN, ASL 500 N, ASL 500 NK, ASL 500 NTN, ASL 500 NTNK, ASL 500-258 NTN, ASL 600 N, ASL 600 NK, ASL 600 NTN, ASL 750 N, ASL 750 N 608, ASL 750 N 608 TN, ASL 750 NK, ASL 750 NTN, ASL 750 NTNK, ASL 800 NTN, ASL 800 NTNK-SSH, ASL250NTN/SASL4/0NTN, ASRR350, AT 1/0-1/0, AT 2/0-2/0, AT 336-336, AT 350-350, AT 4/0-4/0, AT 500-4/0, AT 500-500, ATC 1, ATC 1 R 2, ATC 1/0, ATC 1/0 R 2, ATC 1/0 R 2 TN, ATC 1/0 R 4, ATC 1/0 R 4 TN, ATC 1/0 R 6 TN, ATC 1/0 TN, ATC 1000, ATC 1000 CPT, ATC 1000 R 500, ATC 1000 R 750, ATC 1000 R 750-7, ATC 1000-7, ATC 1250, ATC 1250 R 750, ATC 1250-7, ATC 1500, ATC 1750, ATC 2, ATC 2 R 4, ATC 2 TN, ATC 2/0, ATC 2/0 R 1/0, ATC 2000, ATC 2000 R 1250, ATC 3 TN, ATC 3/0, ATC 3/0 R 1/0, ATC 3/0 R 1/0 TN, ATC 3/0 R 2, ATC 3/0 R 2 TN, ATC 3/0 R 4 TN, ATC 3/0 TN, ATC 300, ATC 300 R 3/0 TN, ATC 300 R 4/0 TN, ATC 350, ATC 350 R 1/0, ATC 350 R 2, ATC 350 R 2/0, ATC 350 R 3/0, ATC 350 R 4/0, ATC 350 R 4/0 TN, ATC 350 TN, ATC 4/0 R 1/0, ATC 4/0 R 1/0 TN, ATC 4/0 R 2 TN, ATC 4/0 R 2/0, ATC 4/0 R 2/0 TN, ATC 4/0 TN, ATC 4/0-HM, ATC 400, ATC 400 R 300 TN, ATC 400 R4/0-1.320TN, ATC 500, ATC 500 R 1/0, ATC 500 R 1/0 TN, ATC 500 R 250 TN, ATC 500 R 300 TN, ATC 500 R 350, ATC 500 R 350 TN, ATC 500 R 4/0, ATC 500 R 4/0 TN, ATC 500 TN, ATC 5789, ATC 600, ATC 600 TN, ATC 750, ATC 750 R 350, ATC 750 R 4/0, ATC 750 R 500, ATC 750 R 500 TN, ATC 750 R 500-6, ATC 750 R 500-7, ATC 750 TN, ATT 2/0-2, ATT 2-2, ATT 350-350, ATT 4/0-2, ATT 4/0-4/0, ATT 500-500, AYCT2-2/0-250, AYCT2-350-250, AYTK-50-2N, BMS 1 C, BMS 1/0 C, BMS 2 C, BMS 2/0 C, BMS 250 C, BMS 3/0 C, BMS 300 C, BMS 350 C, BMS 4 C, BMS 4/0 C, BMS 400 C, BMS 500 C, BMS 6 C, BMS 600 C, BMS 750 C, BPC 1, BPC 1/0, BPC 2, BPC 2/0, BPC 250, BPC 3/0, BPC 300, BPC 350, BPC 4, BPC 4/0, BPC 400, BPC 500, BPC 6, BPC 600, BPC 750, CAB 350 NTN, CAD 1590-4 N, CAK 3/0 NTN, CAK 4/0 NUE, CAL 1000 N, CAL 1000 NTN, CAL 750 NTN, CAL 800 NTN, CAL1, CAL10, CAL2, CAL20, CAL30, CAL4, CAL40, CAL6, CAM 500 NTN, CAN 300 NHQ, CAN 400 NHQ, CAN 750 NHQ, CC 812 L/82680, CC 812 R/82681, CCAL 750 N, CCAL 800 N, CCAS 750, CCAS 800, CCE 125 & CLD 20, CCF 250/82678A01, CCL 600/82679,

Section 16. Other information

CCQ 225/82677, CEC 2A603006P01, CEC 2A603006P03, CEC 2A603006P04, CEC 2A603006P06, CEC 2A603006P09, CEC 2A603006P12, CEC 2A603006P15, CEC 2A603006P19, CFA 500 NTN, CFA 500-48, CFA 500-48 TN, CFB 250 CSH, CFB 350 CS, CFB 350 CSH, CFB 350 CSTNCAB, CFB 350 HS, CFB 350 HSH, CFB 350 TN, CFG 1 CS, CFG 1 CSCAB, CFG 1 HSHSS, CFG 1/0 CS, CFG 1/0 CSCAB, CFG 1/0 CSH, CFG 1/0 CSTNCAB, CFG 1/0 HS, CFG 1/0 HSH, CFG 1/0 HSHSS, CFG 1/0 TN, CFG 2 CS, CFG 2 CSCAB, CFG 2 CSH, CFG 2 CSTNCAB, CFG 2 HS, CFG 2 HSH, CFG 2 HSHSS, CFG 340 HS, CFG 4 CS, CFG 4 CSCAB, CFG 4 CSH, CFG 4 HS, CFG 4 HSHSS, CFG 6, CFG 6 CS, CFG 6 CSH, CFG 6 HS, CFG 8 CS, CFG 8 CSCAB, CFG 8 CSH, CFG 8 HS, CFK 1/0 CS, CFK 1/0 CSCAB, CFK 1/0 CSH, CFK 1/0 HS, CFK 2/0 CS, CFK 2/0 CSCAB, CFK 2/0 CSH, CFK 2/0 HS, CFK 2/0 HSH, CFK 2/0 HSHSS, CFK 250 CS, CFK 250 CSH, CFK 250 CSPR, CFK 250 HS, CFK 250 HSHSS, CFK 3/0 CS, CFK 3/0 CSH, CFK 3/0 CSTNCAB, CFK 3/0 HS, CFK 3/0 HSHSS, CFK 4/0 CS, CFK 4/0 CSCAB, CFK 4/0 CSH, CFK 4/0 CSTNCAB, CFK 4/0 HS, CFK 4/0 HSH, CFK 4/0 HSHSS, CI-CSA-2-1/0-H, CI-CSA-2-250-H, CI-CSA-2-3/0-H, CI-CSA-2-350-H, CI-CSA-2-4/0-H, CI-CSA-2-500-H, CI-CSA-2-750-H, CLF 350, CLL 350, CLL 600, CLL 750, CLN 500 L/802834, CLN 500 R/802835, CMP 100, CSB 2/0-2, CSB 2/0-2 S, CSB 2/0-2-5R, CSB 2/0-2S-5R, CSB 2/0-3, CSB 2/0-3 S, CSB 2/0-4, CSB 2/0-4 S, CSB 2/0-5, CSB 2/0-5 S, CSB 2/0-6, CSB 2/0-6 S, CSB 2/0-7, CSB 2/0-8, CSB 250-2, CSB 250-2 S, CSB 250-2-3R, CSB 250-3, CSB 250-3 S, CSB 250-4, CSB 250-4 S, CSB 250-5, CSB 250-5 S, CSB 250-6, CSB 250-6 S, CSB 250-7, CSB 250-8, CSB 250-8 S, CSB 350-2, CSB 350-2 S, CSB 350-3, CSB 350-3 S, CSB 350-4, CSB 350-4 S, CSB 350-5, CSB 350-5 S, CSB 350-6, CSB 350-6 S, CSB 350-7, CSB 350-8, CSB 350-8 S, CSB 4-2, CSB 4-2 S, CSB 4-2-8R, CSB 4-2S-8R, CSB 4-3, CSB 4-3 S, CSB 4-4, CSB 4-4 S, CSB 4-4 SAH, CSB 4-5, CSB 4-5 S, CSB 4-6, CSB 4-7, CSB 4-8, CSB 500-2, CSB 500-2 S, CSB 500-3, CSB 500-3 S, CSB 500-4, CSB 500-4 S, CSB 500-5, CSB 500-5 S, CSB 500-6, CSB 500-6 S, CSB 500-7, CSB 500-8, CSB 500-8 S, CSB 750-10, CSB 750-2, CSB 750-2 S, CSB 750-3, CSB 750-4, CSB 750-5, CSB 750-6, CSB 750-7, CSB 750-8, CSB PROMODISPLAYKIT, CSG 500-4, CSG 750-10, CSG 750-4, CSG 750-6, CSG 750-8, CSR 2/0, CSR 250, CSR 350, CSR 500, DF 175-350, DF 175-500, DHB 350, DHB 350 CSN, DHB 500, DHK 1, DHK 1/0, DHK 1/0 CS, DHK 2, DHK 2 CS, DHK 2/0, DHK 2/0 CS, DHK 250 CSN, DHK 3/0 CS, DHK 300, DHK 4 CS R3, DHK 4 CSN, DHK 4/0, DHK 4/0 CS,DYU 2, DYU 6, DYU-M, DYU-M V1, E MOLD 00400200, E MOLD 00400210, E MOLD 00400220, E MOLD 00400230, E MOLD 00400240, E MOLD 00400250, E MOLD 00400260, E MOLD 00400270,E MOLD 00500210, E MOLD 00500220, E MOLD 00500230, E MOLD 00500240, E MOLD 00500250, E MOLD 00500260, E MOLD 00500270, E MOLD 00501230, E MOLD 00501240, E MOLD 00700200/210, E MOLD 00700220, E MOLD 00700230, E MOLD 00700240, E MOLD 00700250, E MOLD 00700260, E MOLD 00700270, E MOLD 00701210, E MOLD 00701220, E MOLD 00701230, E MOLD 00701240, E MOLD 00701250, E MOLD 00701260, E MOLD 00701270, E MOLD 00701272, E MOLD 00800220, E MOLD 00800230, E MOLD 00800240, E MOLD 00800250, E MOLD 00800260, E MOLD 00800270, E MOLD 00800280, E MOLD 00800290, E MOLD 00800300, E MOLD 00800310, E MOLD 00800320, E MOLD 00800330, E MOLD 00800340, E MOLD 00800350, E MOLD 00800360, E MOLD 00800380, E MOLD 00800400, E MOLD 00800410, E MOLD 01000210, E MOLD 01000220, E MOLD 01000230, E MOLD 01000240, E MOLD 01000270, E MOLD 01100240, E MOLD 01100260, E MOLD 0240140P, E MOLD 0240141PCS507, E MOLD 0240321P, E MOLD 0240322P, E MOLD 0240323P, E MOLD 02403242, E MOLD 0240324P, E MOLD 0240325P, E MOLD 0240326P, E MOLD 0240327P, E MOLD 0240328P, E MOLD 0240329P, E MOLD 0240330P, E MOLD 0240331P, E MOLD 0240332P, E MOLD 0240333P, E MOLD 0240333P-30P, E MOLD 0240335P, E MOLD 0240338P, E MOLD 0240340P, E MOLD 0240341P, E MOLD 0240344P, E MOLD 02600220, E MOLD 02600230, E MOLD 02600240, E MOLD 0330327P, E MOLD 0330330P, E MOLD 0330333P, E MOLD 0330336P, E MOLD 0330338P, E MOLD 0330341P, E MOLD 0340123P, E MOLD 0340125P, E MOLD 0340321P, E MOLD 0340322P, E MOLD 0340323P, E MOLD 0340324P, E MOLD 0340325P, E MOLD 0340327P, E MOLD 0340328P, E MOLD 0340328P-27P, E MOLD

Section 16. Other information

0340922P, E MOLD 03600220, E MOLD 03600240, E MOLD 03600250, E MOLD 03600260, E MOLD 03600270, E MOLD 03600280, E MOLD 03600290, E MOLD 03600300, E MOLD 03600310, E MOLD 03600320, E MOLD 03600330, E MOLD 03600350, E MOLD 03600360, E MOLD 03600380, E MOLD 03600390, E MOLD 03600400, E MOLD 03600410, E MOLD 03700210, E MOLD 03700230, E MOLD 03700260, E MOLD 03700270, E MOLD 03700280, E MOLD 03700290, E MOLD 03700300, E MOLD 03700310, E MOLD 03700320, E MOLD 03700330, E MOLD 03700340, E MOLD 03700350, E MOLD 03700360, E MOLD 03700380, E MOLD 03700390, E MOLD 03700400, E MOLD 03700410, E MOLD 03700420, E MOLD 03700440, E MOLD 03700460, E MOLD 03700470, E MOLD 03730230, E MOLD 03730240, E MOLD 03730250, E MOLD 03730270, E MOLD 03730290, E MOLD 03730310, E MOLD 03730330, E MOLD 03730360, E MOLD 03731360, E MOLD 03731380, E MOLD 03731400, E MOLD 03731400NYH, E MOLD 0390328P-27P, E MOLD 0390330P-24P, E MOLD 0390330P-27P, E MOLD 0390333P-27P, E MOLD 0390336P-29P, E MOLD 0390338P-30P, E MOLD 0390338P-31P, E MOLD 0390338P-33P, E MOLD 0390338P-34P, E MOLD 0390338P-36P, E MOLD 0390341P-33P, E MOLD 0390341P-36P, E MOLD 0390341P-38P, E MOLD 0580141P-38P, E MOLD 0580141P-40P, E MOLD 0580144P-41P, E MOLD 0580325P-23P, E MOLD 0580325P-24P, E MOLD 0580326P-24P, E MOLD 0580327P-24P, E MOLD 0580327P-25P, E MOLD 05830310-290, E MOLD 0590322P-21P, E MOLD 0590323P-21P, E MOLD 0590323P-22P, E MOLD 0590324P-20P, E MOLD 0590324P-21P, E MOLD 0590324P-22P, E MOLD 0590324P-23P, E MOLD 0590325P-24P, E MOLD 0590326P-23P, E MOLD 0590327P-21P, E MOLD 0590327P-23P, E MOLD 0590327P-24P, E MOLD 0590327P-25P, E MOLD 0690136P, E MOLD 0700322P-21P, E MOLD 0700323P-21P, E MOLD 0700323P-22P, E MOLD 0700324P-22P, E MOLD 0700324P-23P, E MOLD 0710325P-24P, E MOLD 0710326P-21P, E MOLD 0710326P-24P, E MOLD 0720136P, E MOLD 0720140P, E MOLD 0720144P, E MOLD 0720146P, E MOLD 0720147P, E MOLD 0730325P-22P, E MOLD 0730325P-23P, E MOLD 08600180/190, E MOLD 08600220, E MOLD 08600240, E MOLD 08600270, E MOLD 2412021P-1, E MOLD 2412022P-2, E MOLD 2412022P-3, E MOLD 2412023P-4, E MOLD 2412023P-5, E MOLD 2412023P-6, E MOLD 2412024P-7, E MOLD 2412024P-8, E MOLD 2412024P-9, E MOLD 2412025P-10, E MOLD 2412025P-11, E MOLD 2412026P-12, E MOLD 2412026P-13, E MOLD 2412026P-14, E MOLD 2412027P-15, E MOLD 2412027P-16, E MOLD 2412028P-17, E MOLD 2412028P-18, E MOLD 2412029P-19, E MOLD 2412029P-20, E MOLD 2412029P-21, E MOLD 2412030P-22, E MOLD 2412030P-23, E MOLD 2412031P-24, E MOLD 2412031P-25, E MOLD 2412033P-26, E MOLD 2412033P-27, E MOLD 2412036P-28, E MOLD 2412036P-29, E MOLD 2412038P-30, E MOLD 2412038P-31, E MOLD 2412040P-32, E MOLD 2412041P-33, E MOLD 2487023P-21, E MOLD 2487023P-23, E MOLD 2487024P-3, E MOLD 2487031P-11, E MOLD 2487033P-20, E MOLD 650S-C-0240, E MOLD 650S-C-0250, E MOLD 650S-C-0270, E MOLD 650S-C-0290, E MOLD 650S-C-0300, E MOLD 650S-C-0320, E MOLD 650S-C-0330, E MOLD 650S-C-0350, E MOLD 650S-C-0360, E MOLD 650S-C-0380, E MOLD 650S-C-0400, E MOLD 650S-C-0410, E MOLD03700410-CS725, EH-1499-B-GHC, EH-1516-B-B-GHC, EH-1688-13-GHC, EM0700324P-23PCS1045, EMOLD 00500200, EMOLD 0240141P, EMOLD 03600230PU, EMOLD 03700220, EMOLD 03700240, EMOLD 03700240-CS725, EMOLD 03700250, EMOLD 03700270-CS725, EMOLD 03700320-CS725, EMOLD 03700330-CS725, EMOLD 03700360-CS725, EMOLD 08600200/210, EMOLD 08600230, EMOLD 08600260, EMOLD00501240CS183, EMOLD00700220CS1116P, EMOLD00700260-CS1116, EMOLD00701270CS1116, EMOLD0240323PCS1045, EMOLD0240330P-27P, EMOLD0240336P, EMOLD03700230-CS1045, EMOLD03700290-CS725, EMOLD03700300CS725, EMOLD03700380CS725, EMOLD650RC-0260-0240, EMOLD650RC-0290-0240, EMOLD650RC-0330-0270, EMOLD650RC-0380-0330, EMOLD650RC-0410-0380, FPL 556 NL, FPL 600 N, FPL 800 N, FS 212-6491, FS 212-6493, FS 212-6510, FS 212-6510 V1, FS 222-6491, FS 222-6493, FSK 1, FSK 1/0, FSK 1/0 R 2, FSK 2, FSK 2/0, FSK 2/0 R 1/0, FSK 250, FSK 3/0, FSK 350, FSK 350 R 4/0, FSK 3883-500, FSK 4, FSK 4/0, FSK 4/0 R 2/0, FSK 500, FSK 500 R 1/0, FSK 500

Section 16. Other information

R 2/0, FSK 500 R 350, FSK 500 R 4/0, FSK 500-10, FSK 5585, FSK 6, FSK 750, FSK-1000, FSS 500 LPSCC, FSS 500 LPSCC V1, FSS 500 LPSCC-1, FYA 1/0, FYA 2, FYA 2/0, FYA 4, FYU 2, FYU 6, FYU-M, GAK-2-2NE2, GAK-593-2N90R, GLE 1/0 N, GLE 1/0-48, GLE 1/0-48 TN, GLE 2, GLE 2/0 N, GLE 2/0-48 TN, GLE 2-48, GLE 2-48 TN, GLE 250, GLE 250 N, GLE 3/0, GLE 3/0 N, GLE 3/0-48, GLE 3/0-48 TN, GLE 300 N, GLE 300-48, GLE 300-48 TN, GLE 350, GLE 350 N, GLE 350 NTN, GLE 350-48, GLE 350-48 TN, GLE 4/0 N, GLE 4/0-48, GLE 4/0-48 TN, GLE 500, GLE 500 N, GLE 500 N-30, GLE 500 NTN, GLE 500-48, GLE 500-48 TN, GLE 500-48-30, GLE 750, GLE 750 N, GTM-35-2NE4, HM 53, HM 53 SPKG, HM 53-1G, HM 53-1P, HM 53-5G, HPT TRUCK DEMO KIT, LAA 1/0-12, LAA 1/0-38, LAA 1/0-56, LAA 1000-58, LAA 1-14, LAA 1-38, LAA 1-56, LAA 2/0-12, LAA 2/0-38, LAA 2-14, LAA 2-38, LAA 250-12, LAA 250-38, LAA 2-56, LAA 3/0-12, LAA 3/0-38, LAA 300-12, LAA 300-38, LAA 350-12, LAA 4/0-12, LAA 4/0-38, LAA 400-58, LAA 4-14, LAA 4-38, LAA 4-56, LAA 500-12, LAA 500-58, LAA 6-14, LAA 6-56, LAA 750-58, LAB 1/0-38, LAB 1000-12, LAB 2/0-12, LAB 250-12, LAB 3/0-12, LAB 300-12, LAB 350-12, LAB 4/0-12, LAB 400-12, LAB 500-12, LAB 600-12, LAB 750-12, LAB 800-12, LAC102WL2P, LAC20WS2P, LAC40WS2P, LAC42WL2PSC, ML 38-1422, ML 38-1427, ML 38-1430, ML 38-1433, ML 38-1435, ML 38-1438, MSL 350, MSL 500, OAPA-1000, OAPA-2/0, OAPA-250, OAPA-3/0, OAPA-300, OAPA-350, OAPA-4/0, OAPA-400, OAPA-500, OAPA-600, OAPA-750, PCSB 2/0-2, PCSB 2/0-3, PCSB 2/0-4, PCSB 2/0-6, PCSB 2/0-7, PCSB 2/0-8, PCSB 250-2 Y, PCSB 250-3 Y, PCSB 250-4, PCSB 250-5, PCSB 250-6, PCSB 250-7, PCSB 250-8 Y, PCSB 350-2, PCSB 350-3, PCSB 350-4, PCSB 350-5, PCSB 350-6, PCSB 350-7, PCSB 350-8, PCSB 4-2 Y, PCSB 4-3 Y, PCSB 4-4 Y, PCSB 4-5, PCSB 4-6 Y, PCSB 4-8 Y, PCSB 500-2 Y, PCSB 500-3 Y, PCSB 500-4 Y, PCSB 500-5 Y, PCSB 500-6, PCSB 500-7 Y, PCSB 500-8 Y, PCSB 750-2, PCSB 750-3Y, PCSB 750-6 Y, PCSB 750-8 Y, PCSB750-4Y, PCSB750-5Y, PSB4359C, PSB4559C, PSB6359C, PSB6559C, PSB8359C, PSB8559C, PT-26607-H, PT-26609-H, PT-4011-H, RBC 1000-3500, RBC 1000-6500, RBC 1000-8500, RRK 1, RRK 10, RRK 10 HS, RRK 102, RRK 2, RRK 2 HS, RRK 20, RRK 20 HS, RRK 201, RRK 2010, RRK 202, RRK 20-INS, RRK 21, RRK 250, RRK 25040, RRK 2-INS, RRK 30, RRK 300, RRK 30040, RRK 3010, RRK 3020, RRK 30-840, RRK 350, RRK 350 HS, RRK 350300, RRK 35040, RRK 35040-INS, RRK 350-INS, RRK 4, RRK 4 HS, RRK 40, RRK 40 HS, RRK 4010, RRK 4010 HS, RRK 4020, RRK 4020-INS, RRK 4030, RRK 40-840, RRK 40-INS, RRK 500, RRK 500-INS, RRK 6, RRS 10, RRS 101, RRS 102, RRS 2, RRS 20, RRS 2010, RRS 21, RRS 250, RRS 350, RRS 350300, RRS 35040, RRS 40, RRS 4010, RRS 4020, RSG 10-48, RSG 2-48, RSG 4-48, RSG 6-48, RSK 2/0-48, SA 1/0, SA 1/0-38, SA 1/0-38 TN, SA 1/0-48, SA 1/0-48 TN, SA 1000, SA 10-48-HM, SA 2 N, SA 2 N 90, SA 2 NGSH, SA 2 NTN, SA 2 NUE, SA 2/0, SA 2/0 N, SA 2/0 NTN, SA 2/0-38, SA 2/0-48, SA 2/0-48 TN, SA 2-38, SA 2-38 TN, SA 2-48, SA 2-48 L, SA 2-48 TN, SA 2-48 W/218, SA 3 N, SA 3 NTN, SA 3/0, SA 3/0 N, SA 3/0 NTN, SA 3/0-38, SA 3/0-48, SA 3/0-48 TN, SA 3/0-48 V1, SA 300, SA 300 N, SA 300 NTN, SA 300-48, SA 300-48 TN, SA 3-38, SA 3-48, SA 3-48 TN, SA 350, SA 350 N, SA 350 N 90, SA 350 NTN, SA 350-48, SA 350-48 TN, SA 386 N, SA 386-48, SA 386-48 TN, SA 4, SA 4 N, SA 4 N 90, SA 4 NTN, SA 4/0, SA 4/0 N, SA 4/0 N 90, SA 4/0-38, SA 4/0-4 N, SA 4/0-48, SA 4/0-48 TN, SA 400, SA 400 N, SA 400 NTN, SA 400-48, SA 400-48 TN, SA 4-38, SA 445-48, SA 4-48, SA 4-48 TN, SA 500, SA 6, SA 6 N, SA 6 NTN, SA 600, SA 6-38, SA 6-48, SA 6-48 TN, SA 750, SA 8 N, SA 8 NTN, SA 800, SA1-TB, SA250 P, SA2-TB, SAB 3/0 N, SAB 300 N, SAB 300 NTN, SAB 350-225 STN, SAB 350-48 TN V1, SAB 4/0 N, SAB 4/0 NTN, SAB 500 N, SAB 500 NTN, SAB 500 NTN V1, SAB 500-48, SAB 500-48 TN, SAB 500-48 TN V1, SAC 1, SAC 1 CC, SAC 1 R 2, SAC 1 R 2 CC, SAC 1/0, SAC 1/0 R 1, SAC 1/0 R 1 CY, SAC 1/0 R 2, SAC 1/0 R 2 CC, SAC 1/0 R 2 TN, SAC 1/0 R 4, SAC 1/0 R 4 TN, SAC 1/0 R 6 TN, SAC 1/0 TN, SAC 1000, SAC 1000 CPT R 500, SAC 1000 CPT R 750, SAC 1000 CPTR 600 TN, SAC 1000 R 400 TN, SAC 1000 R 500, SAC 1000 R 500 TN, SAC 1000 R 750, SAC 1000 R 750 TN, SAC 1000CPTR750CPTTN, SAC 2, SAC 2 R 4, SAC 2 R 4 TN, SAC 2 TN, SAC 2/0, SAC 2/0 R 1/0, SAC 2/0 R 1/0 TN, SAC 2/0 R 2, SAC 250, SAC 250 R 3/0 TN, SAC 250 R 4/0 TN, SAC 250 TN, SAC 3/0, SAC 3/0 R 1/0 TN, SAC 3/0 R 2/0, SAC 3/0 TN, SAC 350, SAC 350 R 1/0, SAC 350 R 1/0 TN, SAC 350 R 2 TN, SAC 350 R 2/0, SAC 350 R 250, SAC

Section 16. Other information

350 R 250 TN, SAC 350 R 3/0, SAC 350 R 3/0 TN, SAC 350 R 4/0, SAC 350 R 4/0 TN, SAC 350 TN, SAC 4, SAC 4 R 6, SAC 4/0, SAC 4/0 R 1/0, SAC 4/0 R 1/0 TN, SAC 4/0 R 2, SAC 4/0 R 2/0, SAC 4/0 R 2/0 TN, SAC 4/0 R 2/0-3, SAC 4/0 TN, SAC 400 R 350 TN, SAC 500, SAC 500 R 1/0, SAC 500 R 2, SAC 500 R 2/0, SAC 500 R 3/0, SAC 500 R 300, SAC 500 R 350, SAC 500 R 350 TN, SAC 500 R 4/0, SAC 500 R 4/0 TN, SAC 500 R 400 TN, SAC 500 TN, SAC 600, SAC 600 R 500-608 TN, SAC 750, SAC 750 CPTR400CPTTN, SAC 750 CPTR600CPTTN, SAC 750 CPTR700CPTTN, SAC 750 CPTTN, SAC 750 R 1/0 TN, SAC 750 R 350, SAC 750 R 350 TN, SAC 750 R 4/0, SAC 750 R 500, SAC 750 R 500 TN,SAC 750 R 600 TN, SAC 750 TN, SACB 250, SACL 500, SAF 800-4 N, SAG 4/0-48 TN, SAK 1/0 N, SAK 1/0 NTN, SAK 1/0-38, SAK 1/0-48, SAK 1/0-58, SAK 1/0-58 TN, SAK 2 N, SAK 2 NTN, SAK 2/0 NTN V1, SAK 350 N, SAK 350 NTN, SAK 4 N, SAK 4 NTN, SAK 4/0 NTN V1, SAK 4-875, SAK 6-48, SAKM 1/0-38, SAKM 1/0-38 TN, SAKM 1/0-48, SAKM 1/0-48 TN, SAKM 1-38, SAKM 1-48 TN, SAKM 2/0-38, SAKM 2/0-38 TN, SAKM 2/0-48, SAKM 2/0-48 TN, SAKM 2-38, SAKM 2-38 TN, SAKM 2-48, SAKM 2-48 TN, SAKM 250-38, SAKM 250-48, SAKM 250-48 TN, SAKM 3/0-38, SAKM 3/0-38 TN, SAKM 3/0-48, SAKM 3/0-48 TN, SAKM 300-48, SAKM 300-48 TN, SAKM 350-38, SAKM 350-48, SAKM 350-48 DP, SAKM 350-48 TN, SAKM 4/0-38, SAKM 4/0-38 TN, SAKM 4/0-48, SAKM 4/0-48 TN, SAKM 4-38, SAKM 4-38 TN, SAKM 4-48, SAKM 4-48 TN, SAKM 6-38, SAKM 6-48, SAKM 6-48 TN, SAL 1000 N, SAL 1000 N 45, SAL 1000 NL, SAL 1000 NL 45, SAL 1000 NTN, SAL 1000-4 N, SAL 1000-4 N 45, SAL 1000-4 NTN, SAL 1033-4 N, SAL 500 N, SAL 500 NTN, SAL 500-4 N, SAL 600 N, SAL 600 N 90, SAL 600 NTN, SAL 600-4 N, SAL 600-4 N 90, SAL 600-4 NTN, SAL 636 N, SAL 636-4 N, SAL 650 N, SAL 650 NTN, SAL 650-4 N, SAL 750 N, SAL 750 NTN, SAL 750 NTN V1, SAL 750-4 N, SAL 750-4 NTN 90, SAL 750-48, SAL 800 N, SAL 800 N 45, SAL 800 N 90, SAL 800 NL, SAL 800 NTN, SAL 800-4 N, SAL 800-4 N 15, SAL 800-4 N 45, SAL 800-4 N 90, SAL 800-4 NTN, SAL750-4NTN, SAM 300-4 NTN, SAM 350-4 N, SAM 350-4 NTN, SAM 4/0-4 N, SAM 4/0-4 NTN, SAM 400 N, SAM 400 NTN, SAM 400-4 N, SAM 500 N, SAM 500 NTN, SAM 500-4 N, SAM 500-4 NTN, SAM 556 N, SAM 600 N, SAM 600 NTN, SAM 600-4 N, SAM 600-4 NTN, SAM 600-48 TN, SAR 1/0-2, SAR 2-4, SAR 3/0-1/0, SAR 350-4/0, SAR 4/0-2/0, SAR 500-350, SAR 600-500, SASC 350, SASC 4/0, SASL 1/0-48 TN, SASL 2/0 N, SASL 2/0 NTN, SASL 2/0-48, SASL 2/0-48 TN, SASL 2-48 TN, SASL 3/0 N, SASL 3/0-48 TN, SASL 4/0 N, SASL 4/0 NTN, SASL 4/0-38, SASL 4/0-48, SASL 4/0-48 TN, SASL 6 NTN, SASL 650 N, SAT 2-48, SAT 4/0 APS, SAT 4/0-48, SATC 1, SATC 1/0, SATC 1/0 R 2, SATC 1/0 TN, SATC 1000 CPT 1 3/4, SATC 2, SATC 2 LTN, SATC 2 R 4, SATC 2 R 4 TN, SATC 2/0, SATC 2/0 TN, SATC 3/0, SATC 350 R 250, SATC 4/0, SATC 4/0 R 2/0, SATC 4/0 R 3/0 TN, SATC 4/0 TN, SATC 400, SATC 719 R 340, SATC 750, SATC 843 R 719, SC0001 (78800943363), SC0002 (78800943355), SC0010 (78800943371), SC001010 78802531620, SC0020 (78800943389), SC0030 (78800943397), SC0040 (78800943405), SDK 1010 M, SDK 102 M, SDK 22 M, SG 1010, SG 102, SG 103, SG 202, SG 2020, SG 22, SG 24 W/FSS 20 CAB, SG 44, SG 46, SG 66, SG 68, SG 88, SHK 1/0, SHK 2, SHK 2/0, SHK 4/0, SKAC 2/0, SKAC 4/0, SKAC 500, SKAC 500 TN, SLK 1010 M, SLK 1010-60 M, SLK 102 M, SLK 22 M, SLK 22 M 10 CAB, SLK 22-60 M, SLK-YM, TSL6E58, TSL6SE10, TSL6SE58, TSL8E10, TSL8E58, UH 11, UH 11 SL, ULSK 1/0, ULSK 2, ULSK 2/0, ULSK 250, ULSK 3/0, ULSK 350, ULSK 350 HS, ULSK 4, ULSK 4/0, ULSK 500, ULSK 500 HS, ULSK 6, ULSK 750, URS 125, URS 125 CSN, URS 125-17 1/2, US 1000, US 350, US 500, US 750, USK 350, USK 4/0 SL, USK 500, USK 750, USK 750 TN, VBR2-P-200E13-EHC, VLLC-200E13-4NN-EHC, VLLC-200E13-6NW-EHC, VTC-143-200-EHC, YDC 4, YDU, YFC 1/0, YFU, ZKB 5033 SL-58 SW, ZKB 7053 SL-1, ZKB 7053 SL-58.

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		1
Physical hazards		0


United States

Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of issue/Date of revision : 10/03/2025

Date of previous issue : No previous validation

Version : 1

Prepared by : Sphera Solutions

Key to abbreviations : ATE = Acute Toxicity EstimateBCF = Bioconcentration FactorGHS = Globally Harmonized System of Classification and Labelling of ChemicalsIATA = International Air Transport AssociationIBC = Intermediate Bulk ContainerIMDG = International Maritime Dangerous GoodsIMO = International Maritime OrganizationLogPow = logarithm of the octanol/water partition coefficientMARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)N/A = Not availableSGG = Segregation GroupTDG = Transportation of Dangerous GoodsUN = United Nations

References : HCS (U.S.A.) - Hazard Communication StandardInternational transport regulations

Indicates information that has changed from previously issued version.

Notice to reader

ABB Installation Products Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.