PRODUCT-DETAILS

THQB32025

THQB32025 Bolt On Circuit Breaker



General Information

Global Commercial Alias	THQB32025
Extended Product Type	THQB32025
Product ID	1TQB032025X0100
EAN	783164059915
Catalog Description	THQB32025 Bolt On Circuit Breaker
Long Description	Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QC breakers are lug-lug versions of the Q Line and are available for 35mm DIN rail mounting. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions and can be ordered with auxiliary contact and shunt trip accessories.

Environmental

RoHS Status	No declaration needed
REACH Declaration	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	3.000 in

© 2023 ABB. All rights reserved.

Product Net Height	3.280 in
Product Net Depth / Length	2.375 in
Product Net Weight	1.110 lb

Ordering

Minimum Order Quantity	1 piece
Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	11.300 lb
Customs Tariff Number	8536200040
Country of Origin	Brazil (BR)

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9334
Instructions and Manuals	No document needed

Classifications

ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121601
eClass	V11.0 : 27370409
IDEA Granular Category Code (IGCC)	4848 >> 3 Pole Standard Trip Bolt-On Circuit Breakers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Lighting Panels & Breakers → Q-line Bolt on Breakers

© 2023 ABB. All rights reserved.





© 2023 ABB. All rights reserved.