
MHSL Series

Hardscape Light

Hardscape Light



The **MHSL Series Hardscape Light** is a low-voltage linear landscape lighting solution designed for seamless integration into outdoor hardscape structures such as retaining walls, steps, benches, and stonework. Operating on **12–24V AC/DC**, it provides safe, energy-efficient, and durable performance for residential and commercial outdoor applications. With **5CCT selectable and RGBW options**, it delivers both functional white lighting and dynamic color effects for architectural landscape design.

Key Features — Hardscape Light

- Low-voltage operation (12–24V AC/DC) for safe outdoor use
- Available in 5W (7") and 7W (12") options
- 5CCT selectable (2700K–5000K) for white lighting models
- RGBW models for dynamic color and warm white control
- Linear hardscape design for seamless architectural integration
- Ideal for walls, steps, benches, and stone structures
- Low-glare, indirect lighting for visual comfort
- Durable outdoor construction for long-term performance


WET LOCATIONS

IP65 Waterproof


	7 Inch	12 Inch
Color Temp.	27/30/35/40/50K RGBW (27/30/40K)	27/30/35/40/50K RGBW (27/30/40K)
Wattage	5W	7W
Lumens	200LM	280LM
Voltage	12/24V	12/24V

Dimension

7 Inch



12 Inch



MHSL Series

Hardscape Light

Technical Summary

Item Number	Description	Wattage	Lumens	Color Temp.	Voltage
MHSL7-5W-5CCT	7 inch Hardscape Light 5CCT	5W	200LM	27/30/35/40/50K	12/24V
MHSL12-7W-5CCT	12 inch Hardscape Light 5CCT	7W	280LM	27/30/35/40/50K	12/24V
MHSL7-5W-RGBW	7 inch Hardscape Light RGB +27/30/40K	5W	200LM	RGBW (27/30/40K)	12/24V
MHSL12-7W-RGBW	12 inch Hardscape Light RGB+27/30/40K	7W	280LM	RGBW (27/30/40K)	12/24V

Construction

- Durable aluminum housing for outdoor durability and heat dissipation
- Slim linear design for discreet hardscape integration
- Weather-resistant structure for long-term outdoor use
- Engineered for installation into masonry, concrete, and stone surfaces

Driver

- Low-voltage LED operation (12–24V AC/DC compatible)
- External transformer required (system dependent)
- Stable and energy-efficient performance
- Designed for landscape lighting systems

Optics

- 5CCT models: selectable color temperature (2700K–5000K)
- RGBW models: full color + warm white for dynamic landscape effects
- CRI 80+ for natural and accurate color rendering
- Indirect linear light distribution for soft, glare-free illumination
- Designed for architectural wall wash and step lighting

Mount

- Hardscape-mounted installation (integrated into walls, steps, and masonry)
- Designed for recessed linear placement in outdoor structures
- Secure installation for long-term architectural applications
- Ideal for landscape and hardscape lighting designs

Accessories (SOLD SEPARATELY)

100W Transformer with Photocell

MT-100W-BK



300W Transformer with Photocell

MT-300W-SS



Website: www.mwledlighting.com Email: Info@mwledlighting.com Location: 15250 Stafford St, City Of Industry, CA91744

MWLIGHTING

MHSL Series

Hardscape Light

Project Name:	
Prepare By:	
Date:	
Contact/Phone:	

	Item Number	Description
	MHSL7-5W-5CCT	7 inch Hardscape Light 5CCT
	MHSL12-7W-5CCT	12 inch Hardscape Light 5CCT
	MHSL7-5W-RGBW	7 inch Hardscape Light RGB +27/30/40K
	MHSL12-7W-RGBW	12 inch Hardscape Light RGB+27/30/40K

Accessories (SOLD SEPARATELY)

	Item Number	Description
	MT-100W-BK	100W Transformer with Photocell
	MT-300W-SS	300W Transformer with Photocell