Specifications







Eaton 1MM320R

Eaton residential meter stack, Amperage rating: 200A, Socket rating: 200A, Bus rating: 800A, Outdoor, Interrupt rating depends on selected main circuit breaker, Single-phase in/single-phase out, 3 Sockets, Aluminum, Ring, 120/240 Vac

General specifications	
PRODUCT NAME	Eaton residential meter stack
CATALOG NUMBER	1MM320R
UPC	786849051945
PRODUCT LENGTH/DEPTH	7.01 in
PRODUCT HEIGHT	52.35 in
PRODUCT WIDTH	13.5 in
PRODUCT WEIGHT	66 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
CERTIFICATIONS	UL Listed
PRODUCT TYPE	Residential meter stack

Product specifications

TYPE	Multiple metering
UTILITY APPROVALS	AL : Alabama Power DC : Atlantic City Electric / Delmarva (Connectiv) DE : Atlantic City Electric / Delmarva (Connectiv) MD : Atlantic City Electric / Delmarva (Connectiv) NJ : Atlantic City Electric / Delmarva (Connectiv) TX : CenterPoint Energy (HL&P/Reliant) NC : Dominion VA : Dominion MI : DTE Energy (Detroit Edison) NM : El Paso Electric TX : El Paso Electric MO : Empire District Electric OK : Empire District Electric AR : Entergy LA : Entergy MS : Entergy TX : Entergy CA : City of Los Angeles - DWP (LADWP) AZ : Southern California Edison CA : Southern California Edison CA : Pacific Gas and Electric (PG&E) CA : Sacramento Municipal Utility District (SMUD) TN : Nashville Electric Service CA : PacifiCorp/Pacific Power/Rocky Mountain Power ID : PacifiCorp/Pacific Power/Rocky Mountain Power OR : PacifiCorp/Pacific Power/Rocky Mountain Power UT : PacifiCorp/Pacific Power/Rocky Mountain Power WA : PacifiCorp/Pacific Power/Rocky Mountain Power WY : PacifiCorp/Pacific Power/Rocky Mountain Power HI : Hawaiian Electric MT : NorthWestern Energy NE : NorthWestern Energy SD : NorthWestern Energy WY : NorthWestern Energy MD : Baltimore Gas and Electric DC : PEPCO MD : PEPCO AZ : Tucson Electric Power/ UniSource AZ : Sulphur Springs Valley Electric Coop IN : Indianapolis Power and

Resources

CATALOGS	Residential and Light Commercial, Metering Products, Volume 1 Tab 4
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - 1MM320R

	Light (IP&L)
INTERRUPT RATING	Depends on selected main circuit breaker
ENCLOSURE	Outdoor
BUS RATING	800 A
PHASE	Single-phase in, single-phase out
VOLTAGE RATING	120/240 V
AMPERAGE RATING	200A

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.