Give us a call today....

we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

SINGLE-GANG PVC NEW WORK WALL ELECTRICAL BOX



FEATURES:

New work electrical Single Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of Non Metallic sheathed cable. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX118NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

2 hour fire-rated

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- 18 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est. WEIGHT Lbs	Pallet Quantity
PBOX118NO	1-GANG 18 CU IN SWITCH OUTLET BOX W/NAILS ON	100	22	4000

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS UniqueFlo Chem Oil PRODUCTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS

Give us a call today....

we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

SINGLE-GANG PVC NEW WORK WALL ELECTRICAL BOX



2 hour fire-rated

FEATURES:

New work electrical Single Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of Non Metallic sheathed cable. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX1NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- 20 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est. WEIGHT Lbs	Pallet Quantity
PBOX1NO	1-GANG 20 CU IN SWITCH OUTLET BOX W/NAILS ON	100	23.10	4000

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS UniqueFlo Chem Oil PRODUCTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS

Give us a call today....

we have one boxed and ready for you!

1.877.213.7130

PBOX122NO

NEW PRODUCT

1-GANG 22 CU IN PVC NEW WORK WALL ELECTRICAL



2 hour fire-rated

FEATURES:

New work electrical Single Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with an integral clamps to hold wires securely. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX122NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- Integral clamps hold wires securely
- 22 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant

PART NUMBER	DESCRIPTION	BOX QTY	BOX WEIGHT KG	Pallet Quantity
PBOX122NO	1-GANG 22 CU IN SWITCH OUTLET BOX W/NAILS ON	100	11.5	3000

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS · UniqueFlo · Chem Oil PRODUCTS

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

Give us a call today....


we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

1-GANG 24 CU IN PVC NEW WORK WALL ELECTRICAL



2 hour fire-rated

FEATURES:

New work electrical Single Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of Non Metallic sheathed cable. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX124NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- 24 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est. WEIGHT Lbs	Pallet Quantity
PBOX124NO	1-GANG 24 CU IN SWITCH OUTLET BOX W/NAILS ON	100	26.5	TBD

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS · UniqueFlo · Chem Oil PRODUCTS

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

Give us a call today....


we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

1-GANG 22 CU IN PVC NEW WORK WALL ELECTRICAL



2 hour fire-rated

FEATURES:

New work electrical Single Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of Non Metallic sheathed cable. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX122NO-HZ has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- 22 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with latest edition of ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est.WEIGHT Lbs	Pallet Quantity
PBOX122NO-HZ	1-GANG 22 CU IN SWITCH OUTLET BOX WITH HORIZONTAL NAILS ON	50	24	1550

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS · UniqueFlo · Chem Oil PRODUCTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS

Give us a call today....

we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

2-GANG PVC NEW WORK WALL BOX



FEATURES:

New work electrical Double Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of sheathed cable, and integral clamps to hold wires securely. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX2NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

2 hour fire-rated

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- Integral clamps hold wires securely
- 32 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est. WEIGHT Lbs	Pallet Quantity
PBOX2NO	2-GANG 32 CU IN SWITCH OUTLET BOX W/NAILS ON	50	16	1250

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS UniqueFlo Chem Oil PRODUCTS

WWW.ELITECOMPONENTS.COM
ELITE COMPONENTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

Give us a call today....

we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

3-GANG PVC NEW WORK WALL ELECTRICAL BOX



2 hour fire-rated

FEATURES:

New work electrical Double Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of sheathed cable, and integral clamps to hold wires securely. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX3NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- Integral clamps hold wires securely
- 44 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est. WEIGHT Lbs	Pallet Quantity
PBOX3NO	3-GANG 44 CU IN SWITCH OUTLET BOX W/NAILS ON	30	12.5	750

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS · UniqueFlo · Chem Oil PRODUCTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS

Give us a call today....

we have one boxed and ready for you!

1.877.213.7130

Plastic Box with nails

NEW PRODUCT

4-GANG PVC NEW WORK WALL ELECTRICAL BOX



2 hour fire-rated

FEATURES:

New work electrical Four Gang wall box for use where the wall is not enclosed. Ships with nails captive for faster installation. Equipped with knockouts for entry of sheathed cable, and integral clamps to hold wires securely. High grade of PVC (polyvinyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX4NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- For use in new work applications where the wall is not enclosed
- Durable PVC construction will not rust or corrode
- Includes captive nails for easy installation
- Integral clamps hold wires securely
- 60 Cu. In. capacity
- ETL listed to UL 514C
- ETL 2 Hour Fire Resistant
- The boxes are intended to be installed in accordance with ANSI/NFPA 70, "National Electrical Code."

PART NUMBER	DESCRIPTION	BOX QTY	BOX Est. WEIGHT Lbs	Pallet Quantity
PBOX4NO	4-GANG 60 CU IN SWITCH OUTLET BOX W/NAILS ON	30	15	600

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS UniqueFlo Chem Oil PRODUCTS

WWW.ELITECOMPONENTS.COM
ELITE COMPONENTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2022

Give us a call today....


we have one boxed and ready for you!

1.877.213.7130

PBOX432NO

NEW PRODUCT

4” SQUARE PVC BOX WITH CAPTIVE NAILS ON



2 hour fire-rated

FEATURES:

4-inch square box with two captive mounting nails with eight integral clamps for New Work(New Construction) electrical installation. 4" Box provides enough volume for multiple conductors which often run in more than one direction.
High grade of PVC (polyvi-nyl chloride) construction for higher performance, lower installation cost, and rust and corrosion resistance.

PBOX432NO has been tested, investigated and found to comply with the requirements of the Standard(s) for Non-Metallic Outlet Boxes, Flush-Device Boxes & Covers (UL-514C) and is identified with the ETL Listed Mark.

- Two captive mounting nails and Eight Integral clamps
- Great for wall fixtures, Switches & Receptacles
- Impact-resistant PVC construction
- Height 4” x Width 4” X Depth 2.18”
- Volume 32 cu.in.
- 8 Integral clamps to hold cables securly
- ETL listed to UL 514C
- ETL 2 hour fire rated

PART NUMBER	DESCRIPTION	BOX QTY	BOX WEIGHT KG	Pallet Quantity
PBOX432NO	4" 32 CU IN NEW WORK SQUARE PLASTIC BOX WITH TWO CAPTIVE NAILS ON	50	9.0	1250

WARNING This product can expose you to chemicals including lead, which is known to the State of California to cause cancer, and which is known to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

SIGMA PIPING PRODUCTS

12600 CARDINAL MEADOW SUITE 108 • SUGAR LAND, TX 77498
O: 281.494.3999 • F: 281.494.0950 • T: 1.877.213.7130

ELITE COMPONENTS UniqueFlo Chem Oil PRODUCTS

SUBJECT TO CHANGE WITHOUT NOTICE. GO TO WEB SITE FOR MOST CURRENT PRODUCT INFORMATIONS AND CHANGES OR CONTACT ELITE COMPONENTS SALES REPRESENTATIVE FOR ANY ASSISTANCE.

ELITE COMPONENTS © 2020

WWW.ELITECOMPONENTS.COM

ELITE COMPONENTS