


1-CIRCUIT TRACK


- Single circuit
- Extruded aluminum body
- Insulated solid 12-gauge copper
- Rated for maximum of 2400 watts
- Visual polarity groove
- Compatible with most 3-wire systems
- Easy Relocatable fixture head

ET2	2 FT. TRACK
ET4	4 FT. TRACK
ET6	6 FT. TRACK
ET8	8 FT. TRACK
ET12	12 FT. TRACK


Color:
AWH = Architectural White
W = White
ABK = Architectural Black
B = Black
SN = Satin Nickel

DIMENSIONS





The lever must be placed at the lower position, when the track head is intended to be use in a one-circuit track system.




2-CIRCUIT TRACK


- Double circuit
- Extruded aluminum body
- Insulated solid 12-gauge copper
- Rated for maximum of 2400 watts
- Visual polarity groove
- Compatible with most 3-wire systems
- Easy Relocatable fixture head

ET2002	2 FT. TRACK
ET2004	4 FT. TRACK
ET2006	6 FT. TRACK
ET2008	8 FT. TRACK
ET2012	12 FT. TRACK

Color:
AWH = Architectural White
W = White
ABK = Architectural Black
B = Black
SN = Satin Nickel

DIMENSIONS






The lever must be placed at the upper position, when the track head is intended to be use on the second-circuit of the track.

TRACK-CIRCUIT LIMITER

Features and Benefits

- Center & End Feed capable.
- Seven breaker sizes are available.
- Can be utilized on hard or grid ceilings.
- Can be used with pendant suspended track.
- Breaker can be used as an on-off switch.
- Meets California Title 24 requirements.
- cULus Listed.





Finish:

AWH-White ABK-Black

Single Circuit Track Limiter

live-end feed with circuit breaker


ET158-1A-_	(120W) Circuit Breaker
ET158-2.5A-_	(300W) Circuit Breaker
ET158-5A-_	(600W) Circuit Breaker
ET158-7.5A-_	(960W) Circuit Breaker
ET158-10A-_	(1200W) Circuit Breaker
ET158-12A-_	(1440W) Circuit Breaker
ET158-14A-_	(1660W) Circuit Breaker

2- Circuit Track Limiter

live-end feed with circuit breaker

ET2158-1A-_	(120W) Circuit Breaker
ET2158-2.5A-_	(300W) Circuit Breaker
ET2158-5A-_	(600W) Circuit Breaker
ET2158-7.5A-_	(960W) Circuit Breaker
ET2158-10A-_	(1200W) Circuit Breaker
ET2158-12A-_	(1440W) Circuit Breaker
ET2158-14A-_	(1660W) Circuit Breaker-





Single Circuit Track Coupler Limiter

In-line feed with circuit breaker

ET159-1A-_	(120W)-Circuit Breaker
ET159-2.5A-_	(300W)-Circuit Breaker
ET159-5A-_	(600W)-Circuit Breaker
ET159-7.5A-_	(960W) Circuit Breaker
ET159-10A-_	(1200W) Circuit Breaker
ET159-12A-_	(1440W) Circuit Breaker
ET159-14A-_	(1660W) Circuit Breaker

2- Circuit Track Coupler Limiter

In-line feed with circuit breaker


ET2159-1A-_	(120W)-Circuit Breaker
ET2159-2.5A-_	(300W)-Circuit Breaker
ET2159-5A-_	(600W)-Circuit Breaker
ET2159-7.5A-_	(960W) Circuit Breaker
ET2159-10A-_	(1200W) Circuit Breaker
ET2159-12A-_	(1440W) Circuit Breaker
ET2159-14A-_	(1660W) Circuit Breaker

Due to the changes of constant improvement in lighting technology, all details are subject to change without notice.
Consult factory for up to date information.



Conduit Connector

ET126-_ **1**-Circuit
ET2126-_ **2**-Circuit
Color:
ET126- ❑ AWH - White ■ ABK - Black ❑ Satin Nickel
ET2126- ❑ AWH - White ■ ABK - Black



Continuation Kit

ET156-_ **1**-Circuit
ET2156-_ **2**-Circuit


Color:
❑ AWH - White ■ ABK - Black



"X" Connector to Connect 4 Track Sections

ET112-_ **1**-Circuit
ET2112-_ **2**-Circuit

Color:
❑ AWH - White ■ ABK - Black



Pendant Mount Stem

ET127 - 18"
ET128 - 24"
ET129 - 36"
ET130 - 48"
Color:
❑ AWH - White ■ ABK - Black

Wire Cover

ET131-_ **1**-Circuit
ET2131-_ **2**-Circuit



"T" Connector to Connect 3 Track Sections

ET111-_ **1**-Circuit
ET2111-_ **2**-Circuit

Color:
❑ AWH - White ■ ABK - Black



Flex Connector to Connect Track at any Angle

ET110-_ **1**-Circuit
ET2110-_ **2**-Circuit

Color:
❑ AWH - White ■ ABK - Black



Pendant Drop Slope Ceiling 5"

Diameter
ET139-_ **Universal-1, 2**-Circuit

Color:
❑ AWH - White ■ ABK - Black



T-bar Clip

ET150



Aircraft Gripper

ET165-_

Adjustable Gripper with Ceiling Coupler
(Specify cable length)



Line Voltage Canopy Monopoint


ET104-_ **1**-Circuit
ET2104-_ **2**-Circuit
Color:
❑ AWH - White ■ ABK - Black
❑ Silver ❑ Satin Nickel



Low Voltage Canopy Monopoint

ET151-_ **1**-Circuit


Color:
❑ AWH - White ■ ABK - Black



Outlet Box Cover


ET113-_ **1**-Circuit
ET2113-_ **2**-Circuit

Color:
❑ AWH - White ■ ABK - Black




Live end **Connector** (Line voltage 120V)

ET101-_ **1**-Circuit
ET2101-_ **2**-Circuit
Color:
❑ AWH - White ■ ABK - Black
❑ Silver ❑ Satin Nickel




"L" Connector with Power Entry

ET108-_ **1**-Circuit
ET2108-_ **2**-Circuit
Color:
❑ AWH - White ■ ABK - Black
❑ Silver ❑ Satin Nickel



Mini Coupler


ET107-_ **1**-Circuit
ET2107-_ **2**-Circuit
Color:
❑ AWH - White ■ ABK - Black
❑ Silver ❑ Satin Nickel



Live end with 15' Cord

ET125-_ **1**-Circuit


Color:
❑ AWH - White ■ ABK - Black



Straight Connector with Power Entry

ET136-_ **1**-Circuit
ET2136-_ **2**-Circuit

Color:
❑ AWH - White ■ ABK - Black



Pendant Mount Stem

ET132 - 18" **ET134 - 36"**
ET133 - 24" **ET135 - 48"**

Color:
❑ AWH - White ■ ABK - Black

Due to the changes of constant improvement in lighting technology, all details are subject to change without notice.
Consult factory for up to date information.



Pendant Cord Adapter

ET122-_ 1-Circuit

Color:
❑ AWH - White ■ ABK - Black



Slope Ceiling Adapter

ET115-_ 1-Circuit

Color:
❑ AWH - White ■ ABK - Black



Outlet Adapter

ET124-_ 1-Circuit

Color:
❑ AWH - White ■ ABK - Black



Sign Hanger

ET123-_ 1-Circuit

Color:
❑ AWH - White ■ ABK - Black



Line Voltage Round Monpoint Plate

ET140-_ 1-Circuit


Color:
❑ AWH - White ■ ABK - Black



Live End with Cover

ET138-_ 1-Circuit
ET2138-_ 2-Circuit


Color:
❑ AWH - White ■ ABK - Black



End Cap

ET106-_ 1-Circuit
ET2106-_ 2-Circuit


Color:
❑ AWH - White ■ ABK - Black



Floating Canopy

ET103-_ 1-Circuit
ET2103-_ 2-Circuit

Color:
❑ AWH - White ■ ABK - Black
❑ Silver ❑ Satin Nickel



T-Bar live End

ET137-_ 1-Circuit
ET2137-_ 2-Circuit

Color:
❑ AWH - White ■ ABK - Black



MR16 LENS FILTER

CAT. #	COLOR
BP8MR16-BL	BLUE
BP8MR16-GR	GREEN
BP8MR16-PI	PINK
BP8MR16-PU	PURPLE
BP8MR16-DL	DAY LIGHT
BP8MR16-YE	YELLOW
BP8MR16-AM	AMBER
BP8MR16-OR	ORANGE
BP8MR16-RE	RED



MR16 SPECIALTY LENS FILTER

CAT. #	COLOR
1. BP8MR16-SOL	SOLITE
2. BP8MR16-CL	CLEAR
3. BP8MR16-HC	HONEY COMB
4. BP8MR16-UV	ULTRAVIOLET
5. BP8MR16-LI	LINEAR
6. BP8MR16-FR	FROSTED
7. BP8MR16-WA	WAVE
8. BP8MR16-SP	SPREAD