


LED UFO High Bay

Model: SZ-HB200W-SACG-5000K (6) / SZ-HB200W-AT3B-5000K


Advantage:





- UL&DLC certificate
- 3030 Chip, high CRI
- Input voltage 120-277VAC
- No UV or IR in the beam
- Easy to install and operate
- Energy saving, long lifespan
- Light is soft and uniform, safe to eyes
- Instant start, NO flickering, NO humming
- Green and eco-friendly without mercury.

Application:

Warehouse, factory and workshops;
Highway toll station and gas station;
Exhibition hall;
Gymnasium and supermarkets, etc.





JS LED TECHNOLOGY CORP, DBA JS LED POWER INC
Tel: 001-626-338-8291
E-mail:jack@jsledpower.com

Product Specifications

Product Name	LED UFO High Bay
Light Type	SZ-HB200W-SACG-5000K (6) / SZ-HB200W-AT3B-5000K
Dimension	Φ400*178 mm

Technical Characteristic

Color temperature	5000K
CRI	>80
Lumen	26000LM
Lumen Efficacy	130LM/W
Input Power	200W
Viewing Angle	120 Degree
Input Voltage	120-277V 50/60Hz
Driver model	China Brand Driver (0-10V Dimmable)
PF	>0.9
Waterproof Rating	IP65

Materials

LED Type	3030/1.5W
LED QTY	238PCS
Housing	Aluminum(ADC12)
Housing color	Black
Cover	Glass
Operating Temperature	-40℃ TO 45℃
Operating Humidity	10%-90% RH
Storage Temperature	-40℃ TO 80℃


Others


Storage Humidity	10%-95%
Application	Outdoor
Safety Certification	UL&DLC
Warranty Time	5 Years

JS LED TECHNOLOGY CORP, DBA JS LED POWER INC

Tel: 001-626-338-8291 E-mail:jack@jsledpower.com

DATA OF LAMP		PHOTOMETRIC DATA		Eff: 126.63 lm/W	
MODEL		Imax(cd)	13977	η street_up(%)	0.0
NOMINAL POWER(W)	200	LOR(%)	100.0	η street_down(%)	48.4
RATED VOLTAGE(V)	120	TOTAL FLUX(lm)	25650	η house_up(%)	0.0
NOMINAL FLUX(lm)	25649.8	MAXIMUM @(C,γ)	75,15.5	η house_down(%)	51.6
LAMPS INSIDE	1	η up(%)	0.0	76 FLASHAREA(m2)	0.05000
TEST VOLTAGE(V)	120	η down(%)	100.0	SLI	20.173





Note:The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

Package

Model	Net Weight	Size	Qty/Carton	Weight/Carton
SZ-HB200W-SACG-5000K (6) / SZ-HB200W-AT3B-5000K	4.23KG	445*445*155MM	1	5.18KG





JS LED TECHNOLOGY CORP, DBA JS LED POWER INC

Tel: 001-626-338-8291

E-mail:jack@jsledpower.com