LENOX®

HOLE SAWS



LENOX®

HISTORY OF HOLE SAW LEADERSHIP

LENOX® has over a century of cutting expertise, delivering solutions that make our tradesmen more productive. LENOX has continued to lead the way in the bi-metal hole saw category and is now redefining performance again with the introduction of a new carbide hole saw platform.

LENOX ACCESSORIES



1959
Bi-Metal Hole Saw



2004
Carbide Hole Cutter



2006
One Tooth®



2008
LENOX® *DIAMOND*™



2011
Speed Slot® Hole Saw



2016
T3 50% LONGER LIFE 2X MORE DURABLE



2019
UP TO 50X™ LIFE*



LENOX *SPEED SLOT*® CARBIDE TIPPED HOLE SAWS

CARBIDE TIP™ UP TO 50X LIFE*™

LENOX is expanding its performance leadership with the introduction of LENOX Speed Slot® Carbide Tipped Hole Saws for nail embedded wood, metal, stainless steel, cast iron, and abrasive materials



HOLE SAW SELECTION GUIDE

	WOOD	NAIL-EMBEDDED WOOD	NON-FERROUS METAL	PLASTICS & COMPOSITES	METAL	STAINLESS STEEL	DRYWALL / PLASTER	CAST IRON	CEMENT BOARD	ABRASIVES	TILE & GRANITE
											
BEST	CARBIDE TIPPED			CARBIDE GRIT	CARBIDE TIPPED			CARBIDE TIPPED	LENOX® *DIAMOND*™		
BETTER	BI-METAL							LENOX® *DIAMOND*™	CARBIDE GRIT		
GOOD	CARBIDE GRIT	—	CARBIDE GRIT	CARBIDE TIPPED	CARBIDE GRIT			CARBIDE GRIT	CARBIDE TIPPED	—	CARBIDE TIPPED

SPEED SLOT® CARBIDE TIPPED HOLE SAWS

For Drilling Holes in Wood, Steel, Stainless Steel, Cast Iron & Abrasive Materials

MADE IN THE USA WITH GLOBAL MATERIALS

CARBIDE TIP™

UP TO 50X LIFE*™



UP TO 50X LIFE*
High performance carbides are welded to the cutting edge for durability and to help prevent tooth loss

EXTREMELY VERSATILE
Aggressive tooth design drills through wood, steel, stainless steel, cast iron, fiber cement and plaster

FAST, EASY PLUG REMOVAL
SPEED SLOT® staircase design has multiple leverage points for easy plug ejection


SPEED SLOT®



*vs LENOX Bi-Metal Hole Saw cutting cast iron

APPLICATION

Nail-Embedded Wood	Steel	Stainless Steel
Drywall / Plaster	Cement Board	Cast Iron



** For additional information see page 10



SPEED SLOT® BI-METAL HOLE SAW WITH T3 TECHNOLOGY®

Designed for Drilling Wood & Metal

IMPROVED METAL CUTTING PERFORMANCE
Increased wall thickness improves durability and minimizes tooth loss. Optimized tooth design penetrates metal with ease

FAST, EFFICIENT CUTTING IN WOOD
Larger, sharper teeth remove more wood for fast cutting

EASY PLUG REMOVAL
SPEED SLOT® staircase design for fast, easy plug ejection

*vs Prior LENOX Generation

T3 Technology™ 50% LONGER LIFE 2X MORE DURABLE®

MADE IN THE USA WITH GLOBAL MATERIALS











DIAMETER		1 PER BOX	1 PER BLISTER SEAL	1 PACK ARBORED	PIPE TAP		PIPE ENTRANCE		USE ARBOR	
IN	MM	PROD NO	PROD NO	PROD NO	IN	MM	IN	MM	*SNAP-BACK™*	STANDARD
9/16	14.3	300099L	2079270	1772423	—	—	—	—	5L	1L, 4L or 5L
5/8	15.9	3001010L	2079269	1772424	—	—	—	—	5L	1L, 4L or 5L
11/16	17.5	3001111L	2079521	1772425	—	—	—	—	5L	1L, 4L or 5L
3/4	19.1	3001212L	2060577	1772426	1/2	12.7	3/8	9.5	5L	1L, 4L or 5L
25/32	19.8	3009820MMHS	2079522	1772427	—	—	—	—	5L	1L, 4L or 5L
13/16	20.6	3001313L	2079523	1772428	—	—	—	—	5L	1L, 4L or 5L
7/8	22.2	3001414L	2060576	1772429	3/4	19.1	1/2	12.7	5L	1L, 4L or 5L
15/16	23.8	3001515L	2079524	1772430	—	—	—	—	5L	1L, 4L or 5L
1	25.4	3001616L	2060574	1772481	—	—	—	—	5L	1L, 4L or 5L
1-1/16	27.0	3001717L	2079525	1772482	—	—	—	—	5L	1L, 4L or 5L
1-1/8	28.6	3001818L	2060575	1772483	1	25.4	3/4	19.1	5L	1L, 4L or 5L
1-3/16	30.2	3001919L	2079526	1772474	—	—	—	—	5L	1L, 4L or 5L
1-1/4	31.8	3002020L	2060573	1772491	—	—	—	—	2L, 6L	2L, 3L or 6L
1-5/16	33.3	3002121L	2079527	1772492	—	—	—	—	2L, 6L	2L, 3L or 6L
1-3/8	34.9	3002222L	2060604	1772727	—	—	1	25.4	2L, 6L	2L, 3L or 6L
1-7/16	36.5	3002323L	2079528	1772728	—	—	—	—	2L, 6L	2L, 3L or 6L
1-1/2	38.1	3002424L	2060607	1772729	1-1/4	31.8	—	—	2L, 6L	2L, 3L, 6L or 7L
1-9/16	39.7	3002525L	2079529	1772730	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
1-5/8	41.3	3002626L	2060572	1772931	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
1-11/16	42.9	3002727L	2079416	1772932	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
1-3/4	44.5	3002828L	2060606	1772933	1-1/2	38.1	1-1/4	31.8	2L, 6L	2L, 3L, 6L or 7L
1-13/16	46.0	3002929L	2079417	1772935	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
1-7/8	47.6	3003030L	2079419	1772778	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2	50.8	3003232L	2060601	1772779	—	—	1-1/2	38.1	2L, 6L	2L, 3L, 6L or 7L
2-1/16	52.4	3003333L	2079418	1772780	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2-1/8	54.0	3003434L	2060603	1772951	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2-1/4	57.2	3003636L	2060608	1772952	2	50.8	—	—	2L, 6L	2L, 3L, 6L or 7L
2-3/8	60.3	3003838L	2060599	1772953	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2-1/2	63.5	3004040L	2060596	1772954	—	—	2	50.8	2L, 6L	2L, 3L, 6L or 7L
2-9/16	65.1	3004141L	2079420	1772955	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2-5/8	66.7	3004242L	2060605	1772956	2-1/2	63.5	—	—	2L, 6L	2L, 3L, 6L or 7L
2-11/16	68.3	3004343L	2079611	—	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2-3/4	69.9	3004444L	2060598	1772961	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
2-7/8	73.0	3004646L	2079612	1772962	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
3	76.2	3004848L	2060594	1772963	—	—	2-1/2	63.5	2L, 6L	2L, 3L, 6L or 7L

SPEED SLOT® BI-METAL HOLE SAW WITH T3 TECHNOLOGY®







MADE IN THE USA WITH GLOBAL MATERIALS

DIAMETER		1 PER BOX	1 PER BLISTER SEAL	1 PACK ARBORED	PIPE TAP		PIPE ENTRANCE		USE ARBOR	
IN	MM	PROD NO	PROD NO	PROD NO	IN	MM	IN	MM	*SNAP-BACK™*	STANDARD
3-1/8	79.4	3005050L	2079613	1772964	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
3-1/4	82.6	3005252L	2060602	1772966	3	76.2	—	—	2L, 6L	2L, 3L, 6L or 7L
3-3/8	85.7	3005454L	2079614	1772945	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
3-1/2	88.9	3005656L	2060595	1772946	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
3-5/8	92.1	3005858L	2060597	1772949	—	—	3	76.2	2L, 6L	2L, 3L, 6L or 7L
3-3/4	95.3	3006060L	2079615	1772950	3-1/2	85.7	—	—	2L, 6L	2L, 3L, 6L or 7L
3-7/8	98.4	3006262L	2079616	1773001	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
4	101.6	3006464L	2059708	1773002	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
4-1/8	104.8	3006666L	2060593	1773003	—	—	3-1/2	85.7	2L, 6L	2L, 3L, 6L or 7L
4-1/4	108.0	3006868L	2059710	1773004	4	95.3	—	—	2L, 6L	2L, 3L, 6L or 7L
4-3/8	111.1	3007070L	2079617	1773005	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
4-1/2	114.3	3007272L	2059709	1773006	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
4-5/8	117.5	3007474L	2079618	—	—	—	4	95.3	2L, 6L	2L, 3L, 6L or 7L
4-3/4	120.7	3007676L	2079619	1773008	4-1/2	108.0	—	—	2L, 6L	2L, 3L, 6L or 7L
5	127.0	3008080L	2060591	—	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
5-1/2	139.7	3008888L	2079620	—	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L
6	152.4	3009696L	2059707	—	—	—	—	—	2L, 6L	2L, 3L, 6L or 7L

RECOMMENDED HOLE SAW RPM

BI-METAL

DIAMETER		MILD STEEL	TOOL / STAINLESS STEEL	CAST IRON	BRASS	ALUM
IN	MM					
9/16	14.3	580	300	400	790	900
5/8	15.9	550	275	365	730	825
11/16	17.5	500	250	330	665	750
3/4	19.1	460	230	300	600	690
25/32	19.8	425	210	280	560	630
13/16	20.6	425	210	280	560	630
7/8	22.2	390	195	260	520	585
15/16	23.8	370	185	245	495	555
1	25.4	350	175	235	470	525
1-1/16	27.0	325	160	215	435	480
1-1/8	28.6	300	150	200	400	450
1-3/16	30.2	285	145	190	380	425
1-1/4	31.8	275	140	180	360	410
1-5/16	33.3	260	135	175	345	390
1-3/8	34.9	250	125	165	330	375
1-7/16	36.5	240	120	160	315	360
1-1/2	38.1	230	115	150	300	345
1-9/16	39.7	220	110	145	290	330
1-5/8	41.3	210	105	140	280	315
1-11/16	42.9	205	100	135	270	305
1-3/4	44.5	195	95	130	250	295
1-13/16	46.0	190	95	125	250	285
1-7/8	47.6	180	90	120	240	270
2	50.8	170	85	115	230	255
2-1/16	52.4	165	80	110	220	245
2-1/8	54.0	160	80	105	210	240

DIAMETER		MILD STEEL	TOOL / STAINLESS STEEL	CAST IRON	BRASS	ALUM
IN	MM					
2-1/4	57.2	150	75	100	200	225
2-3/8	60.3	140	70	95	190	220
2-1/2	63.5	135	65	90	180	205
2-9/16	65.1	130	65	85	175	200
2-5/8	66.7	130	65	85	170	195
2-11/16	68.3	125	60	80	160	185
2-3/4	69.9	125	60	80	160	185
2-7/8	73.0	120	60	80	160	180
3	76.2	115	55	75	150	170
3-1/8	79.4	110	55	70	140	165
3-1/4	82.6	105	50	70	140	155
3-3/8	85.7	100	50	65	130	150
3-1/2	88.9	95	45	65	130	145
3-5/8	92.1	95	45	60	120	140
3-3/4	95.3	90	45	60	120	135
3-7/8	98.4	85	40	55	110	130
4	101.6	85	40	55	110	130
4-1/8	104.8	80	40	55	110	120
4-1/4	108.0	80	40	55	110	120
4-3/8	111.1	75	35	50	100	105
4-1/2	114.3	75	35	50	100	105
4-5/8	117.5	75	35	50	100	105
4-3/4	120.7	70	35	45	90	95
5	127.0	70	35	45	90	95
5-1/2	139.7	65	30	40	85	90
6	152.4	65	30	40	85	90

SPEED SLOT® BI-METAL HOLE SAW WITH T3 TECHNOLOGY® KITS

Convenient Storage for Trade-Specific Uses

DURABLE
Durable construction resists damage caused by drops and tough workplace environments

SECURE
Latches close case tightly and securely

LONG LASTING
Metal latches and metal pin hinges won't break or tear



LARGE KIT
10"h x 14"w

MEDIUM KIT
8"h x 11"w

COMPACT KIT
4-11/16"h x 7-1/2"w

MINI KIT
9"h x 5"w

LONG-LASTING BiMetal BLADE TECHNOLOGY

CONTRACTOR'S HOLE SAW 5 PACKS

VALUE & CONVENIENCE
Unique packaging provides value and convenience for high volume users



PROD NO	IN	MM	PROD NO	IN	MM
10735B14L	7/8	22.2	10739B22L	1-3/8	34.9
10736B16L	1	25.4	10740B24L	1-1/2	38.1
10737B18L	1-1/8	28.6	10741B28L	1-3/4	44.5
10738B20L	1-1/4	31.8	10742B32L	2	50.8

ARBORED KITS



34082600AP
6 PIECE KIT
PLUMBER'S KIT

3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4"

LARGE KIT



34081600AE
6 PIECE KIT
ELECTRICIAN'S KIT

7/8", 1-/8", 1-3/8", 1-3/4", 2", 2-1/2"

LARGE KIT

CONTRACTOR'S KITS



30370400G
5 PIECE KIT

2", 3", 3-3/8", 4-1/8"
Standard
Arbor: 2L

LARGE KIT



30804200G
26 PIECE KIT-*BIG DADDY*™

3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2", 2-11/16", 3", 3-1/4", 3-3/8", 3-5/8", 3-3/4", 4-1/8", 4-1/2", 4-3/4"
Standard Arbors: 1L, 2L, 5L

Three pilot drills

LARGE KIT



30807700G
9 PIECE KIT

7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2-1/8"
Standard
Arbors: 5L, 6L

MEDIUM KIT



30374500G
9 PIECE KIT

2-1/8", 2-9/16", 3-1/4", 3-3/4", 4-3/4"
Standard
Arbor: 2L

Three pilot drills

LARGE KIT



30820120G
17 PIECE KIT

5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/2", 3"
Standard Arbors: 1L, 2L

Three pilot drills

LARGE KIT



1815140
7 PIECE KIT

7/8", 1", 1-1/8", 1-1/2", 2-1/8"
Standard Arbors:
2L, 5L

MINI KIT

ELECTRICIAN'S KITS



30856C600L
9 PIECE KIT

7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"
Standard Arbors: 2L, 5L

One Arbor adaptor

MEDIUM KIT



30800600L
10 PIECE KIT

7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"
Standard Arbors: 2L, 5L

One pilot drill
One Arbor adaptor

LARGE KIT



308021200L
17 PIECE KIT

3/4", 7/8", 1-1/8", 1-3/8", 1-3/4", 2",
2-1/2", 2-11/16", 3", 3-5/8", 4-1/8", 4-3/4"
Standard Arbors: 2L, 5L

Three pilot drills

LARGE KIT



1815139
8 PIECE KIT

7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"
Standard Arbors: 2L, 5L

MINI KIT



PLUMBER'S KITS



30860C600P
9 PIECE KIT

3/4", 7/8", 1-1/8", 1-3/8", 2", 2-1/2"
Standard Arbors: 2L, 5L

One Arbor adaptor

MEDIUM KIT



30808600P
10 PIECE KIT

3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4"
Standard Arbors: 2L, 5L

One pilot drill
One Arbor adaptor

LARGE KIT



1853786
10 PIECE KIT

2-1/8", 2-1/4", 2-9/16", 2-3/4",
3-5/8", 4", 4-5/8"
Standard Arbor: 2L

Two pilot drills

LARGE KIT



308011200P
17 PIECE KIT

3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4",
2-9/16", 3", 3-1/2", 4", 4-1/4", 4-1/2"
Standard Arbors: 2L, 5L

Three pilot drills

LARGE KIT



1815195
7 PIECE KIT

1-1/4", 1-3/8", 1-1/2", 2", 2-1/2"
Standard Arbors: 2L, 5L

MINI KIT

REFRIGERATION KIT



30830600R
8 PIECE KIT

5/8", 7/8", 1-1/8"
1-3/8", 1-5/8", 2-1/8"
Standard Arbors:
5L, 6L

MEDIUM KIT

WELDER'S KIT



14789600W
9 PIECE KIT

3/4", 7/8", 1", 1-1/4",
1-1/2", 2"
Standard Arbors:
2L, 5L

One Arbor adaptor

MEDIUM KIT

AUTOMOTIVE KIT



30805500A
7 PIECE KIT

3/4", 7/8", 1",
1-1/8", 1-1/4"
Standard Arbor: 5L

One Arbor adaptor

COMPACT KIT

LENOX

SNAP-BACK™ ARBORS

No Tools. No Adaptors. No Screwing Around.

QUICK CHANGE
Faster and easier to engage/disengage hole saw

PREVENTS THREADS FROM STRIPPING
Drives off pins, not threads

NO TOOLS NEEDED
Prevents hole saw from locking on arbor

NO ADAPTOR REQUIRED
Standard Arbor threads directly into all hole saws

EASIER PLUG REMOVAL






Pull Twist Snap

PROD NO	DESC	FITS HOLE SAWS	SIZES		THREAD SIZE	SHANK TYPE	SHANK SIZE	
			IN	MM			IN	MM
1779772	2L	20L-96L	1-1/4–6	31.8–152.4	5/8–18	Solid Hex	1/2 & larger	12.7 & larger
1779669	5L	9L-19L	9/16–1-3/16	14–30	1/2–20	Solid Hex	3/8 & larger	9.5 & larger
1779670	6L	20L-96L	1-1/4–6	31.8–152.4	5/8–18	Solid Hex	3/8 & larger	9.5 & larger

Solid Hex










SNAP-BACK™ QUICK CHANGE EXTENSIONS

DURABILITY AND EXTENDED LIFE
Carbon steel collar and shaft for durability and extended life

ONE-HANDED RELEASE
SNAP-BACK™ Quick Change mechanism for quick and easy release

BIT HELD SECURELY IN PLACE
Holds bits securely on ball detent bits (Quick Change)

1/4" extension works with 1/4" arbors and insert bits.
It is magnetic for additional holding power



Quick Change Shank

PROD NO	IN	MM	CHUCK SIZE		FITS ARBOR	
			IN	MM	*SNAP-BACK™*	STANDARD
1852050	5-1/2	140	7/16	11	2L	1L, 2L, 3L
1852047	12	305	3/8	9.5	5L, 6L	5L, 6L, 7L
1852048	12	305	7/16	11	2L	1L, 2L, 3L
1852049	18	457	7/16	11	2L	1L, 2L, 3L



1852050 1906836 1852047 1852048 1852049

STANDARD ARBORS & ACCESSORIES

Arbors & Accessories for All Your Drilling Needs

ADDED DURABILITY
Hardened carbon steel for strength

STARTS ON CONTACT
Split point pilot drill for faster penetration and less walking



LENOX 6L Standard Arbor with quick change feature (1779805)

PROD NO	DESC	FITS HOLE SAWS	SIZES		SHANK TYPE	SHANK SIZE		PRIMARY FEATURE
			IN	MM		IN	MM	
1779774	1L	9L–19L	9/16–1-3/16	14.3–30.2	Hollow Hex	1/2 & larger	12.7 & larger	Adjustable pilot bit
1779801	2L	20L–96L	1-1/4–6	31.8–152.4	Solid Hex	1/2 & larger	12.7 & larger	Use for enlarging holes
1779802	3L	20L–96L	1-1/4–6	31.8–152.4	Solid Hex	1/2 & larger	12.7 & larger	Solid shank
1779803	4L	9L–19L	9/16–1-3/16	14.3–30.2	3 Sided	1/4 & larger	6.4 & larger	Adjustable pilot bit, 3 flats on shank
1779804	5L	9L–19L	9/16–1-3/16	14.3–30.2	Hex	3/8 & larger	9.5 & larger	Use for 9A-19A arbored hole saws
1779805	6L	20L–96L	1-1/4–6	31.8–152.4	Hex	3/8 & larger	9.5 & larger	Quick change arbor
1779806	7L	24L–96L	1-1/2–6	31.8–152.4	Hex	3/8 & larger	9.5 & larger	Plug ejection feature

ACCESSORIES

PROD NO	DESCRIPTION	CHUCK SIZE		FITS ARBOR	
		IN	MM	*SNAP BACK™*	SOLID HEX
1779771	4-1/4" Pilot Drill (1 pack)	1/4	6.4	2L, 5L, 6L	1L, 2L, 3L, 4L, 5L, 6L, 7L
1779841	4-1/4" Pilot Drill (25 pack)	1/4	6.4	2L, 5L, 6L	1L, 2L, 3L, 4L, 5L, 6L, 7L
1779810	3-1/4" Pilot Drill (1 pack)	1/4	6.4	2L, 5L, 6L	1L, 2L, 3L, 4L, 5L, 6L, 7L
1864904	3-1/4" Pilot Drill (25 pack)	1/4	6.4	2L, 5L, 6L	1L, 2L, 3L, 4L, 5L, 6L, 7L
LXAH9314CTPB	3-1/4" Carbide Tipped Pilot Drill (1 pack)	1/4	6.4	2L, 5L, 6L	1L, 2L, 3L, 4L, 5L, 6L, 7L
LXAH9414CTPB	4-1/4" Carbide Tipped Pilot Drill (1 pack)	1/4	6.4	2L, 5L, 6L	1L, 2L, 3L, 4L, 5L, 6L, 7L
30857AA1	Standard Arbor Adaptor (1 pack)	—	—	5L	1L, 4L, 5L
3084818X	18" Extension (1 pack)	1/2 & larger	12.7 & larger	2L	1L, 2L, 3L
3084712X	12" Extension (1 pack)	1/2 & larger	12.7 & larger	2L	1L, 2L, 3L
3084310X*	10" Extension (1 pack)	3/8 & larger	9.5 & larger	5L, 6L	5L, 6L, 7L
3084655X	5-1/2" Extension (1 pack)	1/2 & larger	12.7 & larger	2L	1L, 2L, 3L
2910114	1/4" x 1/4" Set Screw	—	—	2L, 5L, 6L	2L, 3L, 5L, 6L, 7L
29102516	5/16" x 5/16" Set Screw	—	—	—	1L, 4L, Extension
3087935PD	1/4" Split point stubby pilot bit	—	—	—	—
308803CHCAS	Plug ejection springs	—	—	—	—

** Fits arbored hole saws*



1L 2L 3L 4L 5L 6L 7L



AA1 1779810 1779771 123CT 65CTPD 55x 10x 12x 18x

SPEED SLOT® CARBIDE TIPPED HOLE SAWS

For Drilling Holes in Wood, Steel, Stainless Steel, Cast Iron & Abrasive Materials



UP TO 50X LIFE*
High performance carbides are welded to the cutting edge for durability and to help prevent tooth loss

FAST, EASY PLUG REMOVAL
SPEED SLOT® staircase design has multiple leverage points for easy plug ejection



EXTREMELY VERSATILE
Aggressive tooth design drills through wood, steel, stainless steel, cast iron, fiber cement and plaster

*vs LENOX Bi-Metal Hole Saw cutting cast iron

1 PER PACK	DIAMETER		PIPE TAP		PIPE ENTRANCE		USE ARBOR		RECOMMENDED RPM				
PROD NO	IN	MM	IN	MM	IN	MM	*SNAP-BACK™*	STANDARD	ALUM	STAINLESS STEEL	FIBER-GLASS	CERAMIC TILE	CAST IRON
LXAH31116	11/16	17.5	—	—	—	—	5L	1L ,4L, 5L	1800	690	270	550	240
LXAH334	3/4	19.1	1/2	12.7	3/8	9.5	5L	1L ,4L, 5L	1700	640	250	500	210
LXAH378	7/8	22.2	3/4	19.1	1/2	12.7	5L	1L ,4L, 5L	1500	550	210	430	180
LXAH31	1	25.4	—	—	—	—	5L	1L ,4L, 5L	1300	480	190	370	150
LXAH3118	1-1/8	28.6	1	25.4	3/4	19.1	5L	1L ,4L, 5L	1100	420	170	330	140
LXAH3114	1-1/4	31.8	—	—	—	—	2L, 6L	2L, 3L 6L	1000	380	160	300	130
LXAH3138	1-3/8	34.9	—	—	1	25.4	2L, 6L	2L, 3L 6L	900	350	140	270	110
LXAH3112	1-1/2	38.1	1-1/4	31.8	—	—	2L, 6L	2L, 3L, 6L, 7L	900	320	120	250	100
LXAH3158	1-5/8	41.3	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	700	290	110	230	90
LXAH3134	1-3/4	44.5	1-1/2	38.1	1-1/4	31.8	2L, 6L	2L, 3L, 6L, 7L	700	270	110	210	90
LXAH32	2	50.8	—	—	1-1/2	38.1	2L, 6L	2L, 3L, 6L, 7L	600	240	90	190	80
LXAH3218	2-1/8	54.0	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	600	220	90	180	70
LXAH3214	2-1/4	57.2	2	50.8	—	—	2L, 6L	2L, 3L, 6L, 7L	600	210	80	170	70
LXAH3238	2-3/8	60.3	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	600	200	80	160	70
LXAH3212	2-1/2	63.5	—	—	2	50.8	2L, 6L	2L, 3L, 6L, 7L	500	190	70	150	60
LXAH32916	2-9/16	65.1	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	500	190	70	140	60
LAH3258	2-5/8	66.7	2-1/2	63.5	—	—	2L, 6L	2L, 3L, 6L, 7L	500	180	70	130	60
LXAH321116	2-11/16	68.3	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	500	180	60	120	60
LXAH3	3	76.2	—	—	2-1/2	63.5	2L, 6L	2L, 3L, 6L, 7L	400	160	60	120	50
LXAH3314	3-1/4	82.6	3	76.2	—	—	2L, 6L	2L, 3L, 6L, 7L	400	150	60	110	50
LXAH3338	3-3/8	85.7	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	400	140	60	110	50
LXAH3312	3-1/2	88.9	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	400	140	50	110	50
LXAH3358	3-5/8	92.1	—	—	3	76.2	2L, 6L	2L, 3L, 6L, 7L	400	130	50	100	40
LXAH3334	3-3/4	95.3	3-1/2	88.9	—	—	2L, 6L	2L, 3L, 6L, 7L	300	130	50	110	40
LXAH34	4	101.6	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	300	120	50	100	40
LXAH3418	4-1/8	104.8	—	—	3-1/2	88.9	2L, 6L	2L, 3L, 6L, 7L	300	120	50	90	40
LXAH3414	4-1/4	108.0	4	101.6	—	—	2L, 6L	2L, 3L, 6L, 7L	300	110	50	90	40
LXAH3412	4-1/2	114.3	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	300	110	40	80	30
LXAH3434	4-3/4	120.7	4-1/2	114.3	4	101.6	2L, 6L	2L, 3L, 6L, 7L	300	100	40	80	30
LXAH35	5	127.0	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	200	100	40	80	30
LXAH3512	5-1/2	139.7	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	200	100	40	70	30
LXAH36	6	152.4	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	100	80	30	60	30

Note: We recommend the use of a carbide tipped pilot drill when cutting hard materials. Bits available in standard and long lengths—3 ¼" (83mm) LXAH9314CTPB and 4 ¼" (108mm) LXAH9414CTPB.

PLUMBER'S KIT



LXAH3PSET6
8 PIECE

3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4"
Arbors: 1L, 2L

MEDIUM KIT

ELECTRICIAN'S KIT



LXAH3LSET6
8 PIECE

7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"
Arbors: 1L, 2L

MEDIUM KIT

CONTRACTOR'S KIT



LXAH3GSET11
15 PIECE

3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-9/16", 3". Arbors: 1L, 2L
Two pilot drills

LARGE KIT

CARBIDE GRIT HOLE SAWS

Best for Cutting Abrasive Materials

CUTS ABRASIVE MATERIALS
Tungsten carbide grit cuts through fiberglass, ceramic tile, laminates and other abrasive materials

CLEAN CUTTING
Carbide grit edge will not snag or chip when cutting thin materials

USE STANDARD ARBOR OR SNAP-BACK™ ARBOR



1 PER BOX	DIAMETER		PIPE TAP		PIPE ENTRANCE		USE ARBOR		RECOMMENDED RPM ONLY		
PROD NO	IN	MM	IN	MM	IN	MM	*SNAP-BACK™*	STANDARD	BRICK, DRYWALL, PORCELAIN, MARBLE, CERAMIC TILE	SLATE, FIBERGLASS, PARTICLE BOARD, LAMINATES, GRANITE, CEMENT	CAST IRON
2994848CG	3	76.2	—	—	2-1/2	63.5	2L, 6L	2L, 3L, 6L, 7L	200	300	100
2995252CG	3-1/4	82.6	3	76.2	—	—	2L, 6L	2L, 3L, 6L, 7L	200	300	100
2995858CG	3-5/8	92.1	—	—	3	76.2	2L, 6L	2L, 3L, 6L, 7L	100	200	100
2996464CG	4	101.6	—	—	—	—	2L, 6L	2L, 3L, 6L, 7L	100	200	100
2996666CG	4-1/8	104.8	—	—	3-1/2	88.9	2L, 6L	2L, 3L, 6L, 7L	100	200	100

CARBIDE GRIT RECESSED LIGHTING HOLE SAWS

Best for Cutting Abrasive Materials

LONG LIFE
Hard tungsten carbide grit edge for a long life in abrasive materials

FAST, EASY CUTTING
Continuous cutting edge for smooth cutting

LIMITS DUST / DEBRIS
Solid back design collects dust and debris



1 PER BOX	DIAMETER		FOR FIXTURES	USE ARBOR	
PROD NO	IN	MM		*SNAP-BACK*	STANDARD
30861438RL	4-3/8	111	Capri, Marco, Halo, Mini-Juno	2L, 6L	2L, 3L, 6L, 7L
12100538RL	5-3/8	137	Capri, Marco, Halo, Mini-Juno, Lightolier®	2L, 6L	2L, 3L, 6L, 7L
30862638RL	6-3/8	162	Capri, Halo, Pathway & Thomas	2L, 6L	2L, 3L, 6L, 7L
30863658RL	6-5/8	168	Juno, Progress & Pathway	2L, 6L	2L, 3L, 6L, 7L
30864678RL	6-7/8	175	Capri, Hubbell®, Lightolier®, Lithonia®, Marco, Prescolite®, & Progress	2L, 6L	2L, 3L, 6L, 7L

Use 123CT or 1779771 Pilot Drill

HALO is a registered trademark of Halo Lighting, JUNO is a registered trademark of Juno Lighting Inc., LITHONIA is a registered trademark of Lithonia, Inc., LIGHTOLIER is a registered trademark of Lightolier, Inc., and PRESCOLITE is a registered trademark of Prescolite, Inc.

LENOX

LENOX® *DIAMOND™* HOLE SAWS

More Holes. Less Time.



LENOX® *DIAMOND™* HOLE SAWS

More Holes. Less Time.



LONG LASTING
Continuous, brazed edge lasts longer in tile and stone

DURABLE
Robust design for greater durability in tough applications

FAST, EASY CUTTING
Low torque, little pressure required

EASIER PLUG REMOVAL
Over-sized slot in hole saw for easy plug removal

USE STANDARD ARBOR, SNAP-BACK™ ARBOR FOR BEST RESULTS USE THE* LENOX *ARBOR WITH RETRACTABLE PILOT DRILL





ONE PIECE HOLE SAWS

1 PER PACK	IN	MM	PIPE TAP		PIPE ENTRANCE		RPM*	
PROD NO			IN	MM	IN	MM	IN	MM
121063DGDS	3/16	5	—	—	—	—	1500	2000
121074DGDS	1/4	6	—	—	—	—	2000	2500
121085DGDS	5/16	8	—	—	—	—	2000	2500
121096DGDS	3/8	10	—	—	—	—	2000	2500
121108DGDS	1/2	13	—	—	—	—	2000	2500
1211110DGDS	5/8	16	—	—	—	—	1500	2000
1211212DGDS	3/4	19	3/4	13	3/8	10	1500	2000
1211416DGDS	1	25	—	—	—	—	—	
1211622DGDS	1-3/8	35	—	—	1	25	—	
12158DGDS4A	4 pc kit	Sizes: 3/16", 1/4", 5/16", 3/8"						

STANDARD HOLE SAWS

1 PER PACK	IN	MM	PIPE TAP		PIPE ENTRANCE		USE ARBOR			RPM*	
PROD NO			IN	MM	IN	MM	RETRACTABLE	*SNAP-BACK™*	STANDARD	IN	MM
1211314DGHS	7/8	22	3/4	19	1/2	13	—	5L	1L, 4L, 5L	800	1200
1225618DGHS	1-1/8	29	1	25	3/4	19	—	5L	1L, 4L, 5L	500	900
1211520DGHS	1-1/4	32	—	—	—	—	5L 5/8-18	2L, 6L	2L, 3L, 6L	500	900
1211722DGHS	1-3/8	35			1	25	5L 5/8-18	2L, 6L	2L, 3L or 6L	500	900
1211824DGHS	1-1/2	38	1-1/4	32	—	—	5L 5/8-18	2L, 6L	2L, 3L, 6L, 7L	500	900
1211932DGHS	2	51	—	—	1-1/2	38	5L 5/8-18	2L, 6L	2L, 3L, 6L, 7L	400	800
1212040DGHS	2-1/2	64	—	—	2	51	5L 5/8-18	2L, 6L	2L, 3L, 6L, 7L	200	600

**Suggested RPMs only:* Porcelain, Ceramic, Slate, Granite, Marble, Glass, Fiberglass, Travertine, Cement Board, Laminates

ARBOR WITH RETRACTABLE PILOT DRILL

CENTERING PIN ELIMINATES WALKING

CARBIDE TIPPED FOR LONGER LIFE



PROD NO	DESC	FITS *DIAMOND* HOLE SAWS	SIZES		SHANK TYPE	SHANK SIZE	
			IN	MM		IN	MM
1970538	5L 5/8-18	Standard	1-1/4–2-1/2	32–64	Solid Hex	3/8 & larger	9.5 & larger

PROD NO	DESCRIPTION	CHUCK SIZE		FITS ARBOR
		IN	MM	SOLID HEX
1970540	Retractable Pilot Drill	1/4	6.4	5L 5/8-18

DIAMOND™ KIT



1853785
10 PIECE KIT

1/4", 3/4", 7/8", 1-1/8", 1-3/8", 2", 2-1/2"
Arbors: 2L, 5L. Hex Wrench

LARGE KIT

CARBIDE HOLE CUTTERS

Designed Specifically for Sheet Metal Hole Cutting




ACCURATE, BURR-FREE HOLES
Precision ground carbide teeth for fast cutting of clean, round holes

WILL NOT DAMAGE WORK
Over-drill stopper prevents the tool from penetrating beyond the hole

STARTS ON CONTACT
Split point pilot bit for faster penetration and less walking

1 PER BOX	DIAMETER		CONDUIT	USE ARBOR	
PROD NO	IN	MM	SIZE	*SNAP-BACK™*	STANDARD
2009212CHC	3/4	19.1	3/8"	5L	1L, 4L, 5L
2009314CHC	7/8	22.2	1/2"	5L	1L, 4L, 5L
2009416CHC	1	25.4	—	5L	1L, 4L, 5L
2009618CHC	1-1/8	28.6	3/4"	5L	1L, 4L, 5L
20097195CHC	1-7/32	30.9	—	5L	1L, 4L, 5L
2009820CHC	1-1/4	31.8	—	2L, 6L	2L, 3L, 6L
2010022CHC	1-3/8	34.9	1"	2L, 6L	2L, 3L, 6L
2010224CHC	1-1/2	38.1	—	2L, 6L	2L, 3L, 6L
2010328CHC	1-3/4	44.5	1-1/4"	2L, 6L	2L, 3L, 6L
2010432CHC	2	50.8	1-1/2"	2L, 6L	2L, 3L, 6L
2010534CHC	2-1/8	54.0	—	2L, 6L	2L, 3L, 6L
2010840CHC	2-1/2	63.5	2"	2L, 6L	2L, 3L, 6L
2010942CHC	2-5/8	66.7	—	2L, 6L	2L, 3L, 6L
2011344CHC	2-3/4	69.9	—	2L, 6L	2L, 3L, 6L
2011448CHC	3	76.2	2-1/2"	2L, 6L	2L, 3L, 6L
3087935PD	1/4" Split point stubby pilot bit			—	2L, 3L, 6L
308803CHCAS	Plug ejection springs			—	—



ELECTRICIAN'S KITS



30877300CHC
12 PIECE KIT

7/8", 1-1/8", 1-3/8". Arbors: 3L, 5L
1/4" split point pilot bit. Plug ejection springs, 1/8" hex wrench

COMPACT KIT



30878500CHC
15 PIECE KIT

7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"
Arbors: 3L, 5L. 1/4" split point pilot bit
Plug ejection springs, 1/8" hex wrench

MEDIUM KIT

ONE TOOTH® ROUGH WOOD HOLE CUTTER

Drills Faster Than Self-Feed Bits

LONG LASTING
High speed steel tooth provides long tool life

CUTS FAST / LOW TORQUE
Designed to run at high speeds with very little torque

DURABLE WOOD CUTTING TOOL
Cuts wet, frozen, pressure treated and hard wood without binding

EASY PLUG REMOVAL
Patented design allows easy plug removal

CUTS AT AN ANGLE
Unique design provides the ability to cut at an angle

USE STANDARD ARBOR OR SNAP-BACK™ ARBOR
For optimal performance use a 3/8" Stubby Spade Bit with Standard Arbor



1 PER PACK	CUTTER SIZE		CUTTING DEPTH		APPLICATION	USE ARBOR	
PROD NO	IN	MM	IN	MM		*SNAP-BACK™*	STANDARD
2542222HC	1-3/8	34.9	2-7/16"	62	1" pipe & lock installation	2L, 6L	2L, 3L, 6L
2543434HC	2-1/8	54.0	2-7/16"	62	1-1/2" pipe & lock installation	2L, 6L	2L, 3L, 6L, 7L
2543636HC	2-1/4	57.2	2-7/16"	62	1-1/2" pipe & 45˚/90˚ bend couplings	2L, 6L	2L, 3L, 6L, 7L
2544141HC	2-9/16	65.1	2-7/16"	62	2" pipe	2L, 6L	2L, 3L, 6L, 7L
2544444HC	2-3/4	69.9	2-7/16"	62	2" pipe & 45˚/90˚ bend couplings	2L, 6L	2L, 3L, 6L, 7L
2545454HC	3-3/8	85.7	2-7/16"	62	3" duct pipe & bendable duct pipe	2L, 6L	2L, 3L, 6L, 7L
2545656HC	3-5/8	92.1	2-7/16"	62	3" pipe	2L, 6L	2L, 3L, 6L, 7L
2546464HC	4	101.6	2-7/16"	62	3" pipe & coupling & dryer vent	2L, 6L	2L, 3L, 6L, 7L
2546969HC	4-5/16	109.5	2-7/16"	62	4" duct pipe & bendable duct pipe	2L, 6L	2L, 3L, 6L, 7L
2547474HC	4-5/8	117.5	2-7/16"	62	4" pipe	2L, 6L	2L, 3L, 6L, 7L
2548080HC	5	127.0	2-7/16"	62	4" pipe & coupling	2L, 6L	2L, 3L, 6L, 7L
2548787HC	5-1/2	139.7	2-7/16"	62	Toilet flange	2L, 6L	2L, 3L, 6L, 7L
2550000HC	6-1/4	158.8	2-7/16"	62	6" duct pipe	2L, 6L	2L, 3L, 6L, 7L
25310SB38	—	—	—	—	3/8" stubby spade bit	2L, 6L	2L, 3L, 6L, 7L
25312DIAF1	—	—	—	—	Diamond file for re-sharpening	—	—

ONE TOOTH HOLE CUTTER KITS



25476301G
7 PIECE

2-1/8", 2-9/16", 3-5/8"
Arbor: 2L, Diamond file
Two 3/8" stubby spade bits

LARGE KIT



25477701G
11 PIECE

2-1/8", 2-1/4", 2-9/16", 2-3/4",
3-5/8", 4", 4-5/8"
Arbor: 2L, Diamond file
Two 3/8" stubby spade bits

LARGE KIT





facebook.com/lenoxtools

twitter.com/lenoxtools

instagram.com/lenoxtools

©2019 LENOX | MKT-3085 | LXCTHSBR
301 Chestnut Street, East Longmeadow
MA 01028-0504 USA

Customer Service: 800-628-8810
Technical Support: 800-642-0010
lenoxtools.com