Mulberry Wallplates

When U.S. made wallplates are specified for the job or needed to meet an ARRA requirement, make Mulberry your first choice!

Every metal wallplate in this catalog is manufactured right here in the USA!

In addition, we offer:

- More than 7,000 different wallplates, with most in stock
- The industry's widest variety of materials, openings, combinations and colors
- A choice of over 40 painted metal, stainless steel, brass and other metal finishes
- Plus, our unbreakable thermoplastic wallplates available in 4 colors
- Standard metal wallplate configurations from 1 to 10-gang and thermoplastic from 1 to 6 gang
- In-house engraving and silk-screening capability
- Custom wallplates available in special sizes or with custom openings or markings



Unsurpassed Quality, Selection & Service!

Mulberry Wallplates



Features and Benefits:

Painted Metal Wallplates

- Made from the finest steel alloy and then painted with a superior powder coat finish to assure durability.
- Durable paint finish helps prevent chipping and scratching.
- Can be re-painted to match a new room decor.
- Come with standard slotted 6-32 oval head metal screws in a matching paint finish.
- Available in a variety of shapes and sizes — Standard, Princess, Oversize and Maxi sizes.
- Princess shaped plates have rounded corners which help prevent wall damage and are also 1/2 inch taller in height to help cover any gaps or holes between sheetrock and an existing electrical box.
- UL Listed and made in the U.S.A.

Stainless Steel, Brass, Bronze, Aluminum & Chrome Wallplates

- Ideal for residential, commercial and institutional applications.
- Specification-grade, non-magnetic 304 type stainless steel available in either a Satin or Mirror Polish finish.
- Standard 430 type stainless steel also has excellent non-corrosive properties.
- Brass made from a 70/30 alloy is .040 inches thick and avilable with either a Satin or Mirror finish.
- UL Listed and made in the U.S.A.

Thermoplastic Wallplates

- Made from rugged thermoplastic resin, Mulberry wallplates will not crack during installation or after many years of use.
- Will not fade or warp due to UV light or humidity.
- Resists grease, oils and solvents.
- Flexible design fits over uneven wall surfaces.
- C-UL-us Listed.

Mulberry Wallplates

Standard Size


83


93, 97, 70


68


95


99


98

85

84

44

86


82


58


51


88


87


94


65


66


69


64


220


221


222


214


215

32



34


33


36


38


Full Scale Dimensions




STANDARD TOLERANCE ±0.0313”

Screw Hole Dimensions

Standard Size



Examples:



Blank

Toggle Single Receptacle

Interchangeable (Despard) GFI

Refer to the dimensional drawings within our Opening Selector Guide

Dimensions by Style

Standard Shape

1	gang	4.5” x 2.75”
2	gang	4.5” x 4.562”
3	gang	4.5” x 6.375”
4	gang	4.5” x 8.187”
5	gang	4.5” x 10.00”
6	gang	4.5” x 11.812”
7	gang	4.5” x 13.625”
8	gang	4.5” x 15.437”
9	gang	4.5” x 17.25”
10	gang	4.5” x 19.062”
11	gang	4.5” x 20.875”
12	gang	4.5” x 22.687”
13	gang	4.5” x 24.50”
14	gang	4.5” x 26.312”
15	gang	4.5” x 28.125”
16	gang	4.5” x 29.937”
17	gang	4.5” x 31.875”
18	gang	4.5” x 33.687”
19	gang	4.5” x 35.50”
20	gang	4.5” x 37.312”

Jumbo / Oversize (SL)

1	gang	5.5” x 3.50”
2	gang	5.5” x 5.50”
3	gang	5.5” x 7.50”
4	gang	5.5” x 9.50”
5	gang	5.5” x 11.50”
6	gang	5.5” x 13.50”
7	gang	5.5” x 15.50”
8	gang	5.5” x 17.50”

Dimensions for Deep and Narrow Plates see Pages A64 - A66.

Princess Shape (PRL)

1	gang	5” x 2.75”
2	gang	5” x 4.562”
3	gang	5” x 6.375”
4	gang	5” x 8.187”
5	gang	5” x 10.00”
6	gang	5” x 11.812”

Maxi Shape (MP)

1	gang	5” x 3.50”

Thermoplastic Standard Size

1	gang	4.5” x 2.76”
2	gang	4.5” x 4.57”
3	gang	4.5” x 6.38”
4	gang	4.5” x 8.19”
5	gang	4.5” x 10.03”
6	gang	4.5” x 11.81”

Thermoplastic Midi Size


1	gang	4.88” x 3.11”
2	gang	4.88” x 4.92”
3	gang	4.88” x 6.77”
4	gang	4.88” x 8.58”


STANDARD TOLERANCE ±0.0313”

Note: Standard Size and Jumbo/Oversize plates (beveled edge) can be made available in custom sizes. Princess and Maxi Shape plates, as well as thermoplastic plates, are only available up to 6 gangs.

Material Specifications

S - Standard Shape





P - Princess Shape

Steel (Prepared to Underwriters Laboratories, Inc. specifications)	**Finish**	**Shape**	**Thickness**	**Finish Designator**	**Catalog Page**
Almond (ALM)	smooth semi-gloss	S	.030	44000	A11-22
Almond Wrinkle (DA-PRL)	hard baked wrinkle	P	.030	43000	A23-32
Aluminum Paint (CDA)	smooth semi-gloss	S	.030	88000	A11-22
Black Paint (BL)	matte	S	.030	87000	A11-22
Brown Paint (BK)	smooth semi-gloss	S	.030	82000	A11-22
Brown Paint (DB)	hard baked wrinkle	S	.030	98000	A11-22
Brown Paint (DB-PRL)	hard baked wrinkle	P	030	78000	A23-32
Chrome Plate (CA)	mirror polish	S	.030	83000	A37-46
Chrome Plate (CA-PRL)	mirror polish	P	.030	73000	A47-56
Gray	smooth semi-gloss	S	.030	58000	A11-22
Ivory (IA)	smooth semi-gloss	S	.030	84000	A11-22
Ivory (IA-PRL)	smooth semi-gloss	P	.030	74000	A23-32
Ivory (DI)	hard baked wrinkle	S	.030	99000	A11-22
Ivory (DI-PRL)	hard baked wrinkle	P	.030	79000	A23-32
Red (RA)	smooth semi-gloss	S	.030	51000	A11-22
White (WA)	smooth semi-gloss	S	.030	86000	A11-22
White (WA-PRL)	smooth semi-gloss	P	.030	76000	A23-32
White (DW)	hard baked wrinkle	S	.030	85000	A11-22
White (DW-PRL)	hard baked wrinkle	P	.030	75000	A23-32
Hammered Copper	textured / matte	S	.030	21400	A61-63
Hammered Black	textured / matte	S	.030	21500	A61-63
Regal Black	textured / matte	S	.030	22000	A61-63
Regal Copper	textured / matte	S	.030	22100	A61-63
Regal Gold	textured / matte	S	.030	22200	A61-63
Zinc Coat (AUNF)	unfinished	S	.030	89000	A11-22
Zinc Coat (AUNF-PRL)	unfinished	P	.030	80000	A23-32

Material Specifications

Stainless Steel

Grade	Finish	Shape	Thickness	U.S. Bureau Standards Symbol	Finish Designator	Catalog Page
*Type 304 (304SS)	#4 Fine Satin	S	.030	US #32D	93000	A37-46
*Type 304 (304SS-PRL)	#4 Fine Satin	P	.030	US #32D	53000	A47-56
*Type 304 (304-6SS)	#4 Fine Satin	S	.060	US #32D	70000	A37-46
*Type 304 (304SP)	Mirror Polish	S	.030	US #32	68000	A37-46
Type 430 (SS)	#4 Fine Satin	S	.030	US #32	97000	A37-46
Type 430 (SS-PRL)	#4 Fine Satin	P	.030	US #32D	57000	A47-56

** 304 Stainless steel is a specification grade that consists of 18% chromium and 8% nickel. It is non-magnetic and corrosion resistant. It is ideal for hospitals, schools and other public institutions, as well as computer rooms.*

Aluminum

Clear Anodized (4AA)	Matte, Smooth	S	.040	-	95000	A37-46

Brass & Bronze*

Statuary Bronze Dark (4DBR)	Antique finish over solid brass	S	.040	US #20	69000	A37-46
Bank Bronze Medium (4ABR)	Antique finish over solid brass	S	.040	US #108	65000	A37-46
Satin Brass (4BB) (solid brass)	Satin #4 Polish	S	.040	US #4	94000	A37-46
Satin Brass (4BB-PRL) (solid brass)	Satin #4 Polish	P	.040	US #4	54000	A47-56
Satin Brass (6BB) (solid brass)	Satin #4 Polish	S	.060	US #4	96000	A37-46
Satin Bronze (4SBR)	Satin #4 Polish	S	.040	US #10	66000	A37-46
Polished Brass (4PB) (solid brass)	Mirror Finish	S	.040	US #3	64000	A37-46
Polished Brass (plated steel)	Mirror Finish	P	.040	-	21800	A47-56
Satin Brass (plated steel)	Satin #4 Polish	P	.040	-	22500	A47-56


** Lacquered to prevent oxidation*

Thermoplastic

Light Almond	33000	A72-79
Ivory	34000	A72-79
Red	36000	A72-79
White	32000	A72-79
Brown	38000	A72-76

STAINLESS STEEL, BRASS, BRONZE, ALUMINUM & CHROME

Standard Size



	Chrome Plate Mirror Polish (CA)	Aluminum-Clear Anodized (4AA)	Stainless Steel Type 304 Satin .030” (302SS)	Stainless Steel Type 304 Mirror .030” (302SP)	Stainless Steel Type 304 Satin .060” (302-6SS)	Stainless Steel Type 430 Satin .030” (SS)	Statuary Bronze-Dark .040” (4DBR)	Bank Bronze-Medium .040” (4ABR)	Satin Brass .040” (4BB)	Satin Brass .060” (6BB)	Satin Bronze .040” (4SBR)	Polished Brass-Mirror .040” (4PB)
3-Duplex (30DR)	83103	95103	93103	68103	70103	97103	69103	65103	94103	96103	66103	64103
4-Duplex (40DR)	83104	95104	93104	68104	70104	97104	69104	65104	94104	96104	66104	64104
5-Duplex (50DR)	83105	95105	93105	68105	70105	97105	69105	65105	94105	96105	66105	64105
6-Duplex (60DR)	83106	95106	93106	68106	70106	97106	69106	65106	94106	96106	66106	64106
1-Single Recept. (1.405”) (10R)	83091	95091	93091	68091	70091	97091	69091	65091	94091	96091	66091	64091
2-Single Recept. (1.405”) (20R)	83092	95092	93092	68092	70092	97092	69092	65092	94092	96092	66092	64092
3-Single Recept. (1.405”) (30R)	83093	95093	93093	68093	70093	97093	69093	65093	94093	96093	66093	64093
1-Blank / Mounting Strap (Device Mntg. 2.375”) (1BDE)	83121	95121	93121	68121	70121	97121	69121	65121	94121	96121	66121	64121
2-Blank / Mounting Straps (Device Mntg. 2.375”) (2BDE)	83122	95122	93122	68122	70122	97122	69122	65122	94122	96122	66122	64122
3-Blank / Mounting Straps (Device Mntg. 2.375”) (3BDE)	83123	95123	93123	68123	70123	97123	69123	65123	94123	96123	66123	64123
1-Blank (Box Mntg. 3.281”) (1B)	83151	95151	93151	68151	70151	97151	69151	65151	94151	96151	66151	64151
2-Blank (Box Mntg. 3.281”) (2B)	83152	95152	93152	68152	70152	97152	69152	65152	94152	96152	66152	64152
3-Blank (Box Mntg. 3.281”) (3B)	83153	95153	93153	68153	70153	97153	69153	65153	94153	96153	66153	64153