
**Call Us: (908) 688-8850**

# 2-gang with one 30/50A 3 wire Range/Dryer round receptacle opening (2.125 in. ID), centered, standard size, metallic finish wallplate



**Gang:** 2
**Size:** Standard (4.5 in. high x 4.5662 in. wide)
**Opening:** 30/50A 3 wire Range/Dryer round receptacle opening (2.125 in. ID), centered
**Mounting:** Device

## Additional Information

**Product Type:** Wallplates

| FINISH | CAT. NO. / UPC |
|---|---|
| Chrome Plate Mirror | **83222**<br>95327832229.0 |
| Anodized Aluminum-Clear | **95222**<br>95327952224.0 |
| Stainless Steel-Type 304-Satin | **93222**<br>95327932226.0 |
| Stainless Steel-Type 304-Mirror | **68222**<br>95327682220.0 |
| Stainless Steel-Type 304-Satin (.060 in.) | **70222**<br>95327702225.0 |
| Stainless Steel-Type 430-Satin | **97222**<br>95327972222.0 |
| Statuary Bronze-Dark | **69222**<br>95327692229.0 |
| Bank Bronze-Medium | **65222**<br>95327652223.0 |
| Satin Brass | **94222**<br>95327942225.0 |
| Satin Brass (.060 in.) | **96222**<br>95327962223.0 |
| Satin Bronze | **66222**<br>95327662222.0 |
| Polished Brass-Mirror | **64222**<br>95327642224.0 |

**Material:**

**Type 304 Stainless Steel:** Satin or Mirror finish, non-magnetic, .030 inches thick (except 70000 Series which measures .060 inches in thickness). This alloy contains 18% chromium and 8% nickel and offers superior resistance to corrosion. Ideal for hospitals, schools and other public institutions, as well as computer rooms.

**Type 430 Stainless Steel:** Satin finish, .030 inches thick. Good corrosion resistance, but, not as resistant as Type 304 nor does it have the same non-magnetic properties. Ideal for industrial and commercial applications in a less corrosive atmosphere.

**Solid Brass:** This distinctive copper / zinc alloy is available in Polished Brass, .040 inches thick, and, two grades of Satin Brass–one measuring .040 inches and the other, .060 inches in thickness. Polished Brass wallplates are packaged with protective film to inhibit oxidation. These superior brass wallplates will add a

touch of warmth and elegance to any room.
**Bronze:** Available in Statuary Bronze, Bank Bronze and Satin Bronze, each .040 inches thick–providing a rich, decorative look.
**Aluminum:** Made of anodized aluminum, .040 inches thick, with a smooth finish. Appropriate for most commercial and industrial applications.
**Chrome:** Plated chrome with a mirror finish, .030 inches thick.

**Mechanical:**

**Gang:** 2
**Size:** Standard (4.5 in. high x 4.5662 in. wide)
**Size / Shape:** Standard
**Opening:** 30/50A 3 wire Range/Dryer round receptacle opening (2.125 in. ID), centered
**Mounting:** Device

**Standards:**

**Applicable Standards:** UL 514D
**Certification:** UL Listed

**Finishes:** Available in a choice of (12) twelve finishes in stainless steel, brass, bronze, chrome and aluminum. Comes with 1/2 inch standard slotted 6-32 oval head screws in matching finishes.

**Product Features:**

- Ideal for residential, commercial and institutional applications.
- Smooth, rounded edges prevent wall damage.
- Add elegance to any room in your home or office.
- Can be silk-screened or engraved.
- Made in the U.S.A.

**Box Quantity:** 10

---

Source: https://mulberrymetal.com/shop/wallplates/metallic-finishes-standard/2-gang-metallic-finishes-standard/2-gang-with-one-30-50a-3-wire-range-dryer-round-receptacle-opening-2-125-in-id-centered-standard-size-metallic-finish-wallplate/