Product data sheet

Specifications



Load center accessory, QO/ Homeline, ground bar kit, 9 terminals

PK9GTA

Product availability: Stock - Normally stocked in distribution facility

Main

product line	QO
product type	Bar

Complementary

Number of connectors	9
wire size	14 AWG...10 AWG copper 12 AWG...10 AWG aluminium 8 AWG aluminium/copper 6 AWG...4 AWG aluminium/copper 14 AWG...12 AWG
Provided equipment	2 screw
Bar length	3.8 in (96 mm)
Maximum length of segment	3.1 in (80 mm)
Device mounting	Direct mounting back of enclosure
Height	0.437 in (11.100 mm)
Depth	0.312 in (7.925 mm)
Tightening torque	20 lb.in, 14 AWG...10 AWG, copper 20 lb.in, 12 AWG...10 AWG, aluminium 35 lb.in, 6 AWG...4 AWG

Ordering and shipping details

Category	US1DE3A00102
Discount Schedule	DE3A
GTIN	785901026396
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.300 in (0.762 cm)
Package 1 Width	0.850 in (2.159 cm)
Package 1 Length	3.800 in (9.652 cm)
Package weight(Lbs)	1.600 oz (45.359 g)
Unit Type of Package 2	CAR

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 2	10
Package 2 Height	4.00 in (10.16 cm)
Package 2 Width	6.50 in (16.51 cm)
Package 2 Length	7.100 in (18.034 cm)
Package 2 Weight	19.360 oz (548.847 g)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Longer

Lifetime extension

Repair	No

Use Again

Repack and remanufacture

Take-back	No

Image of product / Alternate images

Alternative


MFG Model Number
PK9GTACP
9 terminal Ground Bar Kit for use in Square D electrical panels
Accepts copper or aluminum wire to feed to neutral bar
UL listed and ANSI Certified


0.5 in.
0.32 in.
3.77 in.
MFG Model Number
PK9GTACP


Compatible products
9 Terminal Ground Bar Kit
MFG Model Number: PK9GTACP
Compatible with all
Square D QO/Homeline
load centers