# Product data sheet
## Characteristics

# QOB370
## Mini CB, QO, 70 A, 3P, 120/240 V, 10 kA, Bolt on

Product availability : Stock - Normally stocked in distribution facility

Price** : 369.00 USD



## Main

| | |
|---|---|
| Product | Miniature circuit-breaker |
| Range | QO |
| Current Rating | 70 A |
| Voltage Rating | 120/240 V AC<br>240 V AC<br>120 V AC |
| Mounting Type | Bolt-on |
| Number of Poles | 3P |
| Circuit Breaker Type | Standard |
| Ratings | HACR rated |
| Electrical Connection | Box lugs |

## Complementary

| | |
|---|---|
| Inturrupt Rating | 10 kA 120/240 V AC 50/60 Hz<br>10 kA 240 V AC 50/60 Hz<br>10 kA 120 V AC 50/60 Hz |
| Number of Panel Spaces | 3 |
| Wire Size | AWG 8...AWG 2 copper or aluminium |
| Tightening torque | 44.25 lbf.in (5 N.m) 0.02…0.04 in² (10…25 mm²) AWG 8...AWG 2) |
| Height | 3.12 in (79.25 mm) |
| Depth | 2.91 in (73.91 mm) |
| Width | 2.25 in (57.15 mm) |

## Environment

| | |
|---|---|
| Certifications | UL listed<br>CSA |
| Ambient Rating | 104 °F (40 °C) |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Ordering and shipping details

| | |
|---|---|
| Category | 00015 - QOB CIRCUIT BREAKERS |
| Discount Schedule | DE2 |
| GTIN | 00785901019749 |
| Returnability | Yes |
| Country of origin | MX |

## Offer Sustainability

| | |
|---|---|
| Sustainable offer status | Green Premium product |
| REACh Regulation | REACh Declaration |
| REACh free of SVHC | Yes |
| EU RoHS Directive | Compliant<br>EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information. |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | No need of specific recycling operations |
| Halogen content performance | Halogen free product |

## Contractual warranty

| | |
|---|---|
| Warranty | 18 months |

## Approximate Dimensions

